ELSEVIER

Biochemical Pharmacology 66 (2003) 2465–2471

Biochemical Pharmacology

www.elsevier.com/locate/biochempharm

# Author index Volume 66

Aarts, M.M., 877
Abraham, G., 1067
Abukhdeir, A.M., 1915
Agam, G., 179
Aggarwal, B.B., 1403
Agostinis, P., 1651
Aharoni, D., 1355
Ahn, H.S., 2125
Aihara, E., 1115
Akagi, R., 1091
Akhtar, S., 819
Akiyama, T.E., 2011
Alcaraz, M.J., 2049
Aldonatti, C., 35
Alencar, J.L., 2365
Am, O.B., 1635
Amano, O., 239
Amano, Y., 2133
Amin, R., 1681
Amit, T., 1635
Ammini, C.V., 2029
Amsterdam, A., 1355, 1393
Andersen, K., 2341
Anderson, L.M., 393
Andersson, A., 757
Andoh, T., 481
Andreadis, S.T., 1809
Andreau, K., 1321
Andrés, D., 917
Andr's Melendez, J., 1331
Angulo, Y., 1993
Ann, D.K., 1945
Antunes, E., 43
Aoki, N., 379
Araki, H., 1019
Arbing, R., 1571
Armanini, D., 2375
Aronis, A., 1331
Asayama, K., 141
Ashani, Y., 191
Azzariti, A., 551

Baba, Y., 1879
Backus, H.H.J., 431
Bader, M., 1673
Bae, Y.-S., 1841
Bae, Y.S., 2291
Baek, S.-H., 1287, 2067
Baggett, B., 1207
Bakalova, R., 1879
Balin, D., 595
Balzarini, J., 471
Bandyopadhyay, S., 1151
Baraldi, P.G., 739
Barkan, D., 809
Barriere, M., 2241
Barrios, V.E., 519
Barrows, L.R., 447
Bastie, J.-N., 1907
Batkiewicz, L., 1571
Baumert, H., 2241
Baur, R., 2397
Bautista, M., 917
Baxa, D.M., 1009
Becq, F., 425
Bedoya, F.J., 1963
Bégard, S., 1619
Beljaars, L., 1307
Beloussow, K., 1945
Benchoua, A., 1643
Bennett, R.G., 867
Ben-Shachar, D., 489
Benter, I., 819
Bergamaschi, A., 1505
Bernheim, H., 331
Berthaud, P., 1907
Bettinetti, L., 1025
Beyaert, R., 1409
Bhattacharjee, A.K., 191
Bianchi, V., 471
Biessen, E.A.L., 859
Blackburn, M.R., 1595
Blay, J., 1737
Bock, K.W., 691, 841
Boeckler, F., 1025
Boehrer, S., 711
Bonert, A., 1627
Bonilla, E., 875
Bonsignore, A., 2355
Borda, E., 1871
Borea, P.A., 739, 1897
Borgatti, M., 1189
Borman, J.B., 1279
Born, W., 2107
Borrow, J.M., 1537
Borutaite, V., 1513
Bradshaw, T.D., 1695
Brantley-Finley, C., 459
Braudeau, J., 1643
Brea, J., 927
Brée, F., 1123
Brennan, R., 1755
Brock, P., 633
Brown, G.C., 1513
Brown, J., 2075
Brugnoli, F., 1973
Bryant, F.B., 1915
Buckler, F., 841
Buée, L., 1619
Bukauskas, F.F., 1661
Bukauskiene, A., 1661
Burman, D.M., 1707
Burnstock, G., 415

Cadavid, M.I., 927
Cadossi, R., 1897
Cahuana, G.M., 1963
Cain, S.A., 1833
Callebaut, I., 1581
Calvert, R.J., 393
Calvo, F., 1907
Capitani, S., 739
Carraway, R.E., 331
Carretier, M., 2241
Carroll, L., 1915
Cascales, M., 917
Cascieri, M.A., 321
Casini, A.F., 1499
Casscells, S.W., 1485
Castedo, M., 1321
Castell, J.V., 2155
Castro, M.M.C.A., 1915
Catania, V.A., 171
Cattabriga, E., 1897
Catusse, J., 1171
Ceballos-Reyes, G., 157
Cerna, C., 2193
Chalupsky, K., 2365
Chambers, T.C., 459
Chan, C.M., 415
Chan, D., 225
Chan, M.N.S., 125
Chang, C.-H., 203
Chang, D.-M., 679
Chang, H.-C., 371
Chang, N.-S., 1347
Chang, S.-Y., 679
Chapman, R.A., 2427
Chelli, B., 1953
Chen, C.-M., 203
Chen, G.L., 791
Chen, H.-Q., 1681
Chen, S.-T., 1347
Chen, T.-Y., 1981
Chen, Y., 1245
Chen, Y.-C., 1139, 1821
Cheng, A.-L., 25
Cheng, S.-M., 679
Chern, J.-W., 115
Cheung, C., 2011
Cheung, J., 2029
Chi, Y.S., 1271
Chneiweiss, H., 1581
Cho, K.-J., 849
Choi, B.H., 2125

doi:10.1016/S0006-2952(03)00838-4

Choi, J.-S., 2125
Choi, Y.-J., 273
Chomienne, C., 1907
Chong, C.R., 2201
Choshi, T., 1019
Chou, J.-Y., 115
Chow, K.U., 711
Chu, C.-Y., 2281
Chuang, L.-Y., 371
Chuang, S.-E., 25
Chuang, Y.-C., 2323
Chung, A.-S., 849
Chung, S.S.W., 1571
Ciccocioppo, F., 1973
Clemens, D.L., 697
Cochrane, D.E., 331
Cohen, T., 1355
Cole, C., 1199
Collier, A.C., 281
Colucci, G., 551
Concepción, G.P., 447
Congote, L.F., 2065
Conran, N., 43
Coppola, S., 1505
Corder, R., 589
Cornett, R., 2029
Costa, B., 1953
Costa, P.R.R., 2169
Cottalasso, D., 1521
Coughtrie, M.W.H., 2089
Couriaud, C., 1643
Coussin, F., 1861
Cozzani, M., 1189
Cremers, B., 1171
Crocenzi, F.A., 355
Culebras, J.M., 439
Cummins, J., 75
Czopf, L., 2263
Czyż, A., 2409

da Silva Porto, P.A.L., 947
da Silva, A.J.M., 2169
Dalton, T.P., 1707
Daniel, K.G., 965
Danikas, A., 1563
Dantes, A., 1355
Dapkunas, Z., 1513
Darby, M.V., 907
Darling, J., 819
Daubeuf, S., 595
Davies, D., 1563
de Brugerolle de Fraissinette, A., 1885
de Freitas, D.M., 1915
de Freitas, V.A.P., 947
de Haas, S.A.M., 859
de Lagerie, S.B., 579
De Marchi, U., 1749
De Matteis, F., 405
de Nucci, G., 43
Deeb, D., 2427
Degos, L., 1907
Deharo, E., 809
del Mazo, J., 875
Delacourte, A., 1619
Delhalle, S., 1475
Delobel, P., 1619
DeMartino, J.A., 321
Demeuse, P., 579
DePierre, J.W., 749
Dérand, R., 425
Deres, K., 2273
Deres, P., 2263
Dhein, S., 1067
Di Stasio, E., 2355
Dicato, M., 1475
Dichgans, J., 1263
Diederich, M., 1319, 1475
DiFalco, M.R., 2065
Ding, X., 1245
Ditting, T., 505
Divine, G., 2427
Diwan, B.A., 393
Doctor, B.P., 191, 387
Doherty, J., 1347
Domenicotti, C., 1521
Donato, T., 2155
Donohue Jr., T.M., 697
Dor, Y., 1355
Dorn, C.P., 321
Dou, Q. P., 965
Double, K.L., 489
Douthwaite, J.A., 589
Draganov, D.I., 887
Du, L., 459
Dubocovich, M.L., 315
Dumontet, C., 2185
Dunlop, J., 785
Dunn, P.M., 415
Duryee, M.J., 1045
Dutheil, D., 2241
Duvoix, A., 1475

Eberhardt, W., 505
Eckert, A., 1627
Efferth, T., 613
Egido, J., 1589
Eisaf, M., 2069
Eisele, L., 2313
Eitel, K., 1263
El Fadili, A., 999
El-Gewely, S.A., 2341
Elsaesser, C., 1885
Emi, Y., 171
Emmrich, J., 633
Enguix, M.J., 927
Ensign, A., 1347
Epner, D.E., 791

Failing, K., 565
Faivre, S., 225
Falach-Yogev, M., 1635
Falleni, A., 1953
Fang, L.-H., 1853
Farinotti, R., 579
Faure, J.-P., 2241
Favreau, F., 2241
Faye, P., 1171
Feldberg, R.S., 331
Feldon, J., 1025
Ferger, B., 1025
Fernandes, D.J., 1151
Fernández, P., 2049
Fernández-Calotti, P., 2185
Fernandez-Canon, J., 2029
Ferreira, H.H.A., 43
Fiore, C., 2375
Fischer, J.A., 2107
FitzGerald, U., 1469
Fitzner, B., 633
Flament, S., 1619
Flanagan, S.A., 733
Fleming, J., 2075
Fluharty, S.J., 251
Fondren, G., 2381
Fonseca, C.P., 1915
Formstecher, E., 1581
Fournet, G., 365
Fowler, C.J., 757
Franck, R.-M., 1171
Freeman, D.A., 307
Freeman, T.L., 1045
Frey, C., 1627
Froestl, B., 2177
Fujii, H., 1091
Fujisawa, S., 1061
Fujita, K.-i., 2333
Fukatsu, A., 1107
Fukushima, K., 801
Furukawa, A., 1769

Gabler, C., 1441
Gallinaro, L., 471
Gallorini, M., 489
Galmarini, C.M., 2185
Galteau, M.-M., 1475
Galvan, K.A., 977
Gambari, R., 1189
Gamberale, R., 2185
Gambero, A., 43
Gandhi, V., 733
Gao, X., 2427
Garibotto, G., 1521
Garrick, M.D., 1
Gaur, U., 1403
Gautam, S.C., 2427
Gawron, A., 605
Gebhart, E., 613
Geerts, A., 1307
Geffner, J., 2185
Geiger, H., 505
Geng, Y.-J., 1485
Genter, M.B., 1707
Geraldes, C.F.G.C., 1915
Gerdin, M.J., 315
Gerlach, M., 489
Gertsch, J., 2141
Gessi, S., 739, 1897
Geurts, M., 1163
Ghibelli, L., 1505
Giardina, B., 989
Giles, G.I., 2021
Giles, N.M., 2021
Gillespie, S.K., 1537
Gillies, R.J., 1207, 1219
Gimenez, F.V., 579
Ginsburg, H., 809
Giordano, M., 2185
Giovannini, I., 1189
Gmeiner, P., 1025
Goede, A., 505
Gohda, E., 1797
Goldstein, S., 1279
Golenser, J., 809
Golubnitschaja, O., 511

Gomar, F., 2049
Gómez-Lechón, M.J., 2155
Gonzalez, F.J., 2011
González-Gallego, J., 439
Goodwin, M.E., 459
Gordon, J., 2001
Goto, M., 163
Goujon, J.M., 2241
Goyal, S., 321
Grafton, G., 2001
Grant, R., 1033
Greiner, B., 1885
Gremigni, V., 1953
Grompe, M., 2029
Gros, L., 425
Grosser, D., 1459
Grosveld, F., 1755
Grundy, M., 1695
Gruszecki, W.I., 605
Grzanka, A., 1611
Grzanka, D., 1611
Gu, J., 1245
Guégan, C., 1643
Guerrieri, P., 1555
Guevara-Balcázar, G., 157
Guh, J.-H., 115, 149
Guillén, M.I., 2049
Guo, Q.-X., 2039
Guo, R., 93
Gut, I., 1127
Gutiérrez, B., 439
Gutowski, N.J., 2021

Habraken, Y., 1651
Habu, Y., 1107
Hacker, H.J., 2273
Hahn, S.J., 2125
Hahne, M., 1427
Haley, J.D., 1755
Hall, T., 459
Halmosi, R., 2263
Hamdane, M., 1619
Han, E.S., 1297
Han, K.H., 2291
Han, M.S., 955
Han, Z., 2241
Hanazawa, S., 1061
Hanlon, W.A., 321
Hansen, J., 2341
Hanto, K., 2263
Harada, H., 415
Harrison, P.R., 2075
Harwood, A.J., 179
Hasegawa, H., 2213
Hauet, T., 2241
Hauser, I.A., 505
Hayakawa, T., 133
Hayashi, R., 1253
Hayashi, T., 653
Hayes, J.D., 51
He, R., 1841
Heath, J., 1347
Heilmann, J., 2141
Henderson, G.N., 2029
Herling, A., 565
Heřmánek, J., 1127
Hermans, E., 1163
Hernández-Castillo, J.R., 157
Hersey, P., 1537
Heyninck, K., 1409
Hibino, S., 1019
Hideg, K., 2263
Higginbottom, A., 1833
Higuchi, Y., 1527
Hilgendorf, I., 633
Hill, B.T., 623
Hillman, K.A., 415
Hines, J., 251
Hino, N., 1019
Hiraku, Y., 1769
Hirota, M., 1935
Hirsh, L., 1355
Ho, L.-J., 679
Ho, P.-Y., 263
Hoelzer, D., 711
Hoffman, A., 1279
Hofinger, A., 1717
Höfler, S., 505
Holden, J.A., 447
Holley, J.E., 2021
Hong, J.S., 1297
Hong, J.T., 1787
Hong, Y.S., 1925
Honrubia, M.Á., 927
Horio, T., 1797
Hornicek, F.J., 2381
Hoskin, D., 1737
Hosoya, K.-I., 1945
Hou, J., 83
Hsu, C.-T., 1981
Hsu, F.-L., 1821
Hsu, H.-K., 263
Hsu, H.-T., 1981
Huang, C.-W., 2053
Huen, M.S.Y., 125, 2397
Hughes, M.D., 819
Hui, K.-M., 2397
Hung, W.-C., 371
Huo, J., 213
Husmann, K., 2107
Hussain, M.M., 2313
Hwang, B.Y., 1925
Hwang, J., 1981
Hwang, T.-L., 149

Iannotta, V., 1897
Ikushiro, S.-i., 171
Imaizumi, A., 343
Imbrasaite, A., 1661
Imura, Y., 2133
Inoue, T., 897
Inui, K.-i., 163, 1107
Ireland, C.M., 447
Isbrucker, R.A., 75
Iseki, S., 239
Ishidoh, T., 1935
Ishikawa, M., 1879
Iyanagi, T., 171

Jääskeläinen, T., 495
Jacob, C., 2021
Jaehrling, J., 841
Jaffar, M., 1199
James, M.O., 2029
Jane, S.M., 1755
Jang, J.-H., 1371
Jansen, G., 431
Janssen, O., 1417
Jarosinski, M.A., 519
Järvinen, T., 757
Jaster, R., 633
Jekabsone, A., 1513
Jensen, L.H., 623
Jensen, P.B., 623
Jerman, J.C., 757
Jia, L., 2193
Jiang, H., 2427
Jimeánez, J., 1963
Jin, H., 321
Jo, Y.-H., 2125
Johns, E.J., 343
Johnson, M.S., 2413
Jonsson, K.-O., 757
Jordheim, L., 2185
Jover, R., 2155
Jow, G.-M., 115
Juan, S.-H., 263, 1821
Juan, T.-Y., 679
Jun, D.Y., 2291
Jungermann, K., 643
Junier, M.-P., 1581
Juntunen, J., 757
Justo, P., 1589

Kaina, B., 1547
Kalai, T., 2263
Kalden, J.R., 1441
Kalvelyte, A., 1661
Kamataki, T., 2333
Kamidate, T., 2333
Kamisaki, Y., 289
Kamisuki, S., 1935
Kanayasu-Toyoda, T., 133
Kang, M.H., 1787
Kapoor, V., 1033
Karasawa, Y., 1019
Karlsson, A., 471
Kasanov, J., 2381
Kashimoto, T., 2213
Kasugai, S., 801
Kato, S., 1115
Katsuyama, S., 653
Katz, B.H., 2313
Kaushal, G.P., 459
Kawada, Y., 141
Kawai, Y., 939
Kawanishi, S., 1769
Kazi, A., 965
Keil, U., 1627
Keinänen, K., 2413
Keren-Tal, I., 1355
Kharbanda, K.K., 867
Kiedrowski, L., 2409
Kim, D., 955
Kim, E., 955
Kim, H.P., 1271
Kim, I.Y., 2301
Kim, K., 511
Kim, K.-S., 1925
Kim, M.-J., 2125
Kim, M.-S., 2125
Kim, S.-H., 955
Kim, T.G., 273
Kim, T.-S., 2301

Kim, Y., 1841
Kim, Y.-H., 273, 955, 1779
Kim, Y.H., 2291
Kim, Y.J., 1809
Kim, Y.M., 1787
Kirkwood, K., 1809
Klassen, L.W., 1045
Kloor, D., 2117
Klöting, N., 2437
Knau, A., 711
Ko, H.H., 1297
Kohama, K., 1115
Köhle, C., 841
Kohsaka, T., 343
Koiwai, O., 1935
Kolfschoten, G.M., 1427
Kolopp, M., 1885
Konopa, J., 1727
Kori, M., 289
Kories, C., 2099
Korsmeyer, S.J., 1335
Kottke, C., 1067
Kovacs, K., 2263
Kovanen, P.T., 1493
Kowal, D., 785
Kowluru, A., 1681
Kramer, W., 565
Kritchevsky, D., 393
Kroemer, G., 1321
Krugliak, M., 809
Ku, B.-S., 1853
Kudo, C., 289
Kudo, G., 2011
Kudo, K., 2213
Kuiper, J., 859
Kumar, N.B., 965
Kündig, C., 999
Kunkel, C., 2099
Kuo, H.-C., 2281
Kuo, Y.-H., 1981
Kurihara, K., 239
Kuttler, B., 2437
Kwabi-Addo, B., 791
Kwak, J.-Y., 1841
Kwon, K.H., 1253
Kwon, T.K., 273, 1779
Kwon, Y.K., 273

La Du, B.N., 887
Lacour, B., 579
Lai, J.-H., 679
Lai, S.-Y., 115
Lambert, D.M., 757
Lambertini, E., 1189
Land, A., 1355
Landrieu, I., 1619
Laranjinha, J.A.N., 947
Larghero, J., 1907
Laurent, A.B., 1595
Layden, B.T., 1915
Leader, H., 191, 387
Lee, B.-H., 725
Lee, C.S., 1297
Lee, D.-W., 1287, 2067
Lee, H.-M., 203
Lee, H.-S., 1287, 2067
Lee, J.-H., 1925
Lee, J.J., 1787, 1925
Lee, J.-Y., 1779
Lee, M.K., 1787
Lee, S.-H., 273
Lee, T.G., 955
Lee, T.-H., 371
Lee, W.-S., 263
Lee, Y.-J., 2281
Lee, Y.S., 2291
Lees, D.M., 589
Leguay, T., 1907
Lele, K., 1571
Leng, A., 1025
Leroy, P., 595
Leskinen, M.J., 1493
Leu, T.-H., 2323
Leu, Y.-L., 1181
Leung, E., 739
Leung, J.W.C., 125, 2397
Lewis, J., 1347
Li, B., 93
Li, G., 213
Liang, Y.-C., 263
Liao, C., 1571
Lichtner, M., 1505
Liebe, S., 633
Lim, H., 1271
Lin, C.-H., 203, 263
Lin, H.-C., 203
Lin, H.-Y., 1139, 1821
Lin, W.-C., 1945, 2281
Lindstad, R.I., 2341
Lindstedt, K.A., 1493
Lindstrom, J.M., 2213
Ling, Y., 93
Linkermann, A., 1417
Lippens, G., 1619
Lischka, K., 565
Liu, D., 1245, 1571
Liu, H., 93
Liu, L.F., 1981
Liu, Y.-C., 2053
Liu, Y.-Q., 1245
Llagostera, E., 1447
Llambías, E.B.C., 35
Lo, Y.-C., 2053
Lockwood, T.D., 663
Loennechen, T., 2341
Loillier, B., 1171
Lomonte, B., 1993
Longley, R.E., 75
Lorenz, H.-M., 1441
Lorz, C., 1589
Loza, M.I., 927
Lu, B., 551
Lu, S., 791
Lucacchini, A., 1953
Luccarini, J.-M., 1171
Lüdtke, A., 2117
Lui, W.S., 125
Luo, C., 387
Luquita, M.G., 171
Lyle, C.S., 459

Maa, M.-C., 2323
Maayani, S., 927
Mabondzo, A., 579
Madelaine-Chambrin, I., 1907
Mäenpää, P.H., 495
Maeshima, K., 1091
Mahl, A., 1885
Mahon, F.-X., 1907
Mahonen, A., 495
Mahoney, B.P., 1207, 1219
Maisse, C., 1555
Mallucci, L., 1563
Maloteaux, J.-M., 1163
Mancuso, C., 2355
Manda, T., 897
Mandrup-Poulsen, T., 1433
Manna, S.K., 2223
Marchisio, M., 1973
Marcocci, L., 1749
Marengo, B., 1521
Marinari, U.M., 1521
Marolleau, J.-P., 1907
Marques, C.A., 1627
Marshall, K.M., 447
Martin, T., 1809
Martini, C., 1953
Martorana, G.E., 989
Marunaka, Y., 1083
Maruyama, W., 1635
Mastroianni, C., 1505
Masuda, S., 163
Mathisen, B., 2341
Matroule, J.-Y., 1651
Matsui, H., 1115
Matsumoto, K., 1019
Matsumoto, S.S., 447
Matsumura, F., 527, 831, 1231
Matsuo, M., 897
Matsuzaki, K., 289
Mauco, G., 2241
Maxwell, D.M., 387
May, J.M., 777
Mazerska, Z., 1727
Mazzio, E., 297
Mazzon, C., 471
McEuen, A.R., 2251
McLellan, L.I., 51
Meckling, K.A., 733
Medema, J.P., 1427
Media, J., 2427
Medina, J., 1885
Meier, C., 471
Meijer, D.K.F., 1307
Meingassner, J., 1885
Melino, G., 1555
Melloni, E., 1521
Mengoni, F., 1505
Mercier, C., 579
Merighi, S., 739, 1897
Métivier, D., 1321
Metz, S.A., 213
Meucci, E., 989
Michel, M.C., 2099
Michon, I.N., 859
Mildenberger, M., 2273
Miller, L.A., 331
Mills, S.G., 321
Min, D.S., 2125
Minotti, G., 989
Mirandola, P., 739
Miscia, S., 1973
Misiak, L.E., 605
Mitrou, P.S., 711

Miyamoto, K., 415
Miyamoto, K.-i., 801
Miyazaki, M., 2213
Mizushina, Y., 541, 1935
Mælandsmo, G.M., 2341
Moenkemann, H., 511
Moini, H., 849
Molenaar, T.J.M., 859
Mondovì, B., 1749
Monk, P.N., 1833
Montaner, B., 1447
Moon, B.-S., 1287, 2067
Moore, C., 1755
Morceau, F., 1475
Mordente, A., 989, 2355
Morgenstern, O., 2437
Mori, A., 83
Morii, T., 2381
Morisada, N., 141
Morita, K., 1091
Moritani, S., 801
Moss, S.E., 415
Motterlini, R., 2355
Mottino, A.D., 171, 355
Mourah, S., 1907
Mozaffari, M.S., 511
Mrema, I., 1199
Mseeh, F., 315
Muff, R., 2107
Mühl, H., 505
Mujoomdar, M., 1737
Muller, B., 2365
Müller, W.E., 1627, 2177
Münzel, P.A., 841
Mura, A., 1025
Murakami, A., 1253
Murakami, C., 541, 1935
Murakami, Y., 1061
Murata, M., 1769
Murgia, C., 1459
Mutoh, S., 897, 1055

Na, H.-K., 1381
Naccari, R., 1189
Nagai, F., 379
Nagao, T., 1797
Nakagawa, Y., 63
Nakahira, K., 1091
Nakajima, A., 289
Nakamura, A., 343, 1019, 1115
Nakanishi, N., 239
Nakatsuka, H., 1091
Nam, J.B., 1925
Naoe, Y., 897
Naoi, M., 1635
Nath, A., 643
Nawoschik, S., 785
Ndikum-Moffor, F.M., 105
Nelson, B.D., 749
Ng, W., 125
Nicola, M.D., 1505
Niimi, R., 343
Niisato, N., 1083
Nishimoto, T., 2133
Nishioka, T., 801
Nitiss, J.L., 623
Nitiss, K.C., 623
Nitti, M., 1521
Niwa, H., 289
Nixon, G.F., 1861
Noël, F., 2169
Noguchi, C.T., 1755
Nohl, H., 1717
Nold, M., 505
Nomura, M., 801
Noto, T., 897
Nowak, D., 711
Nuevo-Adalla, O., 157
Nussbaumer, P., 1885

Oakes, S.A., 1335
Ochalski, R., 785
Ochi, T., 1055
Ochiai, E., 801
O'Connor, E., 2155
O'Dwyer, P.J., 15
Ogata, K., 83
Oh, S.-H., 725
Ohba, H., 1879
Ohigashi, H., 1253
Ohkubo, Y., 1055
Oikawa, S., 1769
Okuda, M., 1107
Okutani, K., 481
Okuyama, S., 1019
Ono, M., 379
Onténiente, B., 1643
Opferman, J.T., 1335
Oppermann, U., 1347
O'Prey, J., 2075
Orlikowska, M., 1611
Orman, B., 1871
Orozco-Guillen, A., 157
Ortiz, A., 1589
Oshizawa, T., 133
Osna, N.A., 697
Osswald, H., 2117
Ouellette, M., 999
Ozgová, Š., 1127

Packer, L., 849
Pallis, M., 1695
Paludi, M., 1973
Pan, S.-L., 115
Pancaldi, C., 1897
Paolicchi, A., 1499
Papadopoulos, V., 2241
Paquet, J.-L., 1171
Paradiso, A., 551
Park, C., 1287, 2067
Park, E.-Y., 1841
Park, H., 1271
Park, H.D., 1787
Park, J.-W., 273, 1779
Park, R., 1287, 2067
Patterson, A.V., 1199
Paul, M., 1037
Pawlikowska-Pawlęga, B., 605
Pearce, C., 1755
Pedersen, J., 2251
Pélerin, H., 579
Pellegrino, J.M., 355
Peluso, J.J., 1363
Penefsky, H.S., 977
Penolazzi, L., 1189
Pentikäinen, O.T., 2413
Pérez-Tomás, R., 1447
Perfettini, J.-L., 1321
Perpelescu, M., 1935
Pestel, S., 643
Petch, A.K., 819
Peters, G.J., 431
Peterse, N., 859
Petit, I., 2241
Petti, F., 1755
Petzinger, E., 565
Pfeilschifter, J., 505
Phillips, J.E., 1485
Phillips, R.M., 1199
Picarles, V., 1885
Pietrangeli, P., 1749
Piette, J., 1651
Pipino, S., 405
Piva, R., 1189
Platten, M., 1263
Pôças, E.S.C., 2169
Poelstra, K., 1307
Poli, G., 1521
Pompella, A., 1499
Pomponi, S.A., 75
Pons, N., 405
Ponsoda, X., 2155
Pozzan, T., 1335
Pradet-Balade, B., 1427
Preston, R.M., 1485
Prijovich, Z.M., 1181
Pritsos, C.A., 281
Pronzato, M.A., 1521
Prost, A.-L., 425
Pruneau, D., 1171

Qian, J., 1417
Qu, Z.-c., 777
Quash, G., 365
Querejeta-Villagómez, E., 157

Radic, Z., 387
Raffoux, E., 1907
Raghunand, N., 1207, 1219
Rampazzo, C., 471
Ramírez, R., 1963
Rapp, U.R., 1341
Raschko, F.T., 841
Raymer, M.L., 663
Reichard, P., 471
Reichert, U., 365
Reina, S., 1871
Ren, C., 791
Ren, X., 1245
Renault, F., 1581
Renodon-Cornière, A., 623
Revilla, M., 2193
Rhie, D.-J., 2125
Richard, D., 999
Riederer, P., 489
Rimon, E., 1355
Roberts, S.M., 105
Rodríguez Garay, E.A., 355
Roffler, S.R., 1181
Roller, P.P., 93
Roma, M.G., 355
Roman, D., 1885
Romero, A., 307
Rosenau, T., 1717

Ross, D.D., 613
Roth, J.A., 1
Roumier, T., 1321
Rousselot, P., 1907
Roux, F.V., 579
Rubio-Gayosso, I., 157
Rue, S.W., 2291
Ruffin, R.E., 1459
Russell, N., 1695
Ruthardt, M., 711
Ryhänen, S., 495
Ryu, S.H., 955, 1841

Safitri, R., 1253
Saito, H., 163, 1107
Sakaguchi, K., 541, 1935
Sakaue, T., 83
Sakurada, C., 653
Sakurada, S., 653
Sakurada, T., 653
Salazar, G., 1571
Salinas, R., 225
Salvi, M., 2375
Samali, A., 1469
Sambo, A.-V., 1619
Samuni, A., 1279
San Martín de Viale, L.C., 35
Sánchez Pozzi, E.J., 171, 355
Sánchez-Avalos, J., 2185
Sánchez-Campos, S., 439
Sánchez-Reus, I., 917
Sandoval, C., 2065
Santavenere, E., 1973
Sanz, A., 1589
Sarkar, A., 2223
Sarr, M., 2365
Sasakawa, T., 897
Sasakawa, Y., 897
Sasaki, K., 2213
Sasson, R., 1355, 1393
Satoh, K., 379
Sauerbrey, A., 613
Saxena, A., 191, 387
Scaini, M.C., 471
Schechter, A.N., 1755
Schieferdecker, H.L., 643
Schini-Kerth, V., 2365
Schmidt, M., 2099
Schmidt, T., 2141
Schmitz, M., 1475
Schmohl, S., 841
Schnekenburger, M., 1475
Schroüder, C.H., 2273
Schultz, L., 1347
Schulze-Osthoff, K., 1453
Schünemann, V., 489
Schüssel, K., 1627
Schwalb, H., 1279
Schwedes, J., 1755
Schweizer, J., 2193
Schwerk, C., 1453
Scorrano, L., 1335
Scott, R.H., 1861
Secrist III, J.A., 733
Sehested, M., 623
Senft, A.P., 1707
Sengupta, T.K., 1151
Settimo, L., 2413
Severino, M., 551
Shao, L., 2381
Shen, L.-J., 1945
Shen, S.-C., 1139, 1821
Shen, W.-C., 1945
Sherratt, P.J., 51
Shertzer, H.G., 1707
Sheth, P.D., 2251
Shi, L., 1245
Shibuya, A., 289
Shimazaki, N., 1935
Shimizu, H., 1091
Shin, C.-H., 1287, 2067
Shin, K.-J., 955
Shin, S.-H., 1287, 2067
Shinohara, Y., 1879
Shirahata, A., 141
Shoji, M., 1061
Shon, H.-K., 849
Shroads, A.L., 2029
Siciliani, G., 1189
Sigel, E., 2397
Sigmond, J., 431
Silvestrini, A., 989
Smart, D., 757
Smet, C., 1619
Smith, D.E., 1755
Smith, D.M., 965
So, H.-S., 1287, 2067
Sobrino, F., 1963
Sohail, M., 819
Soliman, K.F.A., 297
Song, K.-S., 2039
Song, Y.C., 25
Sotani, T., 1797
Soto-Cerrato, V., 1447
Souid, A.-K., 977
Southern, E.M., 819
Sowiński, P., 1727
Sparmann, G., 633
Spicer, E.K., 1151
Spink, B.C., 2313
Spink, D.C., 2313
Sreenivasan, Y., 2223
Stacpoole, P.W., 2029
Starke, D., 565
Steiner, B., 2177
Stenson-Cox, C., 1469
Sterin-Borda, L., 1871
Steveling, A., 2437
Stevens, M.F.G., 1695
Sticher, O., 2141
Stoclet, J.-C., 2365
Stoeva, S., 2117
Stojanova, A., 2065
Stokes, L., 2001
Stolze, K., 1717
Stoner, G.D., 907
Stope, M.B., 2099
Stratford, I.J., 1199
Struthers, M., 321
Su, J.-S., 1981
Su, S.L., 2323
Su, T., 1245
Sugawara, F., 541, 1935
Sugino, E., 1019
Sugiyama, Y., 2133
Suh, P.-G., 955, 1841
Suh, S.-I., 273
Suketa, Y., 415
Sullivan Jr., D.J., 2201
Sumegi, B., 2263
Sung, K.-W., 2125
Surh, Y.-J., 1371, 1381, 1779
Suzuki, A., 2333
Suzuki, M., 481, 1935
Suzuki, T., 63
Sweeney, D., 663
Szwedo, D., 459

Tabrett, C.A., 2089
Tabrizi, M.A., 739
Tachikawa, E., 2213
Tacka, K.A., 977
Taira, H., 2213
Takahashi, M., 1019
Takahashi, T., 1091
Takana, T., 1253
Takemura, M., 541, 1935
Takeuchi, A., 1107
Takeuchi, K., 1115
Taksin, A.-L., 1907
Tallineau, C., 2241
Tanaka, K., 141
Tanaka, S., 1061
Tani, H., 2333
Tan-No, K., 653
Tannous, M., 1681
Tardivel, S., 579
Tarn, W.-Y., 1981
Tasdemir, D., 447
Tata, V.D., 1499
Taub, D., 2291
Taylor, P., 387
Teiber, J.F., 887
Tejedo, J.R., 1963
Temmink, O.H., 431
Templeton, D.M., 769
Teng, C.-M., 149, 263
Tepper, S., 393
Terasaki, T., 1945
Testa, B., 1123
Théron, D., 579
Thiele, G.M., 1045
Thompson, L.F., 1595
Tian, W.-X., 2039
Tian, X.-L., 1037
Tillement, J.-P., 1123
Tillement, J.P., 2241
Ting, C.-Y., 1981
Tirosh, O., 1331
Toellner, K.-M., 2001
Toninello, A., 1749, 2375
Toth, A., 2263
Toth, K., 2263
Townsend-Nicholson, A., 415
Toyohira, Y., 141
Tozawa, R., 2133
Trautwein, A.X., 489
Trincavelli, M.L., 1953
Tristán, H., 927
Troppmair, J., 1341
Truong-Tran, A.Q., 1459
Tsao, T.-P., 679
Tselepis, A.D., 2069
Tseng, T.-H., 2281

Tsutsui, M., 141
Tuma, D.J., 867, 1045
Tuñón, M.J., 439
Tuscano, D., 1953
Twisk, J., 859
Tymianski, M., 877
Tze-Fei Wong, J., 125

Uchida, E., 133
Udilova, N., 1717
Ueda, T., 939
Uehara, K., 1091
Ueno, S., 141
Umemura, K., 481
Ungemach, F.R., 1067
Unwin, R.J., 415
Utsunomiya, K., 141

van Berkel, T.J.C., 859
Van De Wiele, C.J., 1595
van Leeuwen, S.H., 859
Vandevoorde, S., 757
Vanin, A.F., 2365
Vantieghem, A., 1651
Varani, K., 739, 1897
Vaughn, J.G., 1595
Veluthakal, R., 1681
Verselis, V.K., 1661
Verzola, D., 1521
Vicario, P.P., 321
Villazón, M., 927
Violleau, A., 1619
Visvikis, A., 595, 1499
Vivaudou, M., 425
Vogel, B., 1885
Vogel, C.F.A., 1231
Vogelaar, B.J.C.P., 859
Volanti, C., 1651
Vullo, V., 1505

Wada, K., 289
Wada, T., 2133
Walle, T., 907
Walls, A.F., 2251
Walther, D.J., 1673
Wang, C.-J., 2281
Wang, F., 1755
Wang, S., 93
Wang, X., 2039
Wang, Y., 2193
Wanka, H., 2437
Ward, T.H., 1199
Weert, B., 1307
Wei, T., 83
Weidmann, E., 711
Weissbach, L., 2381
Weller, M., 1263
Wells, V., 1563
Westwell, A.D., 1695
Whang-Peng, J., 1981
Whitesell, R.R., 777
Whitley, A.C., 907
Williams, K.J., 1199
Williams, N., 1915
Willis, M.S., 1045
Winberg, J.-O., 2341
Wind, N.S., 1199
Winiski, A., 1885
Wischhusen, J., 1263
Wolgemuth, D.J., 1571
Wong, H., 2193
Wong, J.T.-F., 2397
Wouters, D., 431
Woynarowska, B., 225
Woynarowski, J.M., 225
Wright, A.E., 75
Wright, C.D., 519
Wu, C.-C., 149
Wu, C.-H., 203
Wu, S.-N., 2053
Wu, X., 93
Wullaert, A., 1409

Xiao, W., 769
Xie, Y., 749
Xin, H., 1115
Xin, W., 83
Xu, J.-M., 551
Xue, H., 125, 2397

Yagi, Y., 1797
Yamada, A., 2339
Yamagami, H., 801
Yamaguchi, T., 133
Yamai, K., 289
Yamamoto, I., 1797
Yamamoto, K., 1019
Yamamoto, M., 239
Yamaori, S., 2333
Yamauchi, T., 939
Yamazaki, H., 2333
Yamori, T., 481
Yanagawa, Y., 343
Yanagihara, N., 141
Yanase, K., 481
Yang, D., 93
Yang, Q., 749
Yang, S.-P., 679
Yano, I., 1107
Yao, K.-S., 15
Ye, R.D., 1841
Yee, D.K., 251
Yeh, K.-H., 25
Yeh, P.Y., 25
Yin, S.Y., 1787
Yokogawa, K., 801
Yokoyama, M., 1091
Yoon, K.J., 297
Yoon, S.H., 2125
Yoshida, H., 541, 1935
Yoshimoto, M., 1019
Yoshimura, F.K., 1009
Youdim, M.B.H., 489, 1635
Yu, S.P., 1601
Yun, B.Y., 2301

Zalewski, P.D., 1459
Zamora-Garza, M., 157
Zamzami, N., 1321
Zecca, L., 489
Zhang, M., 93
Zhang, Q.-Y., 1245
Zhang, X.D., 1537
Zhang, Y.-H., 1853
Zhao, X., 83
Zhao, Y., 769
Zhelev, Z., 1879
Zou, E., 831
Zweerink, H., 321

ELSEVIER

Biochemical Pharmacology 66 (2003) 2473–2506

Biochemical Pharmacology

www.elsevier.com/locate/biochempharm

# Subject index Volume 66

A431 cells
Messenger RNA expression profiling of genes involved in epidermal growth factor receptor signalling in human cancer cells treated with scanning array-designed antisense oligonucleotides, 819
$A_{2A}$ adenosine receptor ligands
$A_{2A}$ adenosine receptor ligands and proinflammatory cytokines induce PC 12 cell death through apoptosis, 1953
$A_{2A}$ adenosine receptors
$A_{2A}$ adenosine receptor ligands and proinflammatory cytokines induce PC 12 cell death through apoptosis, 1953
*Ab initio*
Inhibition of cholinesterases with cationic phosphonyl oximes highlights distinctive properties of the charged pyridine groups of quaternary oxime reactivators, 191
ABC transporter
Inhibition of ATP-sensitive $K^+$ channels by substituted benzo[c]quinolizinium CFTR activators, 425
ACE isoforms
Species-specific splicing and expression of angiotensin converting enzyme, 1037
Acetaminophen
Potentiation of the antimalarial action of chloroquine in rodent malaria by drugs known to reduce cellular glutathione levels, 809
Acetylcholinesterase
Two possible orientations of the HI-6 molecule in the reactivation of organophosphate-inhibited acetylcholinesterase, 387
*N*-Acetylcysteine
Inhibition of arterial contraction by dinitrosyl–iron complexes: critical role of the thiol ligand in determining rate of nitric oxide (NO) release and formation of releasable NO stores by *S*-nitrosation, 2365
Acetyl-L-carnitine
Acetyl-L-carnitine cytoprotection against 1-methyl-4-phenylpyridinium toxicity in neuroblastoma cells, 297
ACHN
Antitumor efficacy of FK228, a novel histone deacetylase inhibitor, depends on the effect on expression of angiogenesis factors, 897
Acid–base
Tumor acidity, ion trapping and chemotherapeutics. I. Acid pH affects the distribution of chemotherapeutic agents *in vitro*, 1207
Actin cytoskeleton
Alternative pathways of ovarian apoptosis: death for life, 1355
Actinic keratosis
LAV694, a new antiproliferative agent showing improved skin tolerability vs. clinical standards for the treatment of actinic keratosis, 1885
Activator protein-1
Down-regulation of c-*jun* N-terminal kinase-activator protein-1 signaling pathway by *Ginkgo biloba* extract in human peripheral blood T cells, 679
Acute leukemia
Enhanced DNA excision repair in CCRF-CEM cells resistant to 1,3-bis(2-chloroethyl)-1-nitrosourea, quantitated using the single cell gel electrophoresis (Comet) assay, 939
Acute liver injury
Protective role of heme oxygenase-1 induction in carbon tetrachloride-induced hepatotoxicity, 1091
Acute promyelocytic leukemia
The novel nucleoside transport system exhibited by NB4 cells, *csg*, transports deoxyguanosine analogues, including ara-G, 733
Acute renal failure
Targeting apoptosis in acute tubular injury, 1589
Adducts
Different mechanisms for γ-glutamyltransferase-dependent resistance to carboplatin and cisplatin, 595
Adenosine
Pyrazolotriazolopyrimidine derivatives sensitize melanoma cells to the chemotherapic drugs: taxol and vindesine, 739
Adenosine stimulation of the proliferation of colorectal carcinoma cell lines. Roles of cell density and adenosine metabolism, 1737
Adenosine $A_3$ receptors
Alteration of $A_3$ adenosine receptors in human neutrophils and low frequency electromagnetic fields, 1897
Adenosine binding sites
Adenosine binding sites at S-adenosylhomocysteine hydrolase are controlled by the $NAD^+$/NADH ratio of the enzyme, 2117
Adenosine deaminase deficiency
Mechanisms of apoptosis in developing thymocytes as revealed by adenosine deaminase-deficient fetal thymic organ cultures, 1595
Adenylate cyclase
Pharmacological and biochemical characterization of the beta-adrenergic signal transduction pathway in different segments of the respiratory tract, 1067
ADH/SDR
Molecular mechanisms underlying WOX1 activation during apoptotic and stress responses, 1347
Adhesion molecules
Nitric oxide has a role in regulating VLA-4-integrin expression on the human neutrophil cell surface, 43
Adipose tissue
The relationship between liver peroxisome proliferation and adipose tissue atrophy induced by peroxisome proliferator exposure and withdrawal in mice, 749
Adrenal chromaffin cell
*In vitro* inhibition of adrenal catecholamine secretion by steroidal metabolites of ginseng saponins, 2213
Adrenal medullary cells
Stimulation of catecholamine synthesis by orexin-A in bovine adrenal medullary cells through orexin receptor 1, 141
β-Adrenoceptor
Pharmacological and biochemical characterization of the beta-adrenergic signal transduction pathway in different segments of the respiratory tract, 1067
Adrenomedullin
Three receptor-activity-modifying proteins define calcitonin gene-related peptide or adrenomedullin selectivity of the mouse calcitonin-like receptor in COS-7 cells, 2107

doi:10.1016/S0006-2952(03)00839-6

Advanced glycosylation end products
Role of protein kinase C in BSA-AGE-mediated inducible nitric oxide synthase expression in RAW 264.7 macrophages, 203
Agonist binding
Selective agonist binding of (*S*)-2-amino-3-(3-hydroxy-5-methyl-4-isoxazolyl)propionic acid (AMPA) and 2*S*-(2α,3β,4β)-2-carboxy-4-(1-methylethenyl)-3-pyrrolidineacetic acid (kainate) receptors: a molecular modeling study, 2413
Ah receptor
Contribution of the Ah receptor to the phenolic antioxidant-mediated expression of human and rat UDP-glucuronosyltransferase UGT1A6 in Caco-2 and rat hepatoma 5L cells, 841
AIDS
Mitochondrion-dependent caspase activation by the HIV-1 envelope, 1321
Airway epithelium
Apoptosis in the normal and inflamed airway epithelium: role of zinc in epithelial protection and procaspase-3 regulation, 1459
Airway hyperresponsiveness
Proteinase-activated receptor-2 mediates hyperresponsiveness in isolated guinea pig bronchi, 519
AKAP
Specific expression of an A-kinase anchoring protein subtype, AKAP-150, and specific regulatory mechanism for $Na^+$,$K^+$-ATPase *via* protein kinase A in the parotid gland among the three major salivary glands of the rat, 239
Akt
Bcl-2 overexpression prevents daunorubicin-induced apoptosis through inhibition of XIAP and Akt degradation, 1779
Akt kinase
Impact of a novel cardioprotective agent on the ischaemia-reperfusion-induced Akt kinase activation, 2263
Alachlor
Antioxidant perturbations in the olfactory mucosa of alachlor-treated rats, 1707
L-Alanosine
Identification of gene expression profiles predicting tumor cell response to L-alanosine, 613
Albumin
Stability of the new prodrug 9-aminocamptothecin glucuronide (9ACG) in the presence of human serum albumin, 1181
Albumin-derived peptide
Histamine releasing peptide (HRP) has proinflammatory effects and is present at sites of inflammation, 331
Alcohol
Chronic ethanol consumption impairs receptor-mediated endocytosis of MAA-modified albumin by liver endothelial cells, 1045
Aldehyde-modified proteins
Chronic ethanol consumption impairs receptor-mediated endocytosis of MAA-modified albumin by liver endothelial cells, 1045
Aldo-keto reductase
Anthracycline secondary alcohol metabolite formation in human or rabbit heart: biochemical aspects and pharmacologic implications, 989
ALEs
Involvement of advanced lipooxidation end products (ALEs) and protein oxidation in the apoptotic actions of nitric oxide in insulin secreting RINm5F cells, 1963
ALIMTA
Induction of resistance to the multitargeted antifolate Pemetrexed (ALIMTA) in WiDr human colon cancer cells is associated with thymidylate synthase overexpression, 431
Alkalosis
Tumor acidity, ion trapping and chemotherapeutics. II. pH-dependent partition coefficients predict importance of ion trapping on pharmacokinetics of weakly basic chemotherapeutic agents, 1219
Alkylating agent
Enhanced DNA excision repair in CCRF-CEM cells resistant to 1,3-bis(2-chloroethyl)-1-nitrosourea, quantitated using the single cell gel electrophoresis (Comet) assay, 939
All-*trans* retinoic acid
Regulation of pancreatic stellate cell function *in vitro*: biological and molecular effects of all-*trans* retinoic acid, 633
Alpha 1 acid glycoprotein
Relationship between elevated levels of the alpha 1 acid glycoprotein in chronic myelogenous leukemia in blast crisis and pharmacological resistance to imatinib (Gleevec®) *in vitro* and *in vivo*, 1907
Alveolar macrophage
Potentiation of tumor necrosis factor-α expression by YC-1 in alveolar macrophages through a cyclic GMP-independent pathway, 149
Inhibition of bleomycin-induced cell death in rat alveolar macrophages and human lung epithelial cells by ambroxol, 1297
Ambroxol
Inhibition of bleomycin-induced cell death in rat alveolar macrophages and human lung epithelial cells by ambroxol, 1297
Amiloride
H89, an inhibitor of protein kinase A (PKA), stimulates $Na^+$ transport by translocating an epithelial $Na^+$ channel (ENaC) in fetal rat alveolar type II epithelium, 1083
9-Aminocamptothecin
Stability of the new prodrug 9-aminocamptothecin glucuronide (9ACG) in the presence of human serum albumin, 1181
Aminoguanidine
Aminoguanidine downregulates expression of cytokine-induced Fas and inducible nitric oxide synthase but not cytokine-enhanced surface antigens of rat islet cells, 2437
Amitriptyline
Effects of cytochrome $b_5$ on drug oxidation activities of human cytochrome P450 (CYP) 3As: similarity of CYP3A5 with CYP3A4 but not CYP3A7, 2333
AMP
Adenosine stimulation of the proliferation of colorectal carcinoma cell lines. Roles of cell density and adenosine metabolism, 1737
Amphimedine
The anti-neoplastic and novel topoisomerase II-mediated cytotoxicity of neoamphimedine, a marine pyridoacridine, 447
β-Amyloid
Mitochondrial dysfunction, apoptotic cell death, and Alzheimer's disease, 1627
Anandamide
Inhibition of C6 glioma cell proliferation by anandamide, 1-arachidonoylglycerol, and by a water soluble phosphate ester of anandamide: variability in response and involvement of arachidonic acid, 757
Anaplerotic reactions
Anaplerotic reactions in tumour proliferation and apoptosis, 365
Anethole
Cytotoxic and xenoestrogenic effects via biotransformation of *trans*-anethole on isolated rat hepatocytes and cultured MCF-7 human breast cancer cells, 63
Angiotensin II receptors
Structural determinants for the activation mechanism of the angiotensin II type 1 receptor differ for phosphoinositide hydrolysis and mitogen-activated protein kinase pathways, 251
Antagonist
Expression and characterization of the chemokine receptor CCR2B from rhesus monkey, 321
P-selectin as a candidate target in atherosclerosis, 859
Three receptor-activity-modifying proteins define calcitonin gene-related peptide or adrenomedullin selectivity of the mouse calcitonin-like receptor in COS-7 cells, 2107
Anthracycline alcohol metabolite
Anthracycline secondary alcohol metabolite formation in human or rabbit heart: biochemical aspects and pharmacologic implications, 989
Anthracyclines
Immediate effects of anticancer drugs on mitochondrial oxygen consumption, 977

Antiapoptosis
Regulation of proliferation, survival and apoptosis by members of the TNF superfamily, 1403
Anticancer agent
Inhibition of DNA topoisomerases I and II, and growth inhibition of human cancer cell lines by a marine microalgal polysaccharide, 481
Antifolate
Induction of resistance to the multitargeted antifolate Pemetrexed (ALIMTA) in WiDr human colon cancer cells is associated with thymidylate synthase overexpression, 431
Anti-inflammation
Luteolin inhibits the nuclear factor-κB transcriptional activity in Rat-1 fibroblasts, 955
Role of cyclooxygenase-2, but not cyclooxygenase-1, on type II collagen-induced arthritis in DBA/1J mice, 1055
Some anti-chronic inflammatory compounds are DNA polymerase λ-specific inhibitors, 1935
Anti-inflammatory effects
Influence of helenanolide-type sesquiterpene lactones on gene transcription profiles in Jurkat T cells and human peripheral blood cells: anti-inflammatory and cytotoxic effects, 2141
Antimitotic
Tubulin polymerizing activity of dictyostatin-1, a polyketide of marine sponge origin, 75
Antinociception
Degradation of endomorphin-2 at the supraspinal level in mice is initiated by dipeptidyl peptidase IV: an *in vitro* and *in vivo* study, 653
Antioxidant
Antioxidant protection of low density lipoprotein by procyanidins: structure/activity relationships, 947
Apoptosis in the normal and inflamed airway epithelium: role of zinc in epithelial protection and procaspase-3 regulation, 1459
Different antioxidant effects of polyphenols on lipid peroxidation and hydroxyl radicals in the NADPH-, Fe-ascorbate- and Fe-microsomal systems, 1127
Antioxidant enzymes
Potentiation of cellular antioxidant capacity by Bcl-2: implications for its antiapoptotic function, 1371
Antioxidant responsive element
Positive and negative regulation of prostaglandin $E_2$ biosynthesis in human colorectal carcinoma cells by cancer chemopreventive agents, 51
Antivirals
Antivirals interacting with hepatitis B virus core protein and core mutations may misdirect capsid assembly in a similar fashion, 2273
Anxiolytics
5,7-Dihydroxy-6-methoxyflavone, a benzodiazepine site ligand isolated from *Scutellaria baicalensis* Georgi, with selective antagonistic properties, 125
Naturally occurring 2′-hydroxyl-substituted flavonoids as high-affinity benzodiazepine site ligands, 2397
Aortic smooth muscle cells
Fangchinoline inhibits rat aortic vascular smooth muscle cell proliferation and cell cycle progression through inhibition of ERK1/2 activation and c-*fos* expression, 1853
AP-1
Role of the AP-1 element and redox factor-1 (Ref-1) in mediating transcriptional induction of DT-diaphorase gene expression by oltipraz: a target for chemoprevention, 15
Regulation of pancreatic stellate cell function *in vitro*: biological and molecular effects of all-*trans* retinoic acid, 633
AP24
In the cut and thrust of apoptosis, serine proteases come of age, 1469
L-AP4
Functional calcium coupling with the human metabotropic glutamate receptor subtypes 2 and 4 by stable co-expression with a calcium pathway facilitating G-protein chimera in Chinese hamster ovary cells, 785
Aphidicolin
Analysis of cell cycle regulation by 1-mono-*O*-acyl-3-*O*-(α-D-sulfoquinovosyl)-glyceride (SQMG), an inhibitor of eukaryotic DNA polymerases, 541
Apo-enzyme
Adenosine binding sites at S-adenosylhomocysteine hydrolase are controlled by the $NAD^+$/NADH ratio of the enzyme, 2117
Apoptosis
Molecular mechanism of gossypol-induced cell growth inhibition and cell death of HT-29 human colon carcinoma cells, 93
Investigation of anticancer mechanism of thiadiazole-based compound in human non-small cell lung cancer A549 cells, 115
Role of tissue transglutaminase in GTP depletion-induced apoptosis of insulin-secreting (HIT-T15) cells, 213
DNA strand breaks and apoptosis induced by oxaliplatin in cancer cells, 225
Immunosuppressant PG490 (triptolide) induces apoptosis through the activation of caspase-3 and down-regulation of XIAP in U937 cells, 273
Diclofenac inhibits proliferation and differentiation of neural stem cells, 289
Anaplerotic reactions in tumour proliferation and apoptosis, 365
Chicken DT40 cells stably transfected with the rat $P2X_7$ receptor ion channel: a system suitable for the study of purine receptor-mediated cell death, 415
The JNK, ERK and p53 pathways play distinct roles in apoptosis mediated by the antitumor agents vinblastine, doxorubicin, and etoposide, 459
Induction of apoptosis in human hepatoblastoma cells by tetrandrine via caspase-dependent Bid cleavage and cytochrome *c* release, 725
Inhibition of the proteasome activity, a novel mechanism associated with the tumor cell apoptosis-inducing ability of genistein, 965
Immediate effects of anticancer drugs on mitochondrial oxygen consumption, 977
Rutinoside at C7 attenuates the apoptosis-inducing activity of flavonoids, 1139
Decoy oligodeoxynucleotides targeting NF-kappaB transcription factors: induction of apoptosis in human primary osteoclasts, 1189
Mitochondrial state 3 to 4 respiration transition during Fas-mediated apoptosis controls cellular redox balance and rate of cell death, 1331
Regulation of endoplasmic reticulum $Ca^{2+}$ dynamics by proapoptotic BCL-2 family members, 1335
Raf and the road to cell survival: a tale of bad spells, ring bearers and detours, 1341
Molecular mechanisms underlying WOX1 activation during apoptotic and stress responses, 1347
Basic fibroblast growth factor (bFGF) regulation of the plasma membrane calcium ATPase (PMCA) as part of an anti-apoptotic mechanism of action, 1363
Peroxisome proliferator-activated receptor γ (PPARγ) ligands as bifunctional regulators of cell proliferation, 1381
Regulation of proliferation, survival and apoptosis by members of the TNF superfamily, 1403
Nuclear factor-kappa B plays a central role in tumour necrosis factor-mediated liver disease, 1409
The putative role of apoptosis-modified histones for the induction of autoimmunity in Systemic Lupus Erythematosus, 1441
The prodigiosins, proapoptotic drugs with anticancer properties, 1447
Non-apoptotic functions of caspases in cellular proliferation and differentiation, 1453
Apoptosis in the normal and inflamed airway epithelium: role of zinc in epithelial protection and procaspase-3 regulation, 1459
In the cut and thrust of apoptosis, serine proteases come of age, 1469
Induction of apoptosis by curcumin: mediation by glutathione *S*-transferase P1-1 inhibition, 1475
Cholesterol crystallization and macrophage apoptosis: implication for atherosclerotic plaque instability and rupture, 1485
Regulation of smooth muscle cell growth, function and death *in vitro* by activated mast cells—a potential mechanism for the weakening and rupture of atherosclerotic plaques, 1493

Anti-apoptotic effect of HIV protease inhibitors via direct inhibition of calpain, 1505
*S*-Nitrosothiol-induced rapid cytochrome *c* release, caspase activation and mitochondrial permeability transition in perfused heart, 1513
A novel role of protein kinase C-δ in cell signaling triggered by glutathione depletion, 1521
Chromosomal DNA fragmentation in apoptosis and necrosis induced by oxidative stress, 1527
The histone deacetylase inhibitor suberic bishydroxamate: a potential sensitizer of melanoma to TNF-related apoptosis-inducing ligand (TRAIL) induced apoptosis, 1537
DNA damage-triggered apoptosis: critical role of DNA repair, double-strand breaks, cell proliferation and signaling, 1547
Turning cell cycle controller genes into cancer drugs. A role for an antiproliferative cytokine (βGBP), 1563
Apoptosis in male germ cells in response to cyclin A1-deficiency and cell cycle arrest, 1571
Targeting apoptosis in acute tubular injury, 1589
Mechanisms of apoptosis in developing thymocytes as revealed by adenosine deaminase-deficient fetal thymic organ cultures, 1595
$Na^+$, $K^+$-ATPase: the new face of an old player in pathogenesis and apoptotic/hybrid cell death, 1601
Cytoskeletal reorganization during process of apoptosis induced by cytostatic drugs in K-562 and HL-60 leukemia cell lines, 1611
The mechanisms of cell death in focal cerebral ischemia highlight neuroprotective perspectives by anti-caspase therapy, 1643
Cell death and growth arrest in response to photodynamic therapy with membrane-bound photosensitizers, 1651
Connexins and apoptotic transformation, 1661
Induction of apoptosis without redox catastrophe by thioredoxin-inhibitory compounds, 1695
Bcl-2 overexpression prevents daunorubicin-induced apoptosis through inhibition of XIAP and Akt degradation, 1779
Aggravation of L-DOPA-induced neurotoxicity by tetrahydropapaveroline in PC12 cells, 1787
LAV694, a new antiproliferative agent showing improved skin tolerability vs. clinical standards for the treatment of actinic keratosis, 1885
Suppression of RelA/p65 transactivation activity by a lignoid manassantin isolated from *Saururus chinensis*, 1925
$A_{2A}$ adenosine receptor ligands and proinflammatory cytokines induce PC 12 cell death through apoptosis, 1953
Involvement of advanced lipooxidation end products (ALEs) and protein oxidation in the apoptotic actions of nitric oxide in insulin secreting RINm5F cells, 1963
Influence of helenanolide-type sesquiterpene lactones on gene transcription profiles in Jurkat T cells and human peripheral blood cells: anti-inflammatory and cytotoxic effects, 2141
*In vitro* susceptibility of $CD4^+$ and $CD8^+$ T cell subsets to fludarabine, 2185
Oleandrin suppresses activation of nuclear transcription factor-κB and activator protein-1 and potentiates apoptosis induced by ceramide, 2223
Involvement of tumor suppressor protein p53 and p38 MAPK in caffeic acid phenethyl ester-induced apoptosis of C6 glioma cells, 2281
Mechanism underlying cytotoxicity of thialysine, lysine analog, toward human acute leukemia Jurkat T cells, 2291
Induction of the mitochondrial permeability transition by selenium compounds mediated by oxidation of the protein thiol groups and generation of the superoxide, 2301

Apoptosis regulation
On the significance of the role of cellular stress response reactions in the toxic actions of dioxin, 527

APP mutation
Mitochondrial dysfunction, apoptotic cell death, and Alzheimer's disease, 1627

APP processing
Enhancement of proteolytic processing of the β-amyloid precursor protein by hyperforin, 2177

APRIL
TWE-PRIL; a fusion protein of TWEAK and APRIL, 1427

1-Arachidonoylglycerol
Inhibition of C6 glioma cell proliferation by anandamide, 1-arachidonoylglycerol, and by a water soluble phosphate ester of anandamide: variability in response and involvement of arachidonic acid, 757

2-Arachidonoylglycerol
Inhibition of C6 glioma cell proliferation by anandamide, 1-arachidonoylglycerol, and by a water soluble phosphate ester of anandamide: variability in response and involvement of arachidonic acid, 757

Ara-G
The novel nucleoside transport system exhibited by NB4 cells, *csg*, transports deoxyguanosine analogues, including ara-G, 733

Argininosuccinate synthetase
Recombinant arginine deiminase as a differential modulator of inducible (iNOS) and endothelial (eNOS) nitric oxide synthetase activity in cultured endothelial cells, 1945

*Arnica*
Influence of helenanolide-type sesquiterpene lactones on gene transcription profiles in Jurkat T cells and human peripheral blood cells: anti-inflammatory and cytotoxic effects, 2141

Aryl hydrocarbon receptor (AhR)
Interaction of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD) with induced adipocyte differentiation in mouse embryonic fibroblasts (MEFs) involves tyrosine kinase c-Src, 1231
Transient induction of cytochromes P450 1A1 and 1B1 in MCF-7 human breast cancer cells by indirubin, 2313

Ascorbate
Antioxidant perturbations in the olfactory mucosa of alachlor-treated rats, 1707

Ascorbic acid
Generation of oxidant stress in cultured endothelial cells by methylene blue: protective effects of glucose and ascorbic acid, 777

ASP-1 and -2
In the cut and thrust of apoptosis, serine proteases come of age, 1469

Asthma
Apoptosis in the normal and inflamed airway epithelium: role of zinc in epithelial protection and procaspase-3 regulation, 1459

Astrocyte
The antioxidant ESeroS-GS inhibits NO production and prevents oxidative stress in astrocytes, 83

Astroglia
Inhibition of indoleamine 2,3-dioxygenase activity in IFN-γ stimulated astroglioma cells decreases intracellular NAD levels, 1033

Atherosclerosis
P-selectin as a candidate target in atherosclerosis, 859
Cholesterol crystallization and macrophage apoptosis: implication for atherosclerotic plaque instability and rupture, 1485
Regulation of smooth muscle cell growth, function and death *in vitro* by activated mast cells—a potential mechanism for the weakening and rupture of atherosclerotic plaques, 1493
Effect of hypolipidemic drugs on lipoprotein-associated platelet activating factor acetylhydrolase. Implication for atherosclerosis, 2069

Atomic absorption
Effects of $Li^+$ transport and $Li^+$ immobilization on $Li^+/Mg^{2+}$ competition in cells: implications for bipolar disorder, 1915

Atorvastatin
Effect of hypolipidemic drugs on lipoprotein-associated platelet activating factor acetylhydrolase. Implication for atherosclerosis, 2069

ATP
Chicken DT40 cells stably transfected with the rat $P2X_7$ receptor ion channel: a system suitable for the study of purine receptor-mediated cell death, 415
Adenosine stimulation of the proliferation of colorectal carcinoma cell lines. Roles of cell density and adenosine metabolism, 1737
Differential agonist-induced regulation of human $M_2$ and $M_3$ muscarinic receptors, 2099

ATPase-$Na^+$,$K^+$
2-Methoxy-3,8,9-trihydroxy coumestan: a new synthetic inhibitor of $Na^+$,$K^+$-ATPase with an original mechanism of action, 2169
ATP-sensitive potassium channel
Inhibition of ATP-sensitive $K^+$ channels by substituted benzo[c]quinolizinium CFTR activators, 425
Autoantibody
The putative role of apoptosis-modified histones for the induction of autoimmunity in Systemic Lupus Erythematosus, 1441
Autoimmune diseases
IL-18BPa:Fc cooperates with immunosuppressive drugs in human whole blood, 505
Autoimmunity
The putative role of apoptosis-modified histones for the induction of autoimmunity in Systemic Lupus Erythematosus, 1441
AW 464
Induction of apoptosis without redox catastrophe by thioredoxin-inhibitory compounds, 1695
Azido-adenosine
Adenosine binding sites at S-adenosylhomocysteine hydrolase are controlled by the $NAD^+$/NADH ratio of the enzyme, 2117

B lymphocyte
A non-voltage-gated calcium channel with L-type characteristics activated by B cell receptor ligation, 2001
BAK
Regulation of endoplasmic reticulum $Ca^{2+}$ dynamics by proapoptotic BCL-2 family members, 1335
Basic fibroblast growth factor
Basic fibroblast growth factor (bFGF) regulation of the plasma membrane calcium ATPase (PMCA) as part of an anti-apoptotic mechanism of action, 1363
BAX
Investigation of anticancer mechanism of thiadiazole-based compound in human non-small cell lung cancer A549 cells, 115
Regulation of endoplasmic reticulum $Ca^{2+}$ dynamics by proapoptotic BCL-2 family members, 1335
B-cell receptor
A non-voltage-gated calcium channel with L-type characteristics activated by B cell receptor ligation, 2001
BCL-2
Regulation of endoplasmic reticulum $Ca^{2+}$ dynamics by proapoptotic BCL-2 family members, 1335
*bcl-2*
Potentiation of cellular antioxidant capacity by Bcl-2: implications for its antiapoptotic function, 1371
Bcl-2
Pleiotropic anti-apoptotic activity of glucocorticoids in ovarian follicular cells, 1393
Bcl2
Targeting apoptosis in acute tubular injury, 1589
Bcl-2
Mechanisms of apoptosis in developing thymocytes as revealed by adenosine deaminase-deficient fetal thymic organ cultures, 1595
Cell death and growth arrest in response to photodynamic therapy with membrane-bound photosensitizers, 1651
Bcl-2 overexpression prevents daunorubicin-induced apoptosis through inhibition of XIAP and Akt degradation, 1779
*Bcl-2* gene expression
Taxol- and okadaic acid-induced destabilization of *bcl-2* mRNA is associated with decreased binding of proteins to a *bcl-2* instability element, 1151
Bcl-$X_L$
Molecular mechanism of gossypol-induced cell growth inhibition and cell death of HT-29 human colon carcinoma cells, 93
Investigation of anticancer mechanism of thiadiazole-based compound in human non-small cell lung cancer A549 cells, 115
Diclofenac induces apoptosis in hepatocytes by alteration of mitochondrial function and generation of ROS, 2155
Bcl-xL
Mechanism underlying cytotoxicity of thialysine, lysine analog, toward human acute leukemia Jurkat T cells, 2291
Bcr-Abl tyrosine kinase
Cross-talk between Bcr-Abl tyrosine kinase, protein kinase C and telomerase—a potential reason for resistance to Glivec in chronic myelogenous leukaemia, 1879
Bendamustine
Synergistic effects of chemotherapeutic drugs in lymphoma cells are associated with down-regulation of inhibitor of apoptosis proteins (IAPs), prostate-apoptosis-response-gene 4 (Par-4), death-associated protein (Daxx) and with enforced caspase activation, 711
Benzodiazepine binding site
5,7-Dihydroxy-6-methoxyflavone, a benzodiazepine site ligand isolated from *Scutellaria baicalensis* Georgi, with selective antagonistic properties, 125
Benzodiazepine receptor
Naturally occurring 2′-hydroxyl-substituted flavonoids as high-affinity benzodiazepine site ligands, 2397
Benzodiazepines
Naturally occurring 2′-hydroxyl-substituted flavonoids as high-affinity benzodiazepine site ligands, 2397
bFGF
Antitumor efficacy of FK228, a novel histone deacetylase inhibitor, depends on the effect on expression of angiogenesis factors, 897
Bid
Induction of apoptosis in human hepatoblastoma cells by tetrandrine via caspase-dependent Bid cleavage and cytochrome *c* release, 725
Diclofenac induces apoptosis in hepatocytes by alteration of mitochondrial function and generation of ROS, 2155
Bile acids
Hepatobiliary elimination of bile acid-modified oligodeoxynucleotides in Wistar and $TR^-$ rats: evidence for mrp2 as carrier for oligodeoxynucleotides, 565
Bile salt export pump
Hepatobiliary elimination of bile acid-modified oligodeoxynucleotides in Wistar and $TR^-$ rats: evidence for mrp2 as carrier for oligodeoxynucleotides, 565
Bile salt-dependent bile flow
Preventive effect of silymarin against taurolithocholate-induced cholestasis in the rat, 355
Bile salt-independent bile flow
Preventive effect of silymarin against taurolithocholate-induced cholestasis in the rat, 355
Bilirubin
Effect of spironolactone on the expression of rat hepatic UDP-glucuronosyltransferase, 171
Bilirubin and *S*-nitrosothiols interaction: evidence for a possible role of bilirubin as a scavenger of nitric oxide, 2355
Bilirubin degradation
Interaction of polyhalogenated compounds of appropriate configuration with mammalian or bacterial CYP enzymes. Increased bilirubin and uroporphyrinogen oxidation *in vitro*, 405
Binaphthoquinone
Isodiospyrin as a novel human DNA topoisomerase I inhibitor, 1981
Binding assay
Influence of lidocaine on ouabain-induced inotropic response in rat atria, 1871
Binding thermodynamics
Alteration of $A_3$ adenosine receptors in human neutrophils and low frequency electromagnetic fields, 1897
Bioreduction
3-Substituted-5-aziridinyl-1-methylindole-4,7-diones as NQO1-directed antitumour agents: mechanism of activation and cytotoxicity *in vitro*, 1199

Biotransformation
Pharmacologic or genetic ablation of maleylacetoacetate isomerase increases levels of toxic tyrosine catabolites in rodents, 2029
Bisbenzylisoquinoline alkaloid
Inhibition of $Na^+$,$K^+$-ATPase by the extract of *Stephania cepharantha* HAYATA and bisbenzylisoquinoline alkaloid cycleanine, a major constituent, 379
*bis*-Eugenol
Preventive effect of *bis*-eugenol, a eugenol *ortho* dimer, on lipopolysaccharide-stimulated nuclear factor kappa B activation and inflammatory cytokine expression in macrophages, 1061
$BK_{Ca}$ channels
Inhibitory action of ICI-182,780, an estrogen receptor antagonist, on $BK_{Ca}$ channel activity in cultured endothelial cells of human coronary artery, 2053
Bleomycin
Inhibition of bleomycin-induced cell death in rat alveolar macrophages and human lung epithelial cells by ambroxol, 1297
Blood–brain barrier
Influence of tumor necrosis factor-α on the expression and function of P-glycoprotein in an immortalised rat brain capillary endothelial cell line, GPNT, 579
Brain
Inhibition of indoleamine 2,3-dioxygenase activity in IFN-γ stimulated astroglioma cells decreases intracellular NAD levels, 1033
Brain capillary endothelial cell
Influence of tumor necrosis factor-α on the expression and function of P-glycoprotein in an immortalised rat brain capillary endothelial cell line, GPNT, 579
Brain-derived neurotrophic factor
Possible involvement of induction of brain-derived neurotrophic factor in the neuroprotective effect of a 5-phenylpyrimidine derivative, 1019
Bronchus
Pharmacological and biochemical characterization of the beta-adrenergic signal transduction pathway in different segments of the respiratory tract, 1067
L-Buthionine-*S*,*R*-sulphoximine
A novel role of protein kinase C-δ in cell signaling triggered by glutathione depletion, 1521

C-1311
Molecular mechanism of the enzymatic oxidation investigated for imidazoacridinone antitumor drug, C-1311, 1727
C6 glioma cell
Involvement of tumor suppressor protein p53 and p38 MAPK in caffeic acid phenethyl ester-induced apoptosis of C6 glioma cells, 2281
$Ca^{2+}$
Regulation of endoplasmic reticulum $Ca^{2+}$ dynamics by proapoptotic BCL-2 family members, 1335
Caco-2 cells
Contribution of the Ah receptor to the phenolic antioxidant-mediated expression of human and rat UDP-glucuronosyltransferase UGT1A6 in Caco-2 and rat hepatoma 5L cells, 841
Intestinal epithelial cell accumulation of the cancer preventive polyphenol ellagic acid—extensive binding to protein and DNA, 907
Caffeic acid phenethyl ester
Involvement of tumor suppressor protein p53 and p38 MAPK in caffeic acid phenethyl ester-induced apoptosis of C6 glioma cells, 2281
Calcitonin gene-related peptide
Three receptor-activity-modifying proteins define calcitonin gene-related peptide or adrenomedullin selectivity of the mouse calcitonin-like receptor in COS-7 cells, 2107
Calcitonin-like receptor
Three receptor-activity-modifying proteins define calcitonin gene-related peptide or adrenomedullin selectivity of the mouse calcitonin-like receptor in COS-7 cells, 2107
Calcium
Apoptotic signal transduction pathways in diabetes, 1433
Differential agonist-induced regulation of human $M_2$ and $M_3$ muscarinic receptors, 2099
Calcium channel
Sphingosine 1-phosphate induces CREB activation in rat cerebral artery via a protein kinase C-mediated inhibition of voltage-gated $K^+$ channels, 1861
A non-voltage-gated calcium channel with L-type characteristics activated by B cell receptor ligation, 2001
Calcium channel subunits
A non-voltage-gated calcium channel with L-type characteristics activated by B cell receptor ligation, 2001
Calcium release
Sphingosine 1-phosphate induces CREB activation in rat cerebral artery via a protein kinase C-mediated inhibition of voltage-gated $K^+$ channels, 1861
Calcium-dependent kinases
The multifunctional protein PEA-15 is involved in the control of apoptosis and cell cycle in astrocytes, 1581
Calpain
Anti-apoptotic effect of HIV protease inhibitors via direct inhibition of calpain, 1505
cAMP
Inhibition of osteoclastogenesis by a phosphodiesterase 4 inhibitor XT-611 through synergistic action with endogenous prostaglandin $E_2$, 801
H89, an inhibitor of protein kinase A (PKA), stimulates $Na^+$ transport by translocating an epithelial $Na^+$ channel (ENaC) in fetal rat alveolar type II epithelium, 1083
Alternative pathways of ovarian apoptosis: death for life, 1355
cAMP-PKA
$\beta_2$-Adrenoceptor activation inhibits Shiga toxin2-induced apoptosis of renal tubular epithelial cells, 343
Camptothecin
Isodiospyrin as a novel human DNA topoisomerase I inhibitor, 1981
Cancer
The prodigiosins, proapoptotic drugs with anticancer properties, 1447
Cancer cells
DNA strand breaks and apoptosis induced by oxaliplatin in cancer cells, 225
Cancer prevention
Inhibition of the proteasome activity, a novel mechanism associated with the tumor cell apoptosis-inducing ability of genistein, 965
Cancer therapy
Turning cell cycle controller genes into cancer drugs. A role for an antiproliferative cytokine (βGBP), 1563
Cannabinoid receptors
Inhibition of C6 glioma cell proliferation by anandamide, 1-arachidonoylglycerol, and by a water soluble phosphate ester of anandamide: variability in response and involvement of arachidonic acid, 757
Capacitative calcium influx
A non-voltage-gated calcium channel with L-type characteristics activated by B cell receptor ligation, 2001
Capsaicin
Expression of vanilloid receptors in rat gastric epithelial cells: role in cellular protection, 1115
Capsid assembly
Antivirals interacting with hepatitis B virus core protein and core mutations may misdirect capsid assembly in a similar fashion, 2273
Carbamazepine
Search for a common mechanism of mood stabilizers, 179
Carbon tetrachloride
Protective role of heme oxygenase-1 induction in carbon tetrachloride-induced hepatotoxicity, 1091
Carbonate radical
Effect of nitric oxide and nitroxide SOD-mimic on the recovery of isolated rat heart following ischemia and reperfusion, 1279
Carbonyl reductase
Anthracycline secondary alcohol metabolite formation in human or rabbit heart: biochemical aspects and pharmacologic implications, 989

Carboplatin
Different mechanisms for γ-glutamyltransferase-dependent resistance to carboplatin and cisplatin, 595
Carboxy
Stability of the new prodrug 9-aminocamptothecin glucuronide (9ACG) in the presence of human serum albumin, 1181
Carcinogenesis
Induction of apoptosis by curcumin: mediation by glutathione *S*-transferase P1-1 inhibition, 1475
Cardiac glycoside
2-Methoxy-3,8,9-trihydroxy coumestan: a new synthetic inhibitor of $Na^+$,$K^+$-ATPase with an original mechanism of action, 2169
Cardiac hypertrophy
Species-specific splicing and expression of angiotensin converting enzyme, 1037
Cardiomyocytes *ex vivo*
DNA damage and expression of checkpoint genes $p21^{WAF1/CIP1}$ and *14-3-3* σ in taurine-deficient cardiomyocytes, 511
Cardioprotection
Impact of a novel cardioprotective agent on the ischaemia-reperfusion-induced Akt kinase activation, 2263
Cardiotoxicity
Anthracycline secondary alcohol metabolite formation in human or rabbit heart: biochemical aspects and pharmacologic implications, 989
Cardiovascular diseases
Down-regulation of c-*jun* N-terminal kinase-activator protein-1 signaling pathway by *Ginkgo biloba* extract in human peripheral blood T cells, 679
Caspase
Molecular mechanism of gossypol-induced cell growth inhibition and cell death of HT-29 human colon carcinoma cells, 93
Role of tissue transglutaminase in GTP depletion-induced apoptosis of insulin-secreting (HIT-T15) cells, 213
DNA strand breaks and apoptosis induced by oxaliplatin in cancer cells, 225
Immunosuppressant PG490 (triptolide) induces apoptosis through the activation of caspase-3 and down-regulation of XIAP in U937 cells, 273
$\beta_2$-Adrenoceptor activation inhibits Shiga toxin2-induced apoptosis of renal tubular epithelial cells, 343
Chicken DT40 cells stably transfected with the rat $P2X_7$ receptor ion channel: a system suitable for the study of purine receptor-mediated cell death, 415
Synergistic effects of chemotherapeutic drugs in lymphoma cells are associated with down-regulation of inhibitor of apoptosis proteins (IAPs), prostate-apoptosis-response-gene 4 (Par-4), death-associated protein (Daxx) and with enforced caspase activation, 711
Induction of apoptosis in human hepatoblastoma cells by tetrandrine via caspase-dependent Bid cleavage and cytochrome *c* release, 725
Genistein reduces NF-κB in T lymphoma cells *via* a caspase-mediated cleavage of IκBα, 1009
Mitochondrion-dependent caspase activation by the HIV-1 envelope, 1321
Non-apoptotic functions of caspases in cellular proliferation and differentiation, 1453
Apoptosis in the normal and inflamed airway epithelium: role of zinc in epithelial protection and procaspase-3 regulation, 1459
In the cut and thrust of apoptosis, serine proteases come of age, 1469
Anti-apoptotic effect of HIV protease inhibitors via direct inhibition of calpain, 1505
Targeting apoptosis in acute tubular injury, 1589
Bcl-2 overexpression prevents daunorubicin-induced apoptosis through inhibition of XIAP and Akt degradation, 1779
Caspase-3
Rutinoside at C7 attenuates the apoptosis-inducing activity of flavonoids, 1139
Novel roles for palmitoylation of Ras in IL-1β-induced nitric oxide release and caspase 3 activation in insulin-secreting β cells, 1681
Caspase cascade
Quercetin protects the hydrogen peroxide-induced apoptosis *via* inhibition of mitochondrial dysfuntion in H9c2 cardiomyoblast cells, 1287
Mechanism underlying cytotoxicity of thialysine, lysine analog, toward human acute leukemia Jurkat T cells, 2291
Mitochondrial dysfunction, apoptotic cell death, and Alzheimer's disease, 1627
Caspases 3, 8 and 9
Diclofenac induces apoptosis in hepatocytes by alteration of mitochondrial function and generation of ROS, 2155
Catecholamine secretion
*In vitro* inhibition of adrenal catecholamine secretion by steroidal metabolites of ginseng saponins, 2213
Catecholamine synthesis
Stimulation of catecholamine synthesis by orexin-A in bovine adrenal medullary cells through orexin receptor 1, 141
Cathepsin B
Antidiabetic and antimalarial biguanide drugs are metal-interactive antiproteolytic agents, 663
Cathepsin G
Inhibition of dipeptidyl peptidase I in the human mast cell line HMC-1: blocked activation of tryptase, but not of the predominant chymotryptic activity, 2251
CCAAT/enhancer binding protein (C/EBP)
Interaction of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD) with induced adipocyte differentiation in mouse embryonic fibroblasts (MEFs) involves tyrosine kinase c-Src, 1231
L-CCG-I
Functional calcium coupling with the human metabotropic glutamate receptor subtypes 2 and 4 by stable co-expression with a calcium pathway facilitating G-protein chimera in Chinese hamster ovary cells, 785
CCR2B
Expression and characterization of the chemokine receptor CCR2B from rhesus monkey, 321
CD95 ligand
Slowly getting a clue on CD95 ligand biology, 1417
Cdk2
Inhibition of MG-63 cell cycle progression by synthetic vitamin $D_3$ analogs mediated by p27, Cdk2, cyclin E, and the retinoblastoma protein, 495
Cdk5
Neurofibrillary degeneration of the Alzheimer-type: an alternate pathway to neuronal apoptosis?, 1619
cdks
Mechanism underlying cytotoxicity of thialysine, lysine analog, toward human acute leukemia Jurkat T cells, 2291
Cell cycle
Molecular mechanism of gossypol-induced cell growth inhibition and cell death of HT-29 human colon carcinoma cells, 93
Inhibition of MG-63 cell cycle progression by synthetic vitamin $D_3$ analogs mediated by p27, Cdk2, cyclin E, and the retinoblastoma protein, 495
Non-apoptotic functions of caspases in cellular proliferation and differentiation, 1453
DNA damage-triggered apoptosis: critical role of DNA repair, double-strand breaks, cell proliferation and signaling, 1547
Apoptosis in male germ cells in response to cyclin A1-deficiency and cell cycle arrest, 1571
Neurofibrillary degeneration of the Alzheimer-type: an alternate pathway to neuronal apoptosis?, 1619
Fangchinoline inhibits rat aortic vascular smooth muscle cell proliferation and cell cycle progression through inhibition of ERK1/2 activation and c-*fos* expression, 1853
Cell death
Iron interactions and other biological reactions mediating the physiological and toxic actions of manganese, 1

Chicken DT40 cells stably transfected with the rat $P2X_7$ receptor ion channel: a system suitable for the study of purine receptor-mediated cell death, 415
Inhibition of bleomycin-induced cell death in rat alveolar macrophages and human lung epithelial cells by ambroxol, 1297
DNA damage-triggered apoptosis: critical role of DNA repair, double-strand breaks, cell proliferation and signaling, 1547
Apoptosis in male germ cells in response to cyclin A1-deficiency and cell cycle arrest, 1571
Mitochondrial dysfunction, apoptotic cell death, and Alzheimer's disease, 1627

β-Cell destruction
Aminoguanidine downregulates expression of cytokine-induced Fas and inducible nitric oxide synthase but not cytokine-enhanced surface antigens of rat islet cells, 2437

Cell proliferation
Inhibition of C6 glioma cell proliferation by anandamide, 1-arachidonoylglycerol, and by a water soluble phosphate ester of anandamide: variability in response and involvement of arachidonic acid, 757
Adenosine stimulation of the proliferation of colorectal carcinoma cell lines. Roles of cell density and adenosine metabolism, 1737
Inhibitory action of ICI-182,780, an estrogen receptor antagonist, on $BK_{Ca}$ channel activity in cultured endothelial cells of human coronary artery, 2053

Cell regulation
The changing faces of glutathione, a cellular protagonist, 1499

Cell signaling
Oleandrin suppresses activation of nuclear transcription factor-κB and activator protein-1 and potentiates apoptosis induced by ceramide, 2223

Cell viability
$A_{2A}$ adenosine receptor ligands and proinflammatory cytokines induce PC 12 cell death through apoptosis, 1953

Cell-cycle arrest
Mechanism underlying cytotoxicity of thialysine, lysine analog, toward human acute leukemia Jurkat T cells, 2291

Cell-mediated cytotoxicity
Immunomodulatory activity of resveratrol: discrepant *in vitro* and *in vivo* immunological effects, 2427

Cellular cholesteryl esters
Effects of troglitazone on intracellular cholesterol distribution and cholesterol-dependent cell functions in MA-10 Leydig tumor cells, 307

Cellular protection
Expression of vanilloid receptors in rat gastric epithelial cells: role in cellular protection, 1115

Cellular respiration
Immediate effects of anticancer drugs on mitochondrial oxygen consumption, 977

Cellular uptake
Intestinal epithelial cell accumulation of the cancer preventive polyphenol ellagic acid—extensive binding to protein and DNA, 907

Central nervous system
Diclofenac inhibits proliferation and differentiation of neural stem cells, 289

Cepharanthine
Inhibition of $Na^+,K^+$-ATPase by the extract of *Stephania cepharantha* HAYATA and bisbenzylisoquinoline alkaloid cycleanine, a major constituent, 379

Ceramide
Oleandrin suppresses activation of nuclear transcription factor-κB and activator protein-1 and potentiates apoptosis induced by ceramide, 2223

Cerulenin
Novel roles for palmitoylation of Ras in IL-1β-induced nitric oxide release and caspase 3 activation in insulin-secreting β cells, 1681

Cervical carcinoma
Involvement of nuclear transcription factor-κB in low-dose doxorubicin-induced drug resistance of cervical carcinoma cells, 25

Cetirizine
Compared pharmacological characteristics in humans of racemic cetirizine and levocetirizine, two histamine $H_1$-receptor antagonists, 1123

c-*fos*
Fangchinoline inhibits rat aortic vascular smooth muscle cell proliferation and cell cycle progression through inhibition of ERK1/2 activation and c-*fos* expression, 1853

CFTR
Inhibition of ATP-sensitive $K^+$ channels by substituted benzo[c]quinolizinium CFTR activators, 425

CGP-37157
Inhibition of plasmalemmal $Na^+/Ca^{2+}$ exchange by mitochondrial $Na^+/Ca^{2+}$ exchange inhibitor 7-chloro-5-(2-chlorophenyl)-1,5-dihydro-4,1-benzothiazepin-2(3*H*)-one (CGP-37157) in cerebellar granule cells, 2409

Chamissonolide
Influence of helenanolide-type sesquiterpene lactones on gene transcription profiles in Jurkat T cells and human peripheral blood cells: anti-inflammatory and cytotoxic effects, 2141

Checkpoint proteins
DNA damage and expression of checkpoint genes $p21^{WAF1/CIP1}$ and *14-3-3* σ in taurine-deficient cardiomyocytes, 511

Chemical carcinogenesis
Antioxidant perturbations in the olfactory mucosa of alachlor-treated rats, 1707

Chemically modified tetracyclines
Chemically modified tetracyclines selectively inhibit IL-6 expression in osteoblasts by decreasing mRNA stability, 1809

Chemokine
Expression and characterization of the chemokine receptor CCR2B from rhesus monkey, 321
Cloning and characterization of guinea pig interleukin-8 receptor, 1171

Chemoprevention
Role of the AP-1 element and redox factor-1 (Ref-1) in mediating transcriptional induction of DT-diaphorase gene expression by oltipraz: a target for chemoprevention, 15

Chemotaxis
Novel chemoattractant peptides for human leukocytes, 1841

Chemotherapy
A dual mechanism of action of the anticancer agent F 11782 on human topoisomerase II α, 623
Tumor acidity, ion trapping and chemotherapeutics. I. Acid pH affects the distribution of chemotherapeutic agents *in vitro*, 1207
The prodigiosins, proapoptotic drugs with anticancer properties, 1447
Targeting oxidative stress-related diseases: organochalcogen catalysts as redox sensitizers, 2021
Ecteinascidin-743 drug resistance in sarcoma cells: transcriptional and cellular alterations, 2381

Chimera
Functional calcium coupling with the human metabotropic glutamate receptor subtypes 2 and 4 by stable co-expression with a calcium pathway facilitating G-protein chimera in Chinese hamster ovary cells, 785

Chiral switch
Compared pharmacological characteristics in humans of racemic cetirizine and levocetirizine, two histamine $H_1$-receptor antagonists, 1123

Chloroquine
Antidiabetic and antimalarial biguanide drugs are metal-interactive antiproteolytic agents, 663
Potentiation of the antimalarial action of chloroquine in rodent malaria by drugs known to reduce cellular glutathione levels, 809
Inhibition of heme crystal growth by antimalarials and other compounds: implications for drug discovery, 2201

Cholestasis
Preventive effect of silymarin against taurolithocholate-induced cholestasis in the rat, 355

Cholesterol
Treatment with lovastatin, cholestyramine or niacin alters K-ras membrane association in mouse lung in a strain-dependent manner: results in females, 393
The relationship between liver peroxisome proliferation and adipose tissue atrophy induced by peroxisome proliferator exposure and withdrawal in mice, 749
Cholesterol metabolism
Effects of troglitazone on intracellular cholesterol distribution and cholesterol-dependent cell functions in MA-10 Leydig tumor cells, 307
Cholesterol oxidation
Cholesterol crystallization and macrophage apoptosis: implication for atherosclerotic plaque instability and rupture, 1485
Cholestyramine
Treatment with lovastatin, cholestyramine or niacin alters K-ras membrane association in mouse lung in a strain-dependent manner: results in females, 393
Cholinesterases
Inhibition of cholinesterases with cationic phosphonyl oximes highlights distinctive properties of the charged pyridine groups of quaternary oxime reactivators, 191
Chondrocyte
Expression of heme oxygenase-1 and regulation by cytokines in human osteoarthritic chondrocytes, 2049
Chondrosarcoma
Ecteinascidin-743 drug resistance in sarcoma cells: transcriptional and cellular alterations, 2381
Chronic myelogenous leukaemia
Cross-talk between Bcr-Abl tyrosine kinase, protein kinase C and telomerase—a potential reason for resistance to Glivec in chronic myelogenous leukaemia, 1879
Chronic myelogenous leukemia
Relationship between elevated levels of the alpha 1 acid glycoprotein in chronic myelogenous leukemia in blast crisis and pharmacological resistance to imatinib (Gleevec$^{R}$) *in vitro* and *in vivo*, 1907
Chymase
Histamine releasing peptide (HRP) has proinflammatory effects and is present at sites of inflammation, 331
Inhibition of dipeptidyl peptidase I in the human mast cell line HMC-1: blocked activation of tryptase, but not of the predominant chymotryptic activity, 2251
*cis*-Parinaric acid
Antioxidant protection of low density lipoprotein by procyanidins: structure/activity relationships, 947
Cisplatin
Involvement of nuclear transcription factor-κB in low-dose doxorubicin-induced drug resistance of cervical carcinoma cells, 25
DNA strand breaks and apoptosis induced by oxaliplatin in cancer cells, 225
Different mechanisms for γ-glutamyltransferase-dependent resistance to carboplatin and cisplatin, 595
Immediate effects of anticancer drugs on mitochondrial oxygen consumption, 977
c-jun
Role of the AP-1 element and redox factor-1 (Ref-1) in mediating transcriptional induction of DT-diaphorase gene expression by oltipraz: a target for chemoprevention, 15
c-*jun* N-terminal kinase
Down-regulation of c-*jun* N-terminal kinase-activator protein-1 signaling pathway by *Ginkgo biloba* extract in human peripheral blood T cells, 679
Cladribine
Synergistic effects of chemotherapeutic drugs in lymphoma cells are associated with down-regulation of inhibitor of apoptosis proteins (IAPs), prostate-apoptosis-response-gene 4 (Par-4), death-associated protein (Daxx) and with enforced caspase activation, 711
Cloning
Species-specific splicing and expression of angiotensin converting enzyme, 1037
Cloning and characterization of guinea pig interleukin-8 receptor, 1171
Clozapine
Different pharmacological properties of two equipotent antagonists (Clozapine and Rauwolscine) for 5-$HT_{2B}$ receptors in rat stomach fundus, 927
c-Myc
The role of c-Myc on granulocyte colony-stimulating factor-dependent neutrophilic proliferation and differentiation of HL-60 cells, 133
Coactivator
Luteolin inhibits the nuclear factor-κB transcriptional activity in Rat-1 fibroblasts, 955
Cocaine
Cocaine–protein targets in mouse liver, 105
Cold preservation
Evidence for a protective role of trimetazidine during cold ischemia: targeting inflammation and nephron mass, 2241
Collagen
Inhibition of markers of hepatic stellate cell activation by the hormone relaxin, 867
Ecteinascidin-743 drug resistance in sarcoma cells: transcriptional and cellular alterations, 2381
Collagen synthesis
Regulation of pancreatic stellate cell function *in vitro*: biological and molecular effects of all-*trans* retinoic acid, 633
Collagenase
Inhibition of markers of hepatic stellate cell activation by the hormone relaxin, 867
Colon cancer
Induction of resistance to the multitargeted antifolate Pemetrexed (ALIMTA) in WiDr human colon cancer cells is associated with thymidylate synthase overexpression, 431
Characterization of sequence-dependent synergy between ZD1839 ('Iressa') and oxaliplatin, 551
Colony-forming units
Immunomodulatory activity of resveratrol: discrepant *in vitro* and *in vivo* immunological effects, 2427
Colorectal cancer
Adenosine stimulation of the proliferation of colorectal carcinoma cell lines. Roles of cell density and adenosine metabolism, 1737
Comet assay
DNA damage and expression of checkpoint genes $p21^{WAF1/CIP1}$ and *14-3-3* σ in taurine-deficient cardiomyocytes, 511
Enhanced DNA excision repair in CCRF-CEM cells resistant to 1,3-bis(2-chloroethyl)-1-nitrosourea, quantitated using the single cell gel electrophoresis (Comet) assay, 939
Complement receptor
Characterisation of C5a receptor agonists from phage display libraries, 1833
Computational modeling
Inhibition of the proteasome activity, a novel mechanism associated with the tumor cell apoptosis-inducing ability of genistein, 965
Conjugated dienes
Antioxidant protection of low density lipoprotein by procyanidins: structure/activity relationships, 947
Connexin
Connexins and apoptotic transformation, 1661
Constitutive activity
Different pharmacological properties of two equipotent antagonists (Clozapine and Rauwolscine) for 5-$HT_{2B}$ receptors in rat stomach fundus, 927
Contractility
Influence of lidocaine on ouabain-induced inotropic response in rat atria, 1871
Co-regulation of CYPs and UGTs
Vertebrate UDP-glucuronosyltransferases: functional and evolutionary aspects, 691

Coronary artery endothelial cells
Inhibitory action of ICI-182,780, an estrogen receptor antagonist, on $BK_{Ca}$ channel activity in cultured endothelial cells of human coronary artery, 2053
Costimulation
Slowly getting a clue on CD95 ligand biology, 1417
Coumestan
2-Methoxy-3,8,9-trihydroxy coumestan: a new synthetic inhibitor of $Na^+$,$K^+$-ATPase with an original mechanism of action, 2169
Crystallization
Cholesterol crystallization and macrophage apoptosis: implication for atherosclerotic plaque instability and rupture, 1485
*csg*
The novel nucleoside transport system exhibited by NB4 cells, *csg*, transports deoxyguanosine analogues, including ara-G, 733
c-Src
Interaction of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD) with induced adipocyte differentiation in mouse embryonic fibroblasts (MEFs) involves tyrosine kinase c-Src, 1231
Curcumin
Induction of apoptosis by curcumin: mediation by glutathione *S*-transferase P1-1 inhibition, 1475
Some anti-chronic inflammatory compounds are DNA polymerase λ-specific inhibitors, 1935
Direct inhibitory effect of curcumin on Src and focal adhesion kinase activity, 2323
CXCL1
Cloning and characterization of guinea pig interleukin-8 receptor, 1171
CXCL8
Cloning and characterization of guinea pig interleukin-8 receptor, 1171
Cycleanine
Inhibition of $Na^+$,$K^+$-ATPase by the extract of *Stephania cepharantha* HAYATA and bisbenzylisoquinoline alkaloid cycleanine, a major constituent, 379
Cyclic AMP
Pharmacological and biochemical characterization of the beta-adrenergic signal transduction pathway in different segments of the respiratory tract, 1067
Induction by staurosporine of hepatocyte growth factor production in human skin fibroblasts independent of protein kinase inhibition, 1797
Alteration of $A_3$ adenosine receptors in human neutrophils and low frequency electromagnetic fields, 1897
Cyclic GMP
Potentiation of tumor necrosis factor-α expression by YC-1 in alveolar macrophages through a cyclic GMP-independent pathway, 149
YC-1 inhibits proliferation of human vascular endothelial cells through a cyclic GMP-independent pathway, 263
Cyclic voltammetry
Targeting oxidative stress-related diseases: organochalcogen catalysts as redox sensitizers, 2021
Cyclin
YC-1 inhibits proliferation of human vascular endothelial cells through a cyclic GMP-independent pathway, 263
Cyclin A
Apoptosis in male germ cells in response to cyclin A1-deficiency and cell cycle arrest, 1571
Cyclin D1
Molecular mechanism of gossypol-induced cell growth inhibition and cell death of HT-29 human colon carcinoma cells, 93
Cyclin E
Inhibition of MG-63 cell cycle progression by synthetic vitamin $D_3$ analogs mediated by p27, Cdk2, cyclin E, and the retinoblastoma protein, 495
Cyclin-dependent kinase-1
Mitochondrion-dependent caspase activation by the HIV-1 envelope, 1321
Cyclins
Mechanism underlying cytotoxicity of thialysine, lysine analog, toward human acute leukemia Jurkat T cells, 2291
Cyclooxygenase
Positive and negative regulation of prostaglandin $E_2$ biosynthesis in human colorectal carcinoma cells by cancer chemopreventive agents, 51
Effects of wogonin, a plant flavone from *Scutellaria radix*, on skin inflammation: *in vivo* regulation of inflammation-associated gene expression, 1271
Cyclooxygenase-2
Role of cyclooxygenase-2, but not cyclooxygenase-1, on type II collagen-induced arthritis in DBA/1J mice, 1055
Suppression of dextran sodium sulfate-induced colitis in mice by zerumbone, a subtropical ginger sesquiterpene, and nimesulide: separately and in combination, 1253
Peroxisome proliferator-activated receptor γ (PPARγ) ligands as bifunctional regulators of cell proliferation, 1381
Cyclopentenone prostaglandins
Peroxisome proliferator-activated receptor γ (PPARγ) ligands as bifunctional regulators of cell proliferation, 1381
CYP102
Interaction of polyhalogenated compounds of appropriate configuration with mammalian or bacterial CYP enzymes. Increased bilirubin and uroporphyrinogen oxidation *in vitro*, 405
CYP1A1
Interaction of polyhalogenated compounds of appropriate configuration with mammalian or bacterial CYP enzymes. Increased bilirubin and uroporphyrinogen oxidation *in vitro*, 405
CYP1A2
Interaction of polyhalogenated compounds of appropriate configuration with mammalian or bacterial CYP enzymes. Increased bilirubin and uroporphyrinogen oxidation *in vitro*, 405
CYP2A13
Immunoblot analysis and immunohistochemical characterization of CYP2A expression in human olfactory mucosa, 1245
CYP2A6
Immunoblot analysis and immunohistochemical characterization of CYP2A expression in human olfactory mucosa, 1245
CYP1A1
Transient induction of cytochromes P450 1A1 and 1B1 in MCF-7 human breast cancer cells by indirubin, 2313
CYP3A4
Effects of cytochrome $b_5$ on drug oxidation activities of human cytochrome P450 (CYP) 3As: similarity of CYP3A5 with CYP3A4 but not CYP3A7, 2333
CYP3A5
Effects of cytochrome $b_5$ on drug oxidation activities of human cytochrome P450 (CYP) 3As: similarity of CYP3A5 with CYP3A4 but not CYP3A7, 2333
CYP3A7
Effects of cytochrome $b_5$ on drug oxidation activities of human cytochrome P450 (CYP) 3As: similarity of CYP3A5 with CYP3A4 but not CYP3A7, 2333
CYP1B1
Transient induction of cytochromes P450 1A1 and 1B1 in MCF-7 human breast cancer cells by indirubin, 2313
Cytochrome *c*
Induction of apoptosis in human hepatoblastoma cells by tetrandrine via caspase-dependent Bid cleavage and cytochrome *c* release, 725
Mechanisms of apoptosis in developing thymocytes as revealed by adenosine deaminase-deficient fetal thymic organ cultures, 1595
Cytochrome $b_5$
Effects of cytochrome $b_5$ on drug oxidation activities of human cytochrome P450 (CYP) 3As: similarity of CYP3A5 with CYP3A4 but not CYP3A7, 2333
Cytochrome *c* release
Molecular mechanism of gossypol-induced cell growth inhibition and cell death of HT-29 human colon carcinoma cells, 93
Cytochrome P450
Protective role of heme oxygenase-1 induction in carbon tetrachloride-induced hepatotoxicity, 1091

Immunoblot analysis and immunohistochemical characterization of CYP2A expression in human olfactory mucosa, 1245
Hepatic expression of cytochrome P450s in hepatocyte nuclear factor 1-alpha (HNF1α)-deficient mice, 2011
Transient induction of cytochromes P450 1A1 and 1B1 in MCF-7 human breast cancer cells by indirubin, 2313
Cytokines
Down-regulation of c-*jun* N-terminal kinase-activator protein-1 signaling pathway by *Ginkgo biloba* extract in human peripheral blood T cells, 679
Non-apoptotic functions of caspases in cellular proliferation and differentiation, 1453
Expression of heme oxygenase-1 and regulation by cytokines in human osteoarthritic chondrocytes, 2049
Immunomodulatory activity of resveratrol: discrepant *in vitro* and *in vivo* immunological effects, 2427
Cytokines/autocrines
On the significance of the role of cellular stress response reactions in the toxic actions of dioxin, 527
Cytoskeleton
Nitric oxide has a role in regulating VLA-4-integrin expression on the human neutrophil cell surface, 43
Colchicine induces membrane-associated activation of matrix metalloproteinase-2 in osteosarcoma cells in an S100A4-independent manner, 2341
Cytotoxic
Tubulin polymerizing activity of dictyostatin-1, a polyketide of marine sponge origin, 75
Cytotoxicity
Cytotoxic and xenoestrogenic effects via biotransformation of *trans*-anethole on isolated rat hepatocytes and cultured MCF-7 human breast cancer cells, 63
The mitochondrial uncoupler dicumarol disrupts the MTT assay, 281
Inhibition of DNA topoisomerases I and II, and growth inhibition of human cancer cell lines by a marine microalgal polysaccharide, 481
Effect of nitric oxide on cytotoxicity of Taxol: enhanced Taxol transcellular permeability, 2193

Daunorubicin
Anthracycline secondary alcohol metabolite formation in human or rabbit heart: biochemical aspects and pharmacologic implications, 989
Bcl-2 overexpression prevents daunorubicin-induced apoptosis through inhibition of XIAP and Akt degradation, 1779
Daxx
Synergistic effects of chemotherapeutic drugs in lymphoma cells are associated with down-regulation of inhibitor of apoptosis proteins (IAPs), prostate-apoptosis-response-gene 4 (Par-4), death-associated protein (Daxx) and with enforced caspase activation, 711
Death effector domain
The multifunctional protein PEA-15 is involved in the control of apoptosis and cell cycle in astrocytes, 1581
Death factor
Slowly getting a clue on CD95 ligand biology, 1417
Death receptor
Targeting apoptosis in acute tubular injury, 1589
Decomposition
Inhibition of cholinesterases with cationic phosphonyl oximes highlights distinctive properties of the charged pyridine groups of quaternary oxime reactivators, 191
15-Deoxy-$\Delta^{12,14}$-prostaglandin $J_2$
Peroxisome proliferator-activated receptor γ (PPARγ) ligands as bifunctional regulators of cell proliferation, 1381
L-Deprenyl
L-Deprenyl as an inhibitor of menadione-induced permeability transition in liver mitochondria, 1749
Detoxication
The changing faces of glutathione, a cellular protagonist, 1499
Dexamethasone
Pleiotropic anti-apoptotic activity of glucocorticoids in ovarian follicular cells, 1393
DFF45
Molecular mechanism of gossypol-induced cell growth inhibition and cell death of HT-29 human colon carcinoma cells, 93
Diamide
Induction of apoptosis without redox catastrophe by thioredoxin-inhibitory compounds, 1695
Dichloroacetate
Pharmacologic or genetic ablation of maleylacetoacetate isomerase increases levels of toxic tyrosine catabolites in rodents, 2029
Diclofenac
Diclofenac inhibits proliferation and differentiation of neural stem cells, 289
Diclofenac induces apoptosis in hepatocytes by alteration of mitochondrial function and generation of ROS, 2155
Dictyostatin-1
Tubulin polymerizing activity of dictyostatin-1, a polyketide of marine sponge origin, 75
Dicumarol
The mitochondrial uncoupler dicumarol disrupts the MTT assay, 281
Diet
Effects of dietary flavonoids on major signal transduction pathways in human epithelial cells, 2075
Differentiation
Interaction of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD) with induced adipocyte differentiation in mouse embryonic fibroblasts (MEFs) involves tyrosine kinase c-Src, 1231
Non-apoptotic functions of caspases in cellular proliferation and differentiation, 1453
Dihydrofluorescein
Generation of oxidant stress in cultured endothelial cells by methylene blue: protective effects of glucose and ascorbic acid, 777
Dinitrosyl–iron complexes
Inhibition of arterial contraction by dinitrosyl–iron complexes: critical role of the thiol ligand in determining rate of nitric oxide (NO) release and formation of releasable NO stores by *S*-nitrosation, 2365
*Diospyros morrisiana*
Isodiospyrin as a novel human DNA topoisomerase I inhibitor, 1981
Dioxin
On the significance of the role of cellular stress response reactions in the toxic actions of dioxin, 527
Dipeptidyl peptidase I
Inhibition of dipeptidyl peptidase I in the human mast cell line HMC-1: blocked activation of tryptase, but not of the predominant chymotryptic activity, 2251
Dipeptidyl peptidase IV
Degradation of endomorphin-2 at the supraspinal level in mice is initiated by dipeptidyl peptidase IV: an *in vitro* and *in vivo* study, 653
Distomer
Compared pharmacological characteristics in humans of racemic cetirizine and levocetirizine, two histamine $H_1$-receptor antagonists, 1123
Dityrosine
Effect of nitric oxide and nitroxide SOD-mimic on the recovery of isolated rat heart following ischemia and reperfusion, 1279
Divalent metal transporter 1
Iron interactions and other biological reactions mediating the physiological and toxic actions of manganese, 1
DNA adducts
DNA strand breaks and apoptosis induced by oxaliplatin in cancer cells, 225
DNA catenation
The anti-neoplastic and novel topoisomerase II-mediated cytotoxicity of neoamphimedine, a marine pyridoacridine, 447
DNA damage
DNA damage and expression of checkpoint genes *p21*$^{WAF1/CIP1}$ and *14-3-3* σ in taurine-deficient cardiomyocytes, 511

A dual mechanism of action of the anticancer agent F 11782 on human topoisomerase II α, 623
Enhanced DNA excision repair in CCRF-CEM cells resistant to 1,3-bis(2-chloroethyl)-1-nitrosourea, quantitated using the single cell gel electrophoresis (Comet) assay, 939
The prodigiosins, proapoptotic drugs with anticancer properties, 1447
DNA damage-triggered apoptosis: critical role of DNA repair, double-strand breaks, cell proliferation and signaling, 1547
(−)-Epigallocatechin gallate causes oxidative damage to isolated and cellular DNA, 1769

DNA fragmentation
Diclofenac induces apoptosis in hepatocytes by alteration of mitochondrial function and generation of ROS, 2155

DNA polymerase
Analysis of cell cycle regulation by 1-mono-*O*-acyl-3-*O*-(α-D-sulfoquinovosyl)-glyceride (SQMG), an inhibitor of eukaryotic DNA polymerases, 541

DNA polymerase λ
Some anti-chronic inflammatory compounds are DNA polymerase λ-specific inhibitors, 1935

DNA repair
Enhanced DNA excision repair in CCRF-CEM cells resistant to 1,3-bis(2-chloroethyl)-1-nitrosourea, quantitated using the single cell gel electrophoresis (Comet) assay, 939
DNA damage-triggered apoptosis: critical role of DNA repair, double-strand breaks, cell proliferation and signaling, 1547

DNA strand breaks
DNA strand breaks and apoptosis induced by oxaliplatin in cancer cells, 225

DNA topoisomerase
Inhibition of DNA topoisomerases I and II, and growth inhibition of human cancer cell lines by a marine microalgal polysaccharide, 481

L-DOPA
Aggravation of L-DOPA-induced neurotoxicity by tetrahydropapaveroline in PC12 cells, 1787

Dopamine $D_3$ receptor
Attenuation of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) neurotoxicity by the novel selective dopamine $D_3$-receptor partial agonist FAUC 329 predominantly in the nucleus accumbens of mice, 1025

Double base lesion
(−)-Epigallocatechin gallate causes oxidative damage to isolated and cellular DNA, 1769

Doxorubicin
Involvement of nuclear transcription factor-κB in low-dose doxorubicin-induced drug resistance of cervical carcinoma cells, 25
The JNK, ERK and p53 pathways play distinct roles in apoptosis mediated by the antitumor agents vinblastine, doxorubicin, and etoposide, 459
Anthracycline secondary alcohol metabolite formation in human or rabbit heart: biochemical aspects and pharmacologic implications, 989
Tumor acidity, ion trapping and chemotherapeutics. II. pH-dependent partition coefficients predict importance of ion trapping on pharmacokinetics of weakly basic chemotherapeutic agents, 1219

Drug accumulation
Effect of polyglutamylation of methotrexate on its accumulation and the development of resistance in the protozoan parasite *Leishmania*, 999

Drug metabolism
Phenol sulfotransferase 1A1 activity in human liver: kinetic properties, interindividual variation and re-evaluation of the suitability of 4-nitrophenol as a probe substrate, 2089

Drug metabolizing enzymes
Vertebrate UDP-glucuronosyltransferases: functional and evolutionary aspects, 691

Drug potentiation
Potentiation of the antimalarial action of chloroquine in rodent malaria by drugs known to reduce cellular glutathione levels, 809

Drug resistance
Involvement of nuclear transcription factor-κB in low-dose doxorubicin-induced drug resistance of cervical carcinoma cells, 25
Enhanced DNA excision repair in CCRF-CEM cells resistant to 1,3-bis(2-chloroethyl)-1-nitrosourea, quantitated using the single cell gel electrophoresis (Comet) assay, 939
Effect of polyglutamylation of methotrexate on its accumulation and the development of resistance in the protozoan parasite *Leishmania*, 999
Induction of apoptosis by curcumin: mediation by glutathione *S*-transferase P1-1 inhibition, 1475
Turning cell cycle controller genes into cancer drugs. A role for an antiproliferative cytokine (βGBP), 1563
Relationship between elevated levels of the alpha 1 acid glycoprotein in chronic myelogenous leukemia in blast crisis and pharmacological resistance to imatinib (Gleevec®) *in vitro* and *in vivo*, 1907
Ecteinascidin-743 drug resistance in sarcoma cells: transcriptional and cellular alterations, 2381

Drug targeting
The preferential homing of a platelet derived growth factor receptor-recognizing macromolecule to fibroblast-like cells in fibrotic tissue, 1307

Drug–drug interactions
Compared pharmacological characteristics in humans of racemic cetirizine and levocetirizine, two histamine $H_1$-receptor antagonists, 1123

DT-diaphorase
Role of the AP-1 element and redox factor-1 (Ref-1) in mediating transcriptional induction of DT-diaphorase gene expression by oltipraz: a target for chemoprevention, 15

Dyslipidemia
Effect of hypolipidemic drugs on lipoprotein-associated platelet activating factor acetylhydrolase. Implication for atherosclerosis, 2069

EA.hy926 endothelial cells
Generation of oxidant stress in cultured endothelial cells by methylene blue: protective effects of glucose and ascorbic acid, 777

Ecteinascidin-743
Ecteinascidin-743 drug resistance in sarcoma cells: transcriptional and cellular alterations, 2381

EGFR
Messenger RNA expression profiling of genes involved in epidermal growth factor receptor signalling in human cancer cells treated with scanning array-designed antisense oligonucleotides, 819

EGFR-TKI
Characterization of sequence-dependent synergy between ZD1839 ('Iressa') and oxaliplatin, 551

Ellagic acid
Intestinal epithelial cell accumulation of the cancer preventive polyphenol ellagic acid—extensive binding to protein and DNA, 907

ENaC
H89, an inhibitor of protein kinase A (PKA), stimulates $Na^+$ transport by translocating an epithelial $Na^+$ channel (ENaC) in fetal rat alveolar type II epithelium, 1083

Endomorphin-2
Degradation of endomorphin-2 at the supraspinal level in mice is initiated by dipeptidyl peptidase IV: an *in vitro* and *in vivo* study, 653

Endonucleases
Chromosomal DNA fragmentation in apoptosis and necrosis induced by oxidative stress, 1527

Endoplasmic reticulum
Regulation of endoplasmic reticulum $Ca^{2+}$ dynamics by proapoptotic BCL-2 family members, 1335

Endothelial cells
YC-1 inhibits proliferation of human vascular endothelial cells through a cyclic GMP-independent pathway, 263

Endothelial receptors
P-selectin as a candidate target in atherosclerosis, 859

Endothelin-1
A role for increased mRNA stability in the induction of endothelin-1 synthesis by lipopolysaccharide, 589

Energy
Acetyl-L-carnitine cytoprotection against 1-methyl-4-phenylpyridinium toxicity in neuroblastoma cells, 297
Energy metabolism
Impact of a novel cardioprotective agent on the ischaemia-reperfusion-induced Akt kinase activation, 2263
eNOS
Recombinant arginine deiminase as a differential modulator of inducible (iNOS) and endothelial (eNOS) nitric oxide synthetase activity in cultured endothelial cells, 1945
Environmental risk factor
Long-term exposure to β-hexachlorocyclohexane (β-HCH) promotes transformation and invasiveness of MCF-7 human breast cancer cells, 831
Enzyme induction
Cocaine–protein targets in mouse liver, 105
Enzyme inhibitor
Cytosolic and mitochondrial deoxyribonucleotidases: activity with substrate analogs, inhibitors and implications for therapy, 471
Analysis of cell cycle regulation by 1-mono-*O*-acyl-3-*O*-(α-D-sulfoquinovosyl)-glyceride (SQMG), an inhibitor of eukaryotic DNA polymerases, 541
Some anti-chronic inflammatory compounds are DNA polymerase λ-specific inhibitors, 1935
Enzyme kinetics
Phenol sulfotransferase 1A1 activity in human liver: kinetic properties, interindividual variation and re-evaluation of the suitability of 4-nitrophenol as a probe substrate, 2089
Enzyme-directed
3-Substituted-5-aziridinyl-1-methylindole-4,7-diones as NQO1-directed antitumour agents: mechanism of activation and cytotoxicity *in vitro*, 1199
Epigallocatechin gallate
(−)-Epigallocatechin gallate causes oxidative damage to isolated and cellular DNA, 1769
Epipodophyllotoxin
A dual mechanism of action of the anticancer agent F 11782 on human topoisomerase II α, 623
EPPN derivatives
Spin trapping of superoxide, alkyl- and lipid-derived radicals with derivatives of the spin trap EPPN, 1717
EPR
The study of the quercetin action on human erythrocyte membranes, 605
Equilibrium
Stability of the new prodrug 9-aminocamptothecin glucuronide (9ACG) in the presence of human serum albumin, 1181
Equine
Pharmacological and biochemical characterization of the beta-adrenergic signal transduction pathway in different segments of the respiratory tract, 1067
c-ErbB2 overexpression
Long-term exposure to β-hexachlorocyclohexane (β-HCH) promotes transformation and invasiveness of MCF-7 human breast cancer cells, 831
ERK
The JNK, ERK and p53 pathways play distinct roles in apoptosis mediated by the antitumor agents vinblastine, doxorubicin, and etoposide, 459
Direct inhibitory effect of curcumin on Src and focal adhesion kinase activity, 2323
ESeroS-GS
The antioxidant ESeroS-GS inhibits NO production and prevents oxidative stress in astrocytes, 83
ESR
Spin trapping of superoxide, alkyl- and lipid-derived radicals with derivatives of the spin trap EPPN, 1717
ESR spin trapping
The antioxidant ESeroS-GS inhibits NO production and prevents oxidative stress in astrocytes, 83
Ethanol metabolism
Interferon gamma enhances proteasome activity in recombinant Hep G2 cells that express cytochrome P4502E1: modulation by ethanol, 697
Ethynylestradiol
Effect of spironolactone on the expression of rat hepatic UDP-glucuronosyltransferase, 171
Etoposide
The JNK, ERK and p53 pathways play distinct roles in apoptosis mediated by the antitumor agents vinblastine, doxorubicin, and etoposide, 459
Eugenol
Preventive effect of *bis*-eugenol, a eugenol *ortho* dimer, on lipopolysaccharide-stimulated nuclear factor kappa B activation and inflammatory cytokine expression in macrophages, 1061
Eutomer
Compared pharmacological characteristics in humans of racemic cetirizine and levocetirizine, two histamine $H_1$-receptor antagonists, 1123
Excitotoxicity
Novel treatment of excitotoxicity: targeted disruption of intracellular signalling from glutamate receptors, 877
Experimental hepatic porphyria
Tryptophan metabolism via serotonin in rats with hexachlorobenzene experimental porphyria, 35
Expression profiling
Messenger RNA expression profiling of genes involved in epidermal growth factor receptor signalling in human cancer cells treated with scanning array-designed antisense oligonucleotides, 819
Extracellular matrix
Regulation of smooth muscle cell growth, function and death *in vitro* by activated mast cells—a potential mechanism for the weakening and rupture of atherosclerotic plaques, 1493
Ecteinascidin-743 drug resistance in sarcoma cells: transcriptional and cellular alterations, 2381
Extracellular signal-regulated kinase-1/2
Involvement of protein kinase Cδ and extracellular signal-regulated kinase-2 in the suppression of microglial inducible nitric oxide synthase expression by *N*-[3,4-dimethoxycinnamoyl]-anthranilic acid (tranilast), 1263

F-actin
Cytoskeletal reorganization during process of apoptosis induced by cytostatic drugs in K-562 and HL-60 leukemia cell lines, 1611
FAK
Direct inhibitory effect of curcumin on Src and focal adhesion kinase activity, 2323
Falcipain-2
Antidiabetic and antimalarial biguanide drugs are metal-interactive antiproteolytic agents, 663
Fangchinoline
Fangchinoline inhibits rat aortic vascular smooth muscle cell proliferation and cell cycle progression through inhibition of ERK1/2 activation and c-*fos* expression, 1853
Fas
Mitochondrial state 3 to 4 respiration transition during Fas-mediated apoptosis controls cellular redox balance and rate of cell death, 1331
Aminoguanidine downregulates expression of cytokine-induced Fas and inducible nitric oxide synthase but not cytokine-enhanced surface antigens of rat islet cells, 2437
Fatty-acid synthase
The galloyl moiety of green tea catechins is the critical structural feature to inhibit fatty-acid synthase, 2039
FAUC 329
Attenuation of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) neurotoxicity by the novel selective dopamine $D_3$-receptor partial agonist FAUC 329 predominantly in the nucleus accumbens of mice, 1025
Fenofibrate
Effect of hypolipidemic drugs on lipoprotein-associated platelet activating factor acetylhydrolase. Implication for atherosclerosis, 2069

Ferricyanide
Generation of oxidant stress in cultured endothelial cells by methylene blue: protective effects of glucose and ascorbic acid, 777
Ferritin
Iron-binding characteristics of neuromelanin of the human substantia nigra, 489
Fetal thymic organ culture
Mechanisms of apoptosis in developing thymocytes as revealed by adenosine deaminase-deficient fetal thymic organ cultures, 1595
Fetus
Immunoblot analysis and immunohistochemical characterization of CYP2A expression in human olfactory mucosa, 1245
Fibroblast
Luteolin inhibits the nuclear factor-κB transcriptional activity in Rat-1 fibroblasts, 955
The preferential homing of a platelet derived growth factor receptor-recognizing macromolecule to fibroblast-like cells in fibrotic tissue, 1307
Fibrosis
Inhibition of markers of hepatic stellate cell activation by the hormone relaxin, 867
FK506
Effects of FK506 and rapamycin on generation of reactive oxygen species, nitric oxide production and nuclear factor kappa B activation in rat hepatocytes, 439
FK228
Antitumor efficacy of FK228, a novel histone deacetylase inhibitor, depends on the effect on expression of angiogenesis factors, 897
Flavonoid
5,7-Dihydroxy-6-methoxyflavone, a benzodiazepine site ligand isolated from *Scutellaria baicalensis* Georgi, with selective antagonistic properties, 125
Effects of wogonin, a plant flavone from *Scutellaria radix*, on skin inflammation: *in vivo* regulation of inflammation-associated gene expression, 1271
Inhibition of lipopolysaccharide-induced nitric oxide production by flavonoids in RAW264.7 macrophages involves heme oxygenase-1, 1821
Effects of dietary flavonoids on major signal transduction pathways in human epithelial cells, 2075
Naturally occurring 2′-hydroxyl-substituted flavonoids as high affinity benzodiazepine site ligands, 2397
FLIPR
Functional calcium coupling with the human metabotropic glutamate receptor subtypes 2 and 4 by stable co-expression with a calcium pathway facilitating G-protein chimera in Chinese hamster ovary cells, 785
Fludarabine
*In vitro* susceptibility of $CD4^+$ and $CD8^+$ T cell subsets to fludarabine, 2185
Fluorescence
Cytoskeletal reorganization during process of apoptosis induced by cytostatic drugs in K-562 and HL-60 leukemia cell lines, 1611
Effects of $Li^+$ transport and $Li^+$ immobilization on $Li^+/Mg^{2+}$ competition in cells: implications for bipolar disorder, 1915
Fluoxetine
Mechanism of block by fluoxetine of 5-hydroxytryptamine$_3$ (5-$HT_3$)-mediated currents in NCB-20 neuroblastoma cells, 2125
Folate
Methionine restriction selectively targets thymidylate synthase in prostate cancer cells, 791
Folate metabolism
Effect of polyglutamylation of methotrexate on its accumulation and the development of resistance in the protozoan parasite *Leishmania*, 999
Folylpolyglutamate synthetase
Induction of resistance to the multitargeted antifolate Pemetrexed (ALIMTA) in WiDr human colon cancer cells is associated with thymidylate synthase overexpression, 431
Effect of polyglutamylation of methotrexate on its accumulation and the development of resistance in the protozoan parasite *Leishmania*, 999
Formyl peptide receptor like 1
Novel chemoattractant peptides for human leukocytes, 1841
FR140423
Role of cyclooxygenase-2, but not cyclooxygenase-1, on type II collagen-induced arthritis in DBA/1J mice, 1055
Free radicals
Spin trapping of superoxide, alkyl- and lipid-derived radicals with derivatives of the spin trap EPPN, 1717
Impact of a novel cardioprotective agent on the ischaemia-reperfusion-induced Akt kinase activation, 2263
Fucoidan
Inhibitory effect of fucoidan on the activities of crotaline snake venom myotoxic phospholipases $A_2$, 1993
Fusion protein
TWE-PRIL; a fusion protein of TWEAK and APRIL, 1427

$G_2$/M block
Tubulin polymerizing activity of dictyostatin-1, a polyketide of marine sponge origin, 75
Gadolinium chloride
Depletion of Kupffer cell function by gadolinium chloride attenuates thioacetamide-induced hepatotoxicity. Expression of metallothionein and HSP70, 917
β galactoside binding protein
Turning cell cycle controller genes into cancer drugs. A role for an antiproliferative cytokine (βGBP), 1563
Gallated catechins
The galloyl moiety of green tea catechins is the critical structural feature to inhibit fatty-acid synthase, 2039
Galloyl moiety
The galloyl moiety of green tea catechins is the critical structural feature to inhibit fatty-acid synthase, 2039
Gastric mucosal epithelial cells
Expression of vanilloid receptors in rat gastric epithelial cells: role in cellular protection, 1115
Gastrointestinal barrier
Vertebrate UDP-glucuronosyltransferases: functional and evolutionary aspects, 691
βGBP
Turning cell cycle controller genes into cancer drugs. A role for an antiproliferative cytokine (βGBP), 1563
Gene expression
DNA damage and expression of checkpoint genes *p21$^{WAF1/CIP1}$* and *14-3-3* σ in taurine-deficient cardiomyocytes, 511
P-selectin as a candidate target in atherosclerosis, 859
Chemically modified tetracyclines selectively inhibit IL-6 expression in osteoblasts by decreasing mRNA stability, 1809
Hepatic expression of cytochrome P450s in hepatocyte nuclear factor 1-alpha (HNF1α)-deficient mice, 2011
Gene knockout
Pharmacologic or genetic ablation of maleylacetoacetate isomerase increases levels of toxic tyrosine catabolites in rodents, 2029
Gene transcription
Influence of helenanolide-type sesquiterpene lactones on gene transcription profiles in Jurkat T cells and human peripheral blood cells: anti-inflammatory and cytotoxic effects, 2141
Genistein
Inhibition of the proteasome activity, a novel mechanism associated with the tumor cell apoptosis-inducing ability of genistein, 965
Genistein reduces NF-κB in T lymphoma cells *via* a caspase-mediated cleavage of IκBα, 1009
Geranylgeranyl-PP
Comparing myotoxic effects of squalene synthase inhibitor, T-91485, and 3-hydroxy-3-methylglutaryl coenzyme A (HMG-CoA) reductase inhibitors in human myocytes, 2133

Germ cells
Apoptosis in male germ cells in response to cyclin A1-deficiency and cell cycle arrest, 1571
Giant DNA fragmentation
Chromosomal DNA fragmentation in apoptosis and necrosis induced by oxidative stress, 1527
*Ginkgo biloba* extract
Down-regulation of c-*jun* N-terminal kinase-activator protein-1 signaling pathway by *Ginkgo biloba* extract in human peripheral blood T cells, 679
Ginsenoside
*In vitro* inhibition of adrenal catecholamine secretion by steroidal metabolites of ginseng saponins, 2213
Glibenclamide
Inhibition of ATP-sensitive $K^+$ channels by substituted benzo[c]quinolizinium CFTR activators, 425
Glioma
Messenger RNA expression profiling of genes involved in epidermal growth factor receptor signalling in human cancer cells treated with scanning array-designed antisense oligonucleotides, 819
Glivec
Cross-talk between Bcr-Abl tyrosine kinase, protein kinase C and telomerase—a potential reason for resistance to Glivec in chronic myelogenous leukaemia, 1879
γ-Globin transcription
Identification and characterization of mechanistically distinct inducers of γ-globin transcription, 1755
Globin-switching
Identification and characterization of mechanistically distinct inducers of γ-globin transcription, 1755
Glomerulosclerosis
The preferential homing of a platelet derived growth factor receptor-recognizing macromolecule to fibroblast-like cells in fibrotic tissue, 1307
Glucose metabolism
Inhibition of prostaglandin $D_2$ clearance in rat hepatocytes by the thromboxane receptor antagonists daltroban and ifetroban and the thromboxane synthase inhibitor furegrelate, 643
Glucose uptake
α-Lipoic acid decreases thiol reactivity of the insulin receptor and protein tyrosine phosphatase 1B in 3T3-L1 adipocytes, 849
Glucuronide
Stability of the new prodrug 9-aminocamptothecin glucuronide (9ACG) in the presence of human serum albumin, 1181
Glutamate receptors
Novel treatment of excitotoxicity: targeted disruption of intracellular signalling from glutamate receptors, 877
γ-Glutamyltransferase
Different mechanisms for γ-glutamyltransferase-dependent resistance to carboplatin and cisplatin, 595
Glutathione
Potentiation of cellular antioxidant capacity by Bcl-2: implications for its antiapoptotic function, 1371
The changing faces of glutathione, a cellular protagonist, 1499
A novel role of protein kinase C-δ in cell signaling triggered by glutathione depletion, 1521
Antioxidant perturbations in the olfactory mucosa of alachlor-treated rats, 1707
Glutathione transferases
Pharmacologic or genetic ablation of maleylacetoacetate isomerase increases levels of toxic tyrosine catabolites in rodents, 2029
Glutathione-dependent enzymes
The changing faces of glutathione, a cellular protagonist, 1499
Glycyrrhetinic acid
Glycyrrhetinic acid-induced permeability transition in rat liver mitochondria, 2375
Gly-Phe diazomethyl ketone
Inhibition of dipeptidyl peptidase I in the human mast cell line HMC-1: blocked activation of tryptase, but not of the predominant chymotryptic activity, 2251
GPNT
Influence of tumor necrosis factor-α on the expression and function of P-glycoprotein in an immortalised rat brain capillary endothelial cell line, GPNT, 579
G-protein
Functional calcium coupling with the human metabotropic glutamate receptor subtypes 2 and 4 by stable co-expression with a calcium pathway facilitating G-protein chimera in Chinese hamster ovary cells, 785
Differential agonist-induced regulation of human $M_2$ and $M_3$ muscarinic receptors, 2099
G-protein coupled receptor
Cloning and characterization of guinea pig interleukin-8 receptor, 1171
Granulocyte colony-stimulating factor
The role of c-Myc on granulocyte colony-stimulating factor-dependent neutrophilic proliferation and differentiation of HL-60 cells, 133
Granulosa cell
Alternative pathways of ovarian apoptosis: death for life, 1355
Basic fibroblast growth factor (bFGF) regulation of the plasma membrane calcium ATPase (PMCA) as part of an anti-apoptotic mechanism of action, 1363
Granzyme B
Alternative pathways of ovarian apoptosis: death for life, 1355
Pleiotropic anti-apoptotic activity of glucocorticoids in ovarian follicular cells, 1393
Green fluorescent protein
Connexins and apoptotic transformation, 1661
GSH
Different mechanisms for γ-glutamyltransferase-dependent resistance to carboplatin and cisplatin, 595
GSH depletion
Chromosomal DNA fragmentation in apoptosis and necrosis induced by oxidative stress, 1527
GSK-3
Search for a common mechanism of mood stabilizers, 179
GSTP1-1
Induction of apoptosis by curcumin: mediation by glutathione *S*-transferase P1-1 inhibition, 1475
Guanine nucleotides
Role of tissue transglutaminase in GTP depletion-induced apoptosis of insulin-secreting (HIT-T15) cells, 213
Guanosine
The novel nucleoside transport system exhibited by NB4 cells, *csg*, transports deoxyguanosine analogues, including ara-G, 733
Guinea pig
Cloning and characterization of guinea pig interleukin-8 receptor, 1171

HBV core protein
Antivirals interacting with hepatitis B virus core protein and core mutations may misdirect capsid assembly in a similar fashion, 2273
Heart
Spermine-induced negative inotropic effect in isolated rat heart, is mediated through the release of ATP, 157
Influence of lidocaine on ouabain-induced inotropic response in rat atria, 1871
HEK cells
Mutagenesis studies of the human $MT_2$ melatonin receptor, 315
Heme
Protective role of heme oxygenase-1 induction in carbon tetrachloride-induced hepatotoxicity, 1091
Heme crystal
Inhibition of heme crystal growth by antimalarials and other compounds: implications for drug discovery, 2201
Heme oxygenase-1
Protective role of heme oxygenase-1 induction in carbon tetrachloride-induced hepatotoxicity, 1091
Inhibition of lipopolysaccharide-induced nitric oxide production by flavonoids in RAW264.7 macrophages involves heme oxygenase-1, 1821

Expression of heme oxygenase-1 and regulation by cytokines in human osteoarthritic chondrocytes, 2049
Hemozoin
Inhibition of heme crystal growth by antimalarials and other compounds: implications for drug discovery, 2201
Heparin resistance
Suppression of mitogen-activated protein kinase phosphatase-1 (MKP-1) by heparin in vascular smooth muscle cells, 769
Hepatic
Hepatic expression of cytochrome P450s in hepatocyte nuclear factor 1-alpha (HNF1α)-deficient mice, 2011
Hepatic stellate cells (HSC)
The preferential homing of a platelet derived growth factor receptor-recognizing macromolecule to fibroblast-like cells in fibrotic tissue, 1307
Hepatitis
Nuclear factor-kappa B plays a central role in tumour necrosis factor-mediated liver disease, 1409
Hepatocyte growth factor
Induction by staurosporine of hepatocyte growth factor production in human skin fibroblasts independent of protein kinase inhibition, 1797
Hepatocyte nuclear factor 1 alpha
Hepatic expression of cytochrome P450s in hepatocyte nuclear factor 1-alpha (HNF1α)-deficient mice, 2011
Hepatocytes
Cytotoxic and xenoestrogenic effects via biotransformation of *trans*-anethole on isolated rat hepatocytes and cultured MCF-7 human breast cancer cells, 63
Hepatotoxicity
Cocaine–protein targets in mouse liver, 105
HepG2
Induction of apoptosis in human hepatoblastoma cells by tetrandrine via caspase-dependent Bid cleavage and cytochrome *c* release, 725
Hesperetin
Rutinoside at C7 attenuates the apoptosis-inducing activity of flavonoids, 1139
Hesperidin
Rutinoside at C7 attenuates the apoptosis-inducing activity of flavonoids, 1139
Hexachlorobenzene
Tryptophan metabolism via serotonin in rats with hexachlorobenzene experimental porphyria, 35
β-Hexachlorocyclohexane (β-HCH)
Long-term exposure to β-hexachlorocyclohexane (β-HCH) promotes transformation and invasiveness of MCF-7 human breast cancer cells, 831
HI-6
Two possible orientations of the HI-6 molecule in the reactivation of organophosphate-inhibited acetylcholinesterase, 387
Hierarchical cluster analysis
Identification of gene expression profiles predicting tumor cell response to L-alanosine, 613
Histone
The putative role of apoptosis-modified histones for the induction of autoimmunity in Systemic Lupus Erythematosus, 1441
Histone deacetylase
Identification and characterization of mechanistically distinct inducers of γ-globin transcription, 1755
Histone deacetylase inhibitor
Antitumor efficacy of FK228, a novel histone deacetylase inhibitor, depends on the effect on expression of angiogenesis factors, 897
The histone deacetylase inhibitor suberic bishydroxamate: a potential sensitizer of melanoma to TNF-related apoptosis-inducing ligand (TRAIL) induced apoptosis, 1537
HIV
Anti-apoptotic effect of HIV protease inhibitors via direct inhibition of calpain, 1505
HL-60 cells
The role of c-Myc on granulocyte colony-stimulating factor-dependent neutrophilic proliferation and differentiation of HL-60 cells, 133
HMG-CoA reductase inhibitor
Comparing myotoxic effects of squalene synthase inhibitor, T-91485, and 3-hydroxy-3-methylglutaryl coenzyme A (HMG-CoA) reductase inhibitors in human myocytes, 2133
Hormone-sensitive lipase
The relationship between liver peroxisome proliferation and adipose tissue atrophy induced by peroxisome proliferator exposure and withdrawal in mice, 749
HSP70
Depletion of Kupffer cell function by gadolinium chloride attenuates thioacetamide-induced hepatotoxicity. Expression of metallothionein and HSP70, 917
hsp 60
Cocaine–protein targets in mouse liver, 105
HT-29
Molecular mechanism of gossypol-induced cell growth inhibition and cell death of HT-29 human colon carcinoma cells, 93
Characterization of sequence-dependent synergy between ZD1839 ('Iressa') and oxaliplatin, 551
5-HT
Different pharmacological properties of two equipotent antagonists (Clozapine and Rauwolscine) for $5\text{-HT}_{2B}$ receptors in rat stomach fundus, 927
$5\text{-HT}_3$-mediated currents
Mechanism of block by fluoxetine of 5-hydroxytryptamine$_3$ ($5\text{-HT}_3$)-mediated currents in NCB-20 neuroblastoma cells, 2125
Human
Immunoblot analysis and immunohistochemical characterization of CYP2A expression in human olfactory mucosa, 1245
Human and rat UGT1A6
Contribution of the Ah receptor to the phenolic antioxidant-mediated expression of human and rat UDP-glucuronosyltransferase UGT1A6 in Caco-2 and rat hepatoma 5L cells, 841
Human cartilage
Expression of heme oxygenase-1 and regulation by cytokines in human osteoarthritic chondrocytes, 2049
Human DNA topoisomerase I
Isodiospyrin as a novel human DNA topoisomerase I inhibitor, 1981
Human erythrocyte membranes
The study of the quercetin action on human erythrocyte membranes, 605
Human fibroblast
Induction by staurosporine of hepatocyte growth factor production in human skin fibroblasts independent of protein kinase inhibition, 1797
Human immunodeficiency virus
Mitochondrion-dependent caspase activation by the HIV-1 envelope, 1321
Human liver
Phenol sulfotransferase 1A1 activity in human liver: kinetic properties, interindividual variation and re-evaluation of the suitability of 4-nitrophenol as a probe substrate, 2089
Human neutrophils
Alteration of $A_3$ adenosine receptors in human neutrophils and low frequency electromagnetic fields, 1897
Human osteoclasts
Decoy oligodeoxynucleotides targeting NF-kappaB transcription factors: induction of apoptosis in human primary osteoclasts, 1189
Human reconstructed epidermis
LAV694, a new antiproliferative agent showing improved skin tolerability vs. clinical standards for the treatment of actinic keratosis, 1885
HUS
$\beta_2$-Adrenoceptor activation inhibits Shiga toxin2-induced apoptosis of renal tubular epithelial cells, 343
Hybrid death
$Na^+$, $K^+$-ATPase: the new face of an old player in pathogenesis and apoptotic/hybrid cell death, 1601

4-Hydroperoxycyclophosphamide
Immediate effects of anticancer drugs on mitochondrial oxygen consumption, 977
4-Hydroxydocosahexaenoic acid
Lactonase and lactonizing activities of human serum paraoxonase (PON1) and rabbit serum PON3, 887
6-Hydroxydopamine
Altered expression of regulators of G-protein signaling (RGS) mRNAs in the striatum of rats undergoing dopamine depletion, 1163
5-Hydroxyeicosatetraenoic acid
Lactonase and lactonizing activities of human serum paraoxonase (PON1) and rabbit serum PON3, 887
Hydroxyl radical
Different antioxidant effects of polyphenols on lipid peroxidation and hydroxyl radicals in the NADPH-, Fe-ascorbate- and Fe-microsomal systems, 1127
Hyperforin
Enhancement of proteolytic processing of the β-amyloid precursor protein by hyperforin, 2177
Hyperuricemia
Decreased activity of basolateral organic ion transports in hyperuricemic rat kidney: roles of organic ion transporters, rOAT1, rOAT3 and rOCT2, 1107
Hypoxia
Adenosine stimulation of the proliferation of colorectal carcinoma cell lines. Roles of cell density and adenosine metabolism, 1737
Hypoxic cytotoxin
3-Substituted-5-aziridinyl-1-methylindole-4,7-diones as NQO1-directed antitumour agents: mechanism of activation and cytotoxicity *in vitro*, 1199
[3H]-MRE 3008F20 binding
Alteration of $A_3$ adenosine receptors in human neutrophils and low frequency electromagnetic fields, 1897

IAPs
Synergistic effects of chemotherapeutic drugs in lymphoma cells are associated with down-regulation of inhibitor of apoptosis proteins (IAPs), prostate-apoptosis-response-gene 4 (Par-4), death-associated protein (Daxx) and with enforced caspase activation, 711
IκBα
Genistein reduces NF-κB in T lymphoma cells *via* a caspase-mediated cleavage of IκBα, 1009
ICAM-1
Aminoguanidine downregulates expression of cytokine-induced Fas and inducible nitric oxide synthase but not cytokine-enhanced surface antigens of rat islet cells, 2437
ICI-182,780
Inhibitory action of ICI-182,780, an estrogen receptor antagonist, on $BK_{Ca}$ channel activity in cultured endothelial cells of human coronary artery, 2053
ICYP
Pharmacological and biochemical characterization of the beta-adrenergic signal transduction pathway in different segments of the respiratory tract, 1067
IDO
Inhibition of indoleamine 2,3-dioxygenase activity in IFN-γ stimulated astroglioma cells decreases intracellular NAD levels, 1033
IL-1β
Novel roles for palmitoylation of Ras in IL-1β-induced nitric oxide release and caspase 3 activation in insulin-secreting β cells, 1681
Chemically modified tetracyclines selectively inhibit IL-6 expression in osteoblasts by decreasing mRNA stability, 1809
IL-6
Chemically modified tetracyclines selectively inhibit IL-6 expression in osteoblasts by decreasing mRNA stability, 1809
Imatinib mesylate
Relationship between elevated levels of the alpha 1 acid glycoprotein in chronic myelogenous leukemia in blast crisis and pharmacological resistance to imatinib (Gleevec$^{R}$) *in vitro* and *in vivo*, 1907
Imidazoacridinone antitumor agent
Molecular mechanism of the enzymatic oxidation investigated for imidazoacridinone antitumor drug, C-1311, 1727
Immune regulation
TWE-PRIL; a fusion protein of TWEAK and APRIL, 1427
Immunogold labeling
Cytoskeletal reorganization during process of apoptosis induced by cytostatic drugs in K-562 and HL-60 leukemia cell lines, 1611
Immunomodulation
Immunomodulatory activity of resveratrol: discrepant *in vitro* and *in vivo* immunological effects, 2427
Immunosuppressant
Decreased expression of P-glycoprotein during differentiation in the human intestinal cell line Caco-2, 163
Immunosuppressive agents
IL-18BPa:Fc cooperates with immunosuppressive drugs in human whole blood, 505
*In situ* hybridization
Altered expression of regulators of G-protein signaling (RGS) mRNAs in the striatum of rats undergoing dopamine depletion, 1163
Indinavir
Anti-apoptotic effect of HIV protease inhibitors via direct inhibition of calpain, 1505
Indirubin
Transient induction of cytochromes P450 1A1 and 1B1 in MCF-7 human breast cancer cells by indirubin, 2313
Indolequinone
3-Substituted-5-aziridinyl-1-methylindole-4,7-diones as NQO1-directed antitumour agents: mechanism of activation and cytotoxicity *in vitro*, 1199
Indoles
Positive and negative regulation of prostaglandin $E_2$ biosynthesis in human colorectal carcinoma cells by cancer chemopreventive agents, 51
Indomethacin
Potentiation of the antimalarial action of chloroquine in rodent malaria by drugs known to reduce cellular glutathione levels, 809
Inducible nitric oxide
Inhibition of lipopolysaccharide-induced nitric oxide production by flavonoids in RAW264.7 macrophages involves heme oxygenase-1, 1821
Inducible nitric oxide synthase
Role of protein kinase C in BSA-AGE-mediated inducible nitric oxide synthase expression in RAW 264.7 macrophages, 203
Induction
Induction by staurosporine of hepatocyte growth factor production in human skin fibroblasts independent of protein kinase inhibition, 1797
Induction of tubulin polymerization
Tubulin polymerizing activity of dictyostatin-1, a polyketide of marine sponge origin, 75
Inflammation
Histamine releasing peptide (HRP) has proinflammatory effects and is present at sites of inflammation, 331
IL-18BPa:Fc cooperates with immunosuppressive drugs in human whole blood, 505
P-selectin as a candidate target in atherosclerosis, 859
Oleandrin suppresses activation of nuclear transcription factor-κB and activator protein-1 and potentiates apoptosis induced by ceramide, 2223
Evidence for a protective role of trimetazidine during cold ischemia: targeting inflammation and nephron mass, 2241
Inflammatory bowel disease
Suppression of dextran sodium sulfate-induced colitis in mice by zerumbone, a subtropical ginger sesquiterpene, and nimesulide: separately and in combination, 1253
Inflammatory cytokine
Preventive effect of *bis*-eugenol, a eugenol *ortho* dimer, on lipopolysaccharide-stimulated nuclear factor kappa B activation and inflammatory cytokine expression in macrophages, 1061

Inhibition
Inhibition of cholinesterases with cationic phosphonyl oximes highlights distinctive properties of the charged pyridine groups of quaternary oxime reactivators, 191
Inhibitory effect of fucoidan on the activities of crotaline snake venom myotoxic phospholipases $A_2$, 1993
The galloyl moiety of green tea catechins is the critical structural feature to inhibit fatty-acid synthase, 2039
Inhibitor
Inhibition of DNA topoisomerases I and II, and growth inhibition of human cancer cell lines by a marine microalgal polysaccharide, 481
Inhibitors of matrix metalloproteinases
Colchicine induces membrane-associated activation of matrix metalloproteinase-2 in osteosarcoma cells in an S100A4-independent manner, 2341
iNOS
The antioxidant ESeroS-GS inhibits NO production and prevents oxidative stress in astrocytes, 83
Aminoguanidine downregulates expression of cytokine-induced Fas and inducible nitric oxide synthase but not cytokine-enhanced surface antigens of rat islet cells, 2437
iNOS inhibitor
Recombinant arginine deiminase as a differential modulator of inducible (iNOS) and endothelial (eNOS) nitric oxide synthetase activity in cultured endothelial cells, 1945
Inositol phosphate signaling
Search for a common mechanism of mood stabilizers, 179
Inositol trisphosphate
Structural determinants for the activation mechanism of the angiotensin II type 1 receptor differ for phosphoinositide hydrolysis and mitogen-activated protein kinase pathways, 251
Inotropic
2-Methoxy-3,8,9-trihydroxy coumestan: a new synthetic inhibitor of $Na^+$,$K^+$-ATPase with an original mechanism of action, 2169
Inotropism
Spermine-induced negative inotropic effect in isolated rat heart, is mediated through the release of ATP, 157
Insulin
α-Lipoic acid decreases thiol reactivity of the insulin receptor and protein tyrosine phosphatase 1B in 3T3-L1 adipocytes, 849
Insulin receptor
α-Lipoic acid decreases thiol reactivity of the insulin receptor and protein tyrosine phosphatase 1B in 3T3-L1 adipocytes, 849
Insulin-dependent diabetes mellitus
Novel roles for palmitoylation of Ras in IL-1β-induced nitric oxide release and caspase 3 activation in insulin-secreting β cells, 1681
Intercellular adhesion molecule
Effects of wogonin, a plant flavone from *Scutellaria radix*, on skin inflammation: *in vivo* regulation of inflammation-associated gene expression, 1271
Intercellular communication
Connexins and apoptotic transformation, 1661
Interferon-γ
IL-18BPa:Fc cooperates with immunosuppressive drugs in human whole blood, 505
Interferon gamma
Interferon gamma enhances proteasome activity in recombinant Hep G2 cells that express cytochrome P4502E1: modulation by ethanol, 697
Interleukin-18
IL-18BPa:Fc cooperates with immunosuppressive drugs in human whole blood, 505
Interleukin-1
Suppression of dextran sodium sulfate-induced colitis in mice by zerumbone, a subtropical ginger sesquiterpene, and nimesulide: separately and in combination, 1253
Apoptotic signal transduction pathways in diabetes, 1433
Interleukin-1β
Involvement of advanced lipooxidation end products (ALEs) and protein oxidation in the apoptotic actions of nitric oxide in insulin secreting RINm5F cells, 1963
Intracellular pH
Enhancement of proteolytic processing of the β-amyloid precursor protein by hyperforin, 2177
Intracellular protein degradation
Antidiabetic and antimalarial biguanide drugs are metal-interactive antiproteolytic agents, 663
Intracellular signalling
Novel treatment of excitotoxicity: targeted disruption of intracellular signalling from glutamate receptors, 877
Inverse agonism
Different pharmacological properties of two equipotent antagonists (Clozapine and Rauwolscine) for $5\text{-}HT_{2B}$ receptors in rat stomach fundus, 927
Ionotropic glutamate receptors
Selective agonist binding of (*S*)-2-amino-3-(3-hydroxy-5-methyl-4-isoxazolyl)propionic acid (AMPA) and 2*S*-(2α,3β,4β)-2-carboxy-4-(1-methylethenyl)-3-pyrrolidineacetic acid (kainate) receptors: a molecular modeling study, 2413
Iron
Iron interactions and other biological reactions mediating the physiological and toxic actions of manganese, 1
Iron binding
Iron-binding characteristics of neuromelanin of the human substantia nigra, 489
Iron ions
Different antioxidant effects of polyphenols on lipid peroxidation and hydroxyl radicals in the NADPH-, Fe-ascorbate- and Fe-microsomal systems, 1127
Irreversible binding
Intestinal epithelial cell accumulation of the cancer preventive polyphenol ellagic acid—extensive binding to protein and DNA, 907
Irritation
LAV694, a new antiproliferative agent showing improved skin tolerability vs. clinical standards for the treatment of actinic keratosis, 1885
Ischaemia-reperfusion
Impact of a novel cardioprotective agent on the ischaemia-reperfusion-induced Akt kinase activation, 2263
Ischemia
Effect of nitric oxide and nitroxide SOD-mimic on the recovery of isolated rat heart following ischemia and reperfusion, 1279
Ischemia–reperfusion injury
Evidence for a protective role of trimetazidine during cold ischemia: targeting inflammation and nephron mass, 2241
Islet brain-1
Apoptotic signal transduction pathways in diabetes, 1433
Islet β-cells
Role of tissue transglutaminase in GTP depletion-induced apoptosis of insulin-secreting (HIT-T15) cells, 213
Isodiospyrin
Isodiospyrin as a novel human DNA topoisomerase I inhibitor, 1981

JNK
The JNK, ERK and p53 pathways play distinct roles in apoptosis mediated by the antitumor agents vinblastine, doxorubicin, and etoposide, 459
JNK1
Molecular mechanisms underlying WOX1 activation during apoptotic and stress responses, 1347
JNK
Apoptotic signal transduction pathways in diabetes, 1433

$K^+$ efflux and uptake
$Na^+$, $K^+$-ATPase: the new face of an old player in pathogenesis and apoptotic/hybrid cell death, 1601

$K^+$ homeostasis
$Na^+$, $K^+$-ATPase: the new face of an old player in pathogenesis and apoptotic/hybrid cell death, 1601
$K^+$-pNPPase
Inhibition of $Na^+$,$K^+$-ATPase by the extract of *Stephania cepharantha* HAYATA and bisbenzylisoquinoline alkaloid cycleanine, a major constituent, 379
KB-R7943
Inhibition of plasmalemmal $Na^+/Ca^{2+}$ exchange by mitochondrial $Na^+/Ca^{2+}$ exchange inhibitor 7-chloro-5-(2-chlorophenyl)-1,5-dihydro-4,1-benzothiazepin-2(3*H*)-one (CGP-37157) in cerebellar granule cells, 2409
Keratinocytes
Pyrazolotriazolopyrimidine derivatives sensitize melanoma cells to the chemotherapic drugs: taxol and vindesine, 739
Ketoconazole
Inhibition of heme crystal growth by antimalarials and other compounds: implications for drug discovery, 2201
Kidney
Decreased activity of basolateral organic ion transports in hyperuricemic rat kidney: roles of organic ion transporters, rOAT1, rOAT3 and rOCT2, 1107
Targeting apoptosis in acute tubular injury, 1589
Kinase
Isodiospyrin as a novel human DNA topoisomerase I inhibitor, 1981
Effects of dietary flavonoids on major signal transduction pathways in human epithelial cells, 2075
Kinetics
Effect of nitric oxide and nitroxide SOD-mimic on the recovery of isolated rat heart following ischemia and reperfusion, 1279
Kir6.2
Inhibition of ATP-sensitive $K^+$ channels by substituted benzo[c]quinolizinium CFTR activators, 425
K-ras
Treatment with lovastatin, cholestyramine or niacin alters K-ras membrane association in mouse lung in a strain-dependent manner: results in females, 393
Kupffer cells
Inhibition of prostaglandin $D_2$ clearance in rat hepatocytes by the thromboxane receptor antagonists daltroban and ifetroban and the thromboxane synthase inhibitor furegrelate, 643
Depletion of Kupffer cell function by gadolinium chloride attenuates thioacetamide-induced hepatotoxicity. Expression of metallothionein and HSP70, 917
Kynurenine pathway
Inhibition of indoleamine 2,3-dioxygenase activity in IFN-γ stimulated astroglioma cells decreases intracellular NAD levels, 1033

Lactonase
Lactonase and lactonizing activities of human serum paraoxonase (PON1) and rabbit serum PON3, 887
Lactone
Lactonase and lactonizing activities of human serum paraoxonase (PON1) and rabbit serum PON3, 887
Stability of the new prodrug 9-aminocamptothecin glucuronide (9ACG) in the presence of human serum albumin, 1181
Lactonization
Lactonase and lactonizing activities of human serum paraoxonase (PON1) and rabbit serum PON3, 887
Langendorff
Effect of nitric oxide and nitroxide SOD-mimic on the recovery of isolated rat heart following ischemia and reperfusion, 1279
*Leishmania*
Effect of polyglutamylation of methotrexate on its accumulation and the development of resistance in the protozoan parasite *Leishmania*, 999
Leukemia
Taxol- and okadaic acid-induced destabilization of *bcl-2* mRNA is associated with decreased binding of proteins to a *bcl-2* instability element, 1151
Induction of apoptosis by curcumin: mediation by glutathione *S*-transferase P1-1 inhibition, 1475
*In vitro* susceptibility of $CD4^+$ and $CD8^+$ T cell subsets to fludarabine, 2185
Levocetirizine
Compared pharmacological characteristics in humans of racemic cetirizine and levocetirizine, two histamine $H_1$-receptor antagonists, 1123
L-Glutamate
Functional calcium coupling with the human metabotropic glutamate receptor subtypes 2 and 4 by stable co-expression with a calcium pathway facilitating G-protein chimera in Chinese hamster ovary cells, 785
Lidocaine
Influence of lidocaine on ouabain-induced inotropic response in rat atria, 1871
Ligand binding
Mutagenesis studies of the human $MT_2$ melatonin receptor, 315
Lignoids
Suppression of RelA/p65 transactivation activity by a lignoid manassantin isolated from *Saururus chinensis*, 1925
Linoleic acid hydroperoxide
Spin trapping of superoxide, alkyl- and lipid-derived radicals with derivatives of the spin trap EPPN, 1717
Lipid peroxidation
Different antioxidant effects of polyphenols on lipid peroxidation and hydroxyl radicals in the NADPH-, Fe-ascorbate- and Fe-microsomal systems, 1127
α-Lipoic acid
α-Lipoic acid decreases thiol reactivity of the insulin receptor and protein tyrosine phosphatase 1B in 3T3-L1 adipocytes, 849
Lipopolysaccharide
A role for increased mRNA stability in the induction of endothelin-1 synthesis by lipopolysaccharide, 589
Luteolin inhibits the nuclear factor-κB transcriptional activity in Rat-1 fibroblasts, 955
Inhibition of lipopolysaccharide-induced nitric oxide production by flavonoids in RAW264.7 macrophages involves heme oxygenase-1, 1821
Lipoprotein lipase
The relationship between liver peroxisome proliferation and adipose tissue atrophy induced by peroxisome proliferator exposure and withdrawal in mice, 749
Lipoproteins
Effect of hypolipidemic drugs on lipoprotein-associated platelet activating factor acetylhydrolase. Implication for atherosclerosis, 2069
Lipoxygenases
Effects of dietary flavonoids on major signal transduction pathways in human epithelial cells, 2075
Lithium
Search for a common mechanism of mood stabilizers, 179
Liver endothelial cells
Chronic ethanol consumption impairs receptor-mediated endocytosis of MAA-modified albumin by liver endothelial cells, 1045
Liver evasion
Hepatobiliary elimination of bile acid-modified oligodeoxynucleotides in Wistar and $TR^-$ rats: evidence for mrp2 as carrier for oligodeoxynucleotides, 565
Liver failure
Nuclear factor-kappa B plays a central role in tumour necrosis factor-mediated liver disease, 1409
Liver fibrosis
The preferential homing of a platelet derived growth factor receptor-recognizing macromolecule to fibroblast-like cells in fibrotic tissue, 1307
Liver perfusion
Inhibition of prostaglandin $D_2$ clearance in rat hepatocytes by the thromboxane receptor antagonists daltroban and ifetroban and the thromboxane synthase inhibitor furegrelate, 643

Liver targeting
Hepatobiliary elimination of bile acid-modified oligodeoxynucleotides in Wistar and TR$^-$ rats: evidence for mrp2 as carrier for oligodeoxynucleotides, 565
Long-term exposure
Long-term exposure to β-hexachlorocyclohexane (β-HCH) promotes transformation and invasiveness of MCF-7 human breast cancer cells, 831
Lovastatin
Treatment with lovastatin, cholestyramine or niacin alters K-ras membrane association in mouse lung in a strain-dependent manner: results in females, 393
LoVo
Characterization of sequence-dependent synergy between ZD1839 ('Iressa') and oxaliplatin, 551
Low density lipoproteins (LDL)
Antioxidant protection of low density lipoprotein by procyanidins: structure/activity relationships, 947
Low-dose anticancer drugs
Involvement of nuclear transcription factor-κB in low-dose doxorubicin-induced drug resistance of cervical carcinoma cells, 25
LPS
Effects of FK506 and rapamycin on generation of reactive oxygen species, nitric oxide production and nuclear factor kappa B activation in rat hepatocytes, 439
Preventive effect of *bis*-eugenol, a eugenol *ortho* dimer, on lipopolysaccharide-stimulated nuclear factor kappa B activation and inflammatory cytokine expression in macrophages, 1061
L-SOP
Functional calcium coupling with the human metabotropic glutamate receptor subtypes 2 and 4 by stable co-expression with a calcium pathway facilitating G-protein chimera in Chinese hamster ovary cells, 785
L-type channel
A non-voltage-gated calcium channel with L-type characteristics activated by B cell receptor ligation, 2001
Lung
Treatment with lovastatin, cholestyramine or niacin alters K-ras membrane association in mouse lung in a strain-dependent manner: results in females, 393
Pharmacological and biochemical characterization of the beta-adrenergic signal transduction pathway in different segments of the respiratory tract, 1067
Lung cancer
Involvement of PKA and Sp1 in the induction of $p27^{Kip1}$ by tamoxifen, 371
Lung epithelial cells
Inhibition of bleomycin-induced cell death in rat alveolar macrophages and human lung epithelial cells by ambroxol, 1297
Luteolin
Luteolin inhibits the nuclear factor-κB transcriptional activity in Rat-1 fibroblasts, 955
LY354740
Functional calcium coupling with the human metabotropic glutamate receptor subtypes 2 and 4 by stable co-expression with a calcium pathway facilitating G-protein chimera in Chinese hamster ovary cells, 785
Lymphoblastoma
Effects of $Li^+$ transport and $Li^+$ immobilization on $Li^+/Mg^{2+}$ competition in cells: implications for bipolar disorder, 1915
Lymphocyte
Chicken DT40 cells stably transfected with the rat $P2X_7$ receptor ion channel: a system suitable for the study of purine receptor-mediated cell death, 415
Lymphocyte proliferation
Immunomodulatory activity of resveratrol: discrepant *in vitro* and *in vivo* immunological effects, 2427
Lysine analog
Mechanism underlying cytotoxicity of thialysine, lysine analog, toward human acute leukemia Jurkat T cells, 2291
MA-10 Leydig tumor cells
Effects of troglitazone on intracellular cholesterol distribution and cholesterol-dependent cell functions in MA-10 Leydig tumor cells, 307
Mac-1
Nitric oxide has a role in regulating VLA-4-integrin expression on the human neutrophil cell surface, 43
Macrophage
Preventive effect of *bis*-eugenol, a eugenol *ortho* dimer, on lipopolysaccharide-stimulated nuclear factor kappa B activation and inflammatory cytokine expression in macrophages, 1061
Cholesterol crystallization and macrophage apoptosis: implication for atherosclerotic plaque instability and rupture, 1485
Malaria
Potentiation of the antimalarial action of chloroquine in rodent malaria by drugs known to reduce cellular glutathione levels, 809
Inhibition of heme crystal growth by antimalarials and other compounds: implications for drug discovery, 2201
Male maturation
Species-specific splicing and expression of angiotensin converting enzyme, 1037
Maleimide spin label
The study of the quercetin action on human erythrocyte membranes, 605
Maleylacetoacetate isomerase
Pharmacologic or genetic ablation of maleylacetoacetate isomerase increases levels of toxic tyrosine catabolites in rodents, 2029
Mammalian two-hybrid system
Antivirals interacting with hepatitis B virus core protein and core mutations may misdirect capsid assembly in a similar fashion, 2273
Manganese
Iron interactions and other biological reactions mediating the physiological and toxic actions of manganese, 1
Manganism
Iron interactions and other biological reactions mediating the physiological and toxic actions of manganese, 1
Manic-depression
Search for a common mechanism of mood stabilizers, 179
MAP kinase
The multifunctional protein PEA-15 is involved in the control of apoptosis and cell cycle in astrocytes, 1581
Fangchinoline inhibits rat aortic vascular smooth muscle cell proliferation and cell cycle progression through inhibition of ERK1/2 activation and c-*fos* expression, 1853
MAPK
$\beta_2$-Adrenoceptor activation inhibits Shiga toxin2-induced apoptosis of renal tubular epithelial cells, 343
Apoptotic signal transduction pathways in diabetes, 1433
Marine microalga
Inhibition of DNA topoisomerases I and II, and growth inhibition of human cancer cell lines by a marine microalgal polysaccharide, 481
Marine pyridoacridine
The anti-neoplastic and novel topoisomerase II-mediated cytotoxicity of neoamphimedine, a marine pyridoacridine, 447
Mast cell
Histamine releasing peptide (HRP) has proinflammatory effects and is present at sites of inflammation, 331
Regulation of smooth muscle cell growth, function and death *in vitro* by activated mast cells—a potential mechanism for the weakening and rupture of atherosclerotic plaques, 1493
Matrix metalloproteinase
Inhibition of markers of hepatic stellate cell activation by the hormone relaxin, 867
Colchicine induces membrane-associated activation of matrix metalloproteinase-2 in osteosarcoma cells in an S100A4-independent manner, 2341
MCF-7 breast cancer cells
Long-term exposure to β-hexachlorocyclohexane (β-HCH) promotes transformation and invasiveness of MCF-7 human breast cancer cells, 831

MCF-7 cells
Cytotoxic and xenoestrogenic effects via biotransformation of *trans*-anethole on isolated rat hepatocytes and cultured MCF-7 human breast cancer cells, 63
MCP-1
Expression and characterization of the chemokine receptor CCR2B from rhesus monkey, 321
Mechanism of enzymatic activation
Molecular mechanism of the enzymatic oxidation investigated for imidazoacridinone antitumor drug, C-1311, 1727
Meiosis
Apoptosis in male germ cells in response to cyclin A1-deficiency and cell cycle arrest, 1571
Melanoma
Pyrazolotriazolopyrimidine derivatives sensitize melanoma cells to the chemotherapic drugs: taxol and vindesine, 739
The histone deacetylase inhibitor suberic bishydroxamate: a potential sensitizer of melanoma to TNF-related apoptosis-inducing ligand (TRAIL) induced apoptosis, 1537
Melatonin
Mutagenesis studies of the human $MT_2$ melatonin receptor, 315
Menadione
L-Deprenyl as an inhibitor of menadione-induced permeability transition in liver mitochondria, 1749
Metabolic activation
Molecular mechanism of the enzymatic oxidation investigated for imidazoacridinone antitumor drug, C-1311, 1727
Metabolic pathway
Degradation of endomorphin-2 at the supraspinal level in mice is initiated by dipeptidyl peptidase IV: an *in vitro* and *in vivo* study, 653
Metabolism
Cytotoxic and xenoestrogenic effects via biotransformation of *trans*-anethole on isolated rat hepatocytes and cultured MCF-7 human breast cancer cells, 63
Acetyl-L-carnitine cytoprotection against 1-methyl-4-phenylpyridinium toxicity in neuroblastoma cells, 297
Raf and the road to cell survival: a tale of bad spells, ring bearers and detours, 1341
Metabolites of tryptophan pathway via serotonin
Tryptophan metabolism via serotonin in rats with hexachlorobenzene experimental porphyria, 35
Metabotropic glutamate receptor
Functional calcium coupling with the human metabotropic glutamate receptor subtypes 2 and 4 by stable co-expression with a calcium pathway facilitating G-protein chimera in Chinese hamster ovary cells, 785
Metal
(−)-Epigallocatechin gallate causes oxidative damage to isolated and cellular DNA, 1769
Metal transport
Iron interactions and other biological reactions mediating the physiological and toxic actions of manganese, 1
Metallothionein
Depletion of Kupffer cell function by gadolinium chloride attenuates thioacetamide-induced hepatotoxicity. Expression of metallothionein and HSP70, 917
Metformin
Antidiabetic and antimalarial biguanide drugs are metal-interactive antiproteolytic agents, 663
Methionine
Methionine restriction selectively targets thymidylate synthase in prostate cancer cells, 791
Methotrexate
Effect of polyglutamylation of methotrexate on its accumulation and the development of resistance in the protozoan parasite *Leishmania*, 999
Methylene blue
Generation of oxidant stress in cultured endothelial cells by methylene blue: protective effects of glucose and ascorbic acid, 777
MHC antigens
Aminoguanidine downregulates expression of cytokine-induced Fas and inducible nitric oxide synthase but not cytokine-enhanced surface antigens of rat islet cells, 2437
Microglia
Involvement of protein kinase Cδ and extracellular signal-regulated kinase-2 in the suppression of microglial inducible nitric oxide synthase expression by *N*-[3,4-dimethoxycinnamoyl]-anthranilic acid (tranilast), 1263
Midazolam
Effects of cytochrome $b_5$ on drug oxidation activities of human cytochrome P450 (CYP) 3As: similarity of CYP3A5 with CYP3A4 but not CYP3A7, 2333
Middle cerebral artery
The mechanisms of cell death in focal cerebral ischemia highlight neuroprotective perspectives by anti-caspase therapy, 1643
Migration
Direct inhibitory effect of curcumin on Src and focal adhesion kinase activity, 2323
Minipig
LAV694, a new antiproliferative agent showing improved skin tolerability vs. clinical standards for the treatment of actinic keratosis, 1885
Miochondrial membrane potential
Mitochondrial state 3 to 4 respiration transition during Fas-mediated apoptosis controls cellular redox balance and rate of cell death, 1331
Misdirection
Antivirals interacting with hepatitis B virus core protein and core mutations may misdirect capsid assembly in a similar fashion, 2273
Mitochondria
The mitochondrial uncoupler dicumarol disrupts the MTT assay, 281
Immediate effects of anticancer drugs on mitochondrial oxygen consumption, 977
Raf and the road to cell survival: a tale of bad spells, ring bearers and detours, 1341
*S*-Nitrosothiol-induced rapid cytochrome *c* release, caspase activation and mitochondrial permeability transition in perfused heart, 1513
Mitochondrial dysfunction, apoptotic cell death, and Alzheimer's disease, 1627
Cell death and growth arrest in response to photodynamic therapy with membrane-bound photosensitizers, 1651
L-Deprenyl as an inhibitor of menadione-induced permeability transition in liver mitochondria, 1749
Induction of the mitochondrial permeability transition by selenium compounds mediated by oxidation of the protein thiol groups and generation of the superoxide, 2301
Glycyrrhetinic acid-induced permeability transition in rat liver mitochondria, 2375
Inhibition of plasmalemmal $Na^+/Ca^{2+}$ exchange by mitochondrial $Na^+/Ca^{2+}$ exchange inhibitor 7-chloro-5-(2-chlorophenyl)-1,5-dihydro-4,1-benzothiazepin-2(3*H*)-one (CGP-37157) in cerebellar granule cells, 2409
Mitochondria permeability transition
Induction of the mitochondrial permeability transition by selenium compounds mediated by oxidation of the protein thiol groups and generation of the superoxide, 2301
Mitochondrial cytochrome *c*
Mechanism underlying cytotoxicity of thialysine, lysine analog, toward human acute leukemia Jurkat T cells, 2291
Mitochondrial dysfunction
Quercetin protects the hydrogen peroxide-induced apoptosis *via* inhibition of mitochondrial dysfuntion in H9c2 cardiomyoblast cells, 1287
Mitochondrial membrane permeability
Inhibition of bleomycin-induced cell death in rat alveolar macrophages and human lung epithelial cells by ambroxol, 1297
Mitochondrial toxicity
Cytosolic and mitochondrial deoxyribonucleotidases: activity with substrate analogs, inhibitors and implications for therapy, 471

Mitogen-activated protein kinase
Structural determinants for the activation mechanism of the angiotensin II type 1 receptor differ for phosphoinositide hydrolysis and mitogen-activated protein kinase pathways, 251
Potentiation of cellular antioxidant capacity by Bcl-2: implications for its antiapoptotic function, 1371
Mitomycin C (MMC)
3-Substituted-5-aziridinyl-1-methylindole-4,7-diones as NQO1-directed antitumour agents: mechanism of activation and cytotoxicity *in vitro*, 1199
Mitoxantrone
Tumor acidity, ion trapping and chemotherapeutics. II. pH-dependent partition coefficients predict importance of ion trapping on pharmacokinetics of weakly basic chemotherapeutic agents, 1219
Mössbauer spectroscopy
Iron-binding characteristics of neuromelanin of the human substantia nigra, 489
Mouse
Treatment with lovastatin, cholestyramine or niacin alters K-ras membrane association in mouse lung in a strain-dependent manner: results in females, 393
Mouse brain
Degradation of endomorphin-2 at the supraspinal level in mice is initiated by dipeptidyl peptidase IV: an *in vitro* and *in vivo* study , 653
Mouse embryonic fibroblasts (MEFs)
Interaction of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD) with induced adipocyte differentiation in mouse embryonic fibroblasts (MEFs) involves tyrosine kinase c-Src, 1231
MPP
Acetyl-L-carnitine cytoprotection against 1-methyl-4-phenylpyridinium toxicity in neuroblastoma cells, 297
MPT
Diclofenac induces apoptosis in hepatocytes by alteration of mitochondrial function and generation of ROS, 2155
MPTP
Acetyl-L-carnitine cytoprotection against 1-methyl-4-phenylpyridinium toxicity in neuroblastoma cells, 297
Attenuation of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) neurotoxicity by the novel selective dopamine $D_3$-receptor partial agonist FAUC 329 predominantly in the nucleus accumbens of mice, 1025
mRNA expression profiling
Identification of gene expression profiles predicting tumor cell response to L-alanosine, 613
mRNA instability element
Taxol- and okadaic acid-induced destabilization of *bcl-2* mRNA is associated with decreased binding of proteins to a *bcl-2* instability element, 1151
mRNA stability
A role for increased mRNA stability in the induction of endothelin-1 synthesis by lipopolysaccharide, 589
Taxol- and okadaic acid-induced destabilization of *bcl-2* mRNA is associated with decreased binding of proteins to a *bcl-2* instability element, 1151
mrp2
Hepatobiliary elimination of bile acid-modified oligodeoxynucleotides in Wistar and $TR^-$ rats: evidence for mrp2 as carrier for oligodeoxynucleotides, 565
$MT_1$ melatonin receptor
Mutagenesis studies of the human $MT_2$ melatonin receptor, 315
$MT_2$ melatonin receptor
Mutagenesis studies of the human $MT_2$ melatonin receptor, 315
MTT assay
The mitochondrial uncoupler dicumarol disrupts the MTT assay, 281
Multidrug resistance
Decreased expression of P-glycoprotein during differentiation in the human intestinal cell line Caco-2, 163
Influence of tumor necrosis factor-α on the expression and function of P-glycoprotein in an immortalised rat brain capillary endothelial cell line, GPNT, 579
Identification of gene expression profiles predicting tumor cell response to L-alanosine, 613
Tumor acidity, ion trapping and chemotherapeutics. I. Acid pH affects the distribution of chemotherapeutic agents *in vitro*, 1207
Multiple sclerosis
Involvement of protein kinase Cδ and extracellular signal-regulated kinase-2 in the suppression of microglial inducible nitric oxide synthase expression by *N*-[3,4-dimethoxycinnamoyl]-anthranilic acid (tranilast), 1263
Muscarinic receptor
Differential agonist-induced regulation of human $M_2$ and $M_3$ muscarinic receptors, 2099
Mutation
A dual mechanism of action of the anticancer agent F 11782 on human topoisomerase II α, 623
Mycophenolic acid
Role of tissue transglutaminase in GTP depletion-induced apoptosis of insulin-secreting (HIT-T15) cells, 213
Myofibroblasts
Regulation of pancreatic stellate cell function *in vitro*: biological and molecular effects of all-*trans* retinoic acid, 633
Myotoxin
Inhibitory effect of fucoidan on the activities of crotaline snake venom myotoxic phospholipases $A_2$, 1993

$Na^+,K^+$-ATPase
Specific expression of an A-kinase anchoring protein subtype, AKAP-150, and specific regulatory mechanism for $Na^+,K^+$-ATPase *via* protein kinase A in the parotid gland among the three major salivary glands of the rat, 239
Inhibition of $Na^+,K^+$-ATPase by the extract of *Stephania cepharantha* HAYATA and bisbenzylisoquinoline alkaloid cycleanine, a major constituent, 379
$Na^+$, $K^+$-ATPase: the new face of an old player in pathogenesis and apoptotic/hybrid cell death, 1601
NAD
Inhibition of indoleamine 2,3-dioxygenase activity in IFN-γ stimulated astroglioma cells decreases intracellular NAD levels, 1033
$NAD^+$/NADH ratio
Adenosine binding sites at S-adenosylhomocysteine hydrolase are controlled by the $NAD^+$/NADH ratio of the enzyme, 2117
Naringenin
Rutinoside at C7 attenuates the apoptosis-inducing activity of flavonoids, 1139
Naringin
Rutinoside at C7 attenuates the apoptosis-inducing activity of flavonoids, 1139
Nasal mucosa
Immunoblot analysis and immunohistochemical characterization of CYP2A expression in human olfactory mucosa, 1245
Naturally-occurring
5,7-Dihydroxy-6-methoxyflavone, a benzodiazepine site ligand isolated from *Scutellaria baicalensis* Georgi, with selective antagonistic properties, 125
NCB-20 neuroblastoma cell
Mechanism of block by fluoxetine of 5-hydroxytryptamine$_3$ (5-$HT_3$)-mediated currents in NCB-20 neuroblastoma cells, 2125
NCKX
Inhibition of plasmalemmal $Na^+/Ca^{2+}$ exchange by mitochondrial $Na^+/Ca^{2+}$ exchange inhibitor 7-chloro-5-(2-chlorophenyl)-1,5-dihydro-4,1-benzothiazepin-2(3*H*)-one (CGP-37157) in cerebellar granule cells, 2409
NCX
Inhibition of plasmalemmal $Na^+/Ca^{2+}$ exchange by mitochondrial $Na^+/Ca^{2+}$ exchange inhibitor 7-chloro-5-(2-chlorophenyl)-1,5-dihydro-4,1-

benzothiazepin-2(3*H*)-one (CGP-37157) in cerebellar granule cells, 2409
Necrosis
Chromosomal DNA fragmentation in apoptosis and necrosis induced by oxidative stress, 1527
$Na^+$, $K^+$-ATPase: the new face of an old player in pathogenesis and apoptotic/hybrid cell death, 1601
The mechanisms of cell death in focal cerebral ischemia highlight neuroprotective perspectives by anti-caspase therapy, 1643
Neoamphimedine
The anti-neoplastic and novel topoisomerase II-mediated cytotoxicity of neoamphimedine, a marine pyridoacridine, 447
Neural stem cells
Diclofenac inhibits proliferation and differentiation of neural stem cells, 289
Neuroblastoma
Effects of $Li^+$ transport and $Li^+$ immobilization on $Li^+/Mg^{2+}$ competition in cells: implications for bipolar disorder, 1915
Neurofibrillary tangles (NFT)
Neurofibrillary degeneration of the Alzheimer-type: an alternate pathway to neuronal apoptosis?, 1619
Neurogenic
Proteinase-activated receptor-2 mediates hyperresponsiveness in isolated guinea pig bronchi, 519
Neurological disorders
Novel treatment of excitotoxicity: targeted disruption of intracellular signalling from glutamate receptors, 877
Neuromelanin
Iron-binding characteristics of neuromelanin of the human substantia nigra, 489
Neuronal death
Neurofibrillary degeneration of the Alzheimer-type: an alternate pathway to neuronal apoptosis?, 1619
Neuronal survival
Possible involvement of induction of brain-derived neurotrophic factor in the neuroprotective effect of a 5-phenylpyrimidine derivative, 1019
Neurons
Inhibition of plasmalemmal $Na^+/Ca^{2+}$ exchange by mitochondrial $Na^+/Ca^{2+}$ exchange inhibitor 7-chloro-5-(2-chlorophenyl)-1,5-dihydro-4,1-benzothiazepin-2(3*H*)-one (CGP-37157) in cerebellar granule cells, 2409
Neuroprotection
Attenuation of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) neurotoxicity by the novel selective dopamine $D_3$-receptor partial agonist FAUC 329 predominantly in the nucleus accumbens of mice, 1025
Neurotoxicity
Aggravation of L-DOPA-induced neurotoxicity by tetrahydropapaveroline in PC12 cells, 1787
Neutrophil
Nitric oxide has a role in regulating VLA-4-integrin expression on the human neutrophil cell surface, 43
Neutrophilic differentiation
The role of c-Myc on granulocyte colony-stimulating factor-dependent neutrophilic proliferation and differentiation of HL-60 cells, 133
NF-κB
Involvement of nuclear transcription factor-κB in low-dose doxorubicin-induced drug resistance of cervical carcinoma cells, 25
Genistein reduces NF-κB in T lymphoma cells *via* a caspase-mediated cleavage of IκBα, 1009
Preventive effect of *bis*-eugenol, a eugenol *ortho* dimer, on lipopolysaccharide-stimulated nuclear factor kappa B activation and inflammatory cytokine expression in macrophages, 1061
Potentiation of cellular antioxidant capacity by Bcl-2: implications for its antiapoptotic function, 1371
Regulation of proliferation, survival and apoptosis by members of the TNF superfamily, 1403
Nuclear factor-kappa B plays a central role in tumour necrosis factor-mediated liver disease, 1409
Suppression of RelA/p65 transactivation activity by a lignoid manassantin isolated from *Saururus chinensis*, 1925
Mitigation of tumor necrosis factor alpha cytotoxicity by aurintricarboxylic acid in human peripheral B lymphocytes, 1973
Oleandrin suppresses activation of nuclear transcription factor-κB and activator protein-1 and potentiates apoptosis induced by ceramide, 2223
Colchicine induces membrane-associated activation of matrix metalloproteinase-2 in osteosarcoma cells in an S100A4-independent manner, 2341
Niacin
Treatment with lovastatin, cholestyramine or niacin alters K-ras membrane association in mouse lung in a strain-dependent manner: results in females, 393
Nicotinic acetylcholine receptor
*In vitro* inhibition of adrenal catecholamine secretion by steroidal metabolites of ginseng saponins, 2213
Nigrostriatal pathway
Altered expression of regulators of G-protein signaling (RGS) mRNAs in the striatum of rats undergoing dopamine depletion, 1163
Nitric oxide
Role of protein kinase C in BSA-AGE-mediated inducible nitric oxide synthase expression in RAW 264.7 macrophages, 203
Effects of FK506 and rapamycin on generation of reactive oxygen species, nitric oxide production and nuclear factor kappa B activation in rat hepatocytes, 439
Involvement of protein kinase Cδ and extracellular signal-regulated kinase-2 in the suppression of microglial inducible nitric oxide synthase expression by *N*-[3,4-dimethoxycinnamoyl]-anthranilic acid (tranilast), 1263
*S*-Nitrosothiol-induced rapid cytochrome *c* release, caspase activation and mitochondrial permeability transition in perfused heart, 1513
Novel roles for palmitoylation of Ras in IL-1β-induced nitric oxide release and caspase 3 activation in insulin-secreting β cells, 1681
Inhibition of lipopolysaccharide-induced nitric oxide production by flavonoids in RAW264.7 macrophages involves heme oxygenase-1, 1821
Involvement of advanced lipooxidation end products (ALEs) and protein oxidation in the apoptotic actions of nitric oxide in insulin secreting RINm5F cells, 1963
Expression of heme oxygenase-1 and regulation by cytokines in human osteoarthritic chondrocytes, 2049
Effect of nitric oxide on cytotoxicity of Taxol: enhanced Taxol transcellular permeability, 2193
Bilirubin and *S*-nitrosothiols interaction: evidence for a possible role of bilirubin as a scavenger of nitric oxide, 2355
Inhibition of arterial contraction by dinitrosyl–iron complexes: critical role of the thiol ligand in determining rate of nitric oxide (NO) release and formation of releasable NO stores by *S*-nitrosation, 2365
Nitric oxide synthase inhibitors
Nitric oxide has a role in regulating VLA-4-integrin expression on the human neutrophil cell surface, 43
*p*-Nitrophenol
Effect of spironolactone on the expression of rat hepatic UDP-glucuronosyltransferase, 171
4-Nitrophenol
Phenol sulfotransferase 1A1 activity in human liver: kinetic properties, interindividual variation and re-evaluation of the suitability of 4-nitrophenol as a probe substrate, 2089
Nitrosation
Bilirubin and *S*-nitrosothiols interaction: evidence for a possible role of bilirubin as a scavenger of nitric oxide, 2355
*S*-Nitrosation
Inhibition of arterial contraction by dinitrosyl–iron complexes: critical role of the thiol ligand in determining rate of nitric oxide (NO) release and formation of releasable NO stores by *S*-nitrosation, 2365
Nitrosative stress
Bilirubin and *S*-nitrosothiols interaction: evidence for a possible role of bilirubin as a scavenger of nitric oxide, 2355

*S*-Nitrosocaptopril
Effect of nitric oxide on cytotoxicity of Taxol: enhanced Taxol transcellular permeability, 2193
*S*-Nitrosothiols
Bilirubin and *S*-nitrosothiols interaction: evidence for a possible role of bilirubin as a scavenger of nitric oxide, 2355
Nitroxide
Effect of nitric oxide and nitroxide SOD-mimic on the recovery of isolated rat heart following ischemia and reperfusion, 1279
NMR
Effects of $Li^+$ transport and $Li^+$ immobilization on $Li^+/Mg^{2+}$ competition in cells: implications for bipolar disorder, 1915
NO
The antioxidant ESeroS-GS inhibits NO production and prevents oxidative stress in astrocytes, 83
NO stores
Inhibition of arterial contraction by dinitrosyl–iron complexes: critical role of the thiol ligand in determining rate of nitric oxide (NO) release and formation of releasable NO stores by *S*-nitrosation, 2365
Nonsteroidal anti-inflammatory drugs
Diclofenac inhibits proliferation and differentiation of neural stem cells, 289
Peroxisome proliferator-activated receptor γ (PPARγ) ligands as bifunctional regulators of cell proliferation, 1381
Nonviral gene therapy
Decoy oligodeoxynucleotides targeting NF-kappaB transcription factors: induction of apoptosis in human primary osteoclasts, 1189
Norfluoxetine
Mechanism of block by fluoxetine of 5-hydroxytryptamine$_3$ (5-HT$_3$)-mediated currents in NCB-20 neuroblastoma cells, 2125
NQO1
The mitochondrial uncoupler dicumarol disrupts the MTT assay, 281
3-Substituted-5-aziridinyl-1-methylindole-4,7-diones as NQO1-directed antitumour agents: mechanism of activation and cytotoxicity *in vitro*, 1199
NR 8383
Potentiation of tumor necrosis factor-α expression by YC-1 in alveolar macrophages through a cyclic GMP-independent pathway, 149
Nuclear factor kappa B
Luteolin inhibits the nuclear factor-κB transcriptional activity in Rat-1 fibroblasts, 955
Decoy oligodeoxynucleotides targeting NF-kappaB transcription factors: induction of apoptosis in human primary osteoclasts, 1189
Nuclear factor-κB
Effects of FK506 and rapamycin on generation of reactive oxygen species, nitric oxide production and nuclear factor kappa B activation in rat hepatocytes, 439
Nucleoside
The novel nucleoside transport system exhibited by NB4 cells, *csg*, transports deoxyguanosine analogues, including ara-G, 733
Nucleoside analogs
Cytosolic and mitochondrial deoxyribonucleotidases: activity with substrate analogs, inhibitors and implications for therapy, 471
Nucleoside analogues
The novel nucleoside transport system exhibited by NB4 cells, *csg*, transports deoxyguanosine analogues, including ara-G, 733
Nucleosome
The putative role of apoptosis-modified histones for the induction of autoimmunity in Systemic Lupus Erythematosus, 1441
5′-Nucleotidases
Cytosolic and mitochondrial deoxyribonucleotidases: activity with substrate analogs, inhibitors and implications for therapy, 471
Nucleus accumbens
Attenuation of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) neurotoxicity by the novel selective dopamine D$_3$-receptor partial agonist FAUC 329 predominantly in the nucleus accumbens of mice, 1025
Okadaic acid
Taxol- and okadaic acid-induced destabilization of *bcl-2* mRNA is associated with decreased binding of proteins to a *bcl-2* instability element, 1151
Oleandrin
Oleandrin suppresses activation of nuclear transcription factor-κB and activator protein-1 and potentiates apoptosis induced by ceramide, 2223
Olfactory mucosa
Immunoblot analysis and immunohistochemical characterization of CYP2A expression in human olfactory mucosa, 1245
Antioxidant perturbations in the olfactory mucosa of alachlor-treated rats, 1707
Oligodeoxynucleotide
Hepatobiliary elimination of bile acid-modified oligodeoxynucleotides in Wistar and TR$^-$ rats: evidence for mrp2 as carrier for oligodeoxynucleotides, 565
Messenger RNA expression profiling of genes involved in epidermal growth factor receptor signalling in human cancer cells treated with scanning array-designed antisense oligonucleotides, 819
Oltipraz
Role of the AP-1 element and redox factor-1 (Ref-1) in mediating transcriptional induction of DT-diaphorase gene expression by oltipraz: a target for chemoprevention, 15
Omi
In the cut and thrust of apoptosis, serine proteases come of age, 1469
Orexin receptor 1
Stimulation of catecholamine synthesis by orexin-A in bovine adrenal medullary cells through orexin receptor 1, 141
Orexin-A
Stimulation of catecholamine synthesis by orexin-A in bovine adrenal medullary cells through orexin receptor 1, 141
Organic anion transporter
Decreased activity of basolateral organic ion transports in hyperuricemic rat kidney: roles of organic ion transporters, rOAT1, rOAT3 and rOCT2, 1107
Organic cation transporter
Decreased activity of basolateral organic ion transports in hyperuricemic rat kidney: roles of organic ion transporters, rOAT1, rOAT3 and rOCT2, 1107
Organophosphates
Inhibition of cholinesterases with cationic phosphonyl oximes highlights distinctive properties of the charged pyridine groups of quaternary oxime reactivators, 191
Two possible orientations of the HI-6 molecule in the reactivation of organophosphate-inhibited acetylcholinesterase, 387
Osteoarthritis
Expression of heme oxygenase-1 and regulation by cytokines in human osteoarthritic chondrocytes, 2049
Osteoblastic cells
Inhibition of MG-63 cell cycle progression by synthetic vitamin D$_3$ analogs mediated by p27, Cdk2, cyclin E, and the retinoblastoma protein, 495
Osteoblasts
Chemically modified tetracyclines selectively inhibit IL-6 expression in osteoblasts by decreasing mRNA stability, 1809
Osteoclastogenesis
Inhibition of osteoclastogenesis by a phosphodiesterase 4 inhibitor XT-611 through synergistic action with endogenous prostaglandin E$_2$, 801
Ouabain
Influence of lidocaine on ouabain-induced inotropic response in rat atria, 1871
Ovary
Basic fibroblast growth factor (bFGF) regulation of the plasma membrane calcium ATPase (PMCA) as part of an anti-apoptotic mechanism of action, 1363
Oxaliplatin
DNA strand breaks and apoptosis induced by oxaliplatin in cancer cells, 225

Oxidant stress
Generation of oxidant stress in cultured endothelial cells by methylene blue: protective effects of glucose and ascorbic acid, 777
Oxidative cell death
Potentiation of cellular antioxidant capacity by Bcl-2: implications for its antiapoptotic function, 1371
Oxidative injury
Protective role of heme oxygenase-1 induction in carbon tetrachloride-induced hepatotoxicity, 1091
Oxidative stress
The antioxidant ESeroS-GS inhibits NO production and prevents oxidative stress in astrocytes, 83
The mitochondrial uncoupler dicumarol disrupts the MTT assay, 281
Quercetin protects the hydrogen peroxide-induced apoptosis *via* inhibition of mitochondrial dysfuntion in H9c2 cardiomyoblast cells, 1287
Regulation of endoplasmic reticulum $Ca^{2+}$ dynamics by proapoptotic BCL-2 family members, 1335
Chromosomal DNA fragmentation in apoptosis and necrosis induced by oxidative stress, 1527
Mitochondrial dysfunction, apoptotic cell death, and Alzheimer's disease, 1627
Antioxidant perturbations in the olfactory mucosa of alachlor-treated rats, 1707
Aggravation of L-DOPA-induced neurotoxicity by tetrahydropapaveroline in PC12 cells, 1787
Targeting oxidative stress-related diseases: organochalcogen catalysts as redox sensitizers, 2021
Oxime
Two possible orientations of the HI-6 molecule in the reactivation of organophosphate-inhibited acetylcholinesterase, 387
8-Oxo-7,8-dihydro-2′-deoxyguanosine
(−)-Epigallocatechin gallate causes oxidative damage to isolated and cellular DNA, 1769
Oxoacids
Anaplerotic reactions in tumour proliferation and apoptosis, 365
8-Oxodeoxyguanosine
Characterisation of C5a receptor agonists from phage display libraries, 1833

P21
Molecular mechanism of gossypol-induced cell growth inhibition and cell death of HT-29 human colon carcinoma cells, 93
p21
YC-1 inhibits proliferation of human vascular endothelial cells through a cyclic GMP-independent pathway, 263
p27
YC-1 inhibits proliferation of human vascular endothelial cells through a cyclic GMP-independent pathway, 263
Inhibition of MG-63 cell cycle progression by synthetic vitamin $D_3$ analogs mediated by p27, Cdk2, cyclin E, and the retinoblastoma protein, 495
p53
The JNK, ERK and p53 pathways play distinct roles in apoptosis mediated by the antitumor agents vinblastine, doxorubicin, and etoposide, 459
Analysis of cell cycle regulation by 1-mono-*O*-acyl-3-*O*-(α-D-sulfoquinovosyl)-glyceride (SQMG), an inhibitor of eukaryotic DNA polymerases, 541
Mitochondrion-dependent caspase activation by the HIV-1 envelope, 1321
Molecular mechanisms underlying WOX1 activation during apoptotic and stress responses, 1347
Alternative pathways of ovarian apoptosis: death for life, 1355
Pleiotropic anti-apoptotic activity of glucocorticoids in ovarian follicular cells, 1393
p38 mitogen-activated protein kinase
Involvement of tumor suppressor protein p53 and p38 MAPK in caffeic acid phenethyl ester-induced apoptosis of C6 glioma cells, 2281
p53 protein
Involvement of tumor suppressor protein p53 and p38 MAPK in caffeic acid phenethyl ester-induced apoptosis of C6 glioma cells, 2281
p70 S6 kinase
The role of c-Myc on granulocyte colony-stimulating factor-dependent neutrophilic proliferation and differentiation of HL-60 cells, 133
p53 tumor suppressor
Identification of gene expression profiles predicting tumor cell response to L-alanosine, 613
p44/42 extracellular signal-regulated kinase
Involvement of tumor suppressor protein p53 and p38 MAPK in caffeic acid phenethyl ester-induced apoptosis of C6 glioma cells, 2281
PAF-acetylhydrolase
Effect of hypolipidemic drugs on lipoprotein-associated platelet activating factor acetylhydrolase. Implication for atherosclerosis, 2069
Palmitoylation
Novel roles for palmitoylation of Ras in IL-1β-induced nitric oxide release and caspase 3 activation in insulin-secreting β cells, 1681
*Panax ginseng*
*In vitro* inhibition of adrenal catecholamine secretion by steroidal metabolites of ginseng saponins, 2213
Pancreatic stellate cells
Regulation of pancreatic stellate cell function *in vitro*: biological and molecular effects of all-*trans* retinoic acid, 633
PAR-2
Proteinase-activated receptor-2 mediates hyperresponsiveness in isolated guinea pig bronchi, 519
Par-4
Synergistic effects of chemotherapeutic drugs in lymphoma cells are associated with down-regulation of inhibitor of apoptosis proteins (IAPs), prostate-apoptosis-response-gene 4 (Par-4), death-associated protein (Daxx) and with enforced caspase activation, 711
Paraoxonase
Lactonase and lactonizing activities of human serum paraoxonase (PON1) and rabbit serum PON3, 887
Parkinson's disease
Acetyl-L-carnitine cytoprotection against 1-methyl-4-phenylpyridinium toxicity in neuroblastoma cells, 297
Iron-binding characteristics of neuromelanin of the human substantia nigra, 489
Attenuation of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine (MPTP) neurotoxicity by the novel selective dopamine $D_3$-receptor partial agonist FAUC 329 predominantly in the nucleus accumbens of mice, 1025
Altered expression of regulators of G-protein signaling (RGS) mRNAs in the striatum of rats undergoing dopamine depletion, 1163
PARP
Molecular mechanism of gossypol-induced cell growth inhibition and cell death of HT-29 human colon carcinoma cells, 93
Partition coefficient
Tumor acidity, ion trapping and chemotherapeutics. II. pH-dependent partition coefficients predict importance of ion trapping on pharmacokinetics of weakly basic chemotherapeutic agents, 1219
PC-3
Antitumor efficacy of FK228, a novel histone deacetylase inhibitor, depends on the effect on expression of angiogenesis factors, 897
PC12 cells
Aggravation of L-DOPA-induced neurotoxicity by tetrahydropapaveroline in PC12 cells, 1787
Enhancement of proteolytic processing of the β-amyloid precursor protein by hyperforin, 2177
PCR
Characterisation of C5a receptor agonists from phage display libraries, 1833
PDGF
The preferential homing of a platelet derived growth factor receptor-recognizing macromolecule to fibroblast-like cells in fibrotic tissue, 1307

PEA-15
The multifunctional protein PEA-15 is involved in the control of apoptosis and cell cycle in astrocytes, 1581
Pemetrexed
Induction of resistance to the multitargeted antifolate Pemetrexed (ALIMTA) in WiDr human colon cancer cells is associated with thymidylate synthase overexpression, 431
Peptide
Novel chemoattractant peptides for human leukocytes, 1841
Perfluorododecanoic acid
Interaction of polyhalogenated compounds of appropriate configuration with mammalian or bacterial CYP enzymes. Increased bilirubin and uroporphyrinogen oxidation *in vitro*, 405
Perfluorooctanoic acid
The relationship between liver peroxisome proliferation and adipose tissue atrophy induced by peroxisome proliferator exposure and withdrawal in mice, 749
Perfused heart
Antidiabetic and antimalarial biguanide drugs are metal-interactive antiproteolytic agents, 663
*S*-Nitrosothiol-induced rapid cytochrome *c* release, caspase activation and mitochondrial permeability transition in perfused heart, 1513
Peripheral benzodiazepine-type receptor
Evidence for a protective role of trimetazidine during cold ischemia: targeting inflammation and nephron mass, 2241
Permeability
Effect of nitric oxide on cytotoxicity of Taxol: enhanced Taxol transcellular permeability, 2193
Permeability transition
L-Deprenyl as an inhibitor of menadione-induced permeability transition in liver mitochondria, 1749
Glycyrrhetinic acid-induced permeability transition in rat liver mitochondria, 2375
Peroxidase-mediated activation
Molecular mechanism of the enzymatic oxidation investigated for imidazoacridinone antitumor drug, C-1311, 1727
Peroxisome proliferator
The relationship between liver peroxisome proliferation and adipose tissue atrophy induced by peroxisome proliferator exposure and withdrawal in mice, 749
Peroxisome proliferator-activated receptor γ
Peroxisome proliferator-activated receptor γ (PPARγ) ligands as bifunctional regulators of cell proliferation, 1381
Peroxynitrite
Effect of nitric oxide and nitroxide SOD-mimic on the recovery of isolated rat heart following ischemia and reperfusion, 1279
Petasiphenol
Some anti-chronic inflammatory compounds are DNA polymerase λ-specific inhibitors, 1935
P-glycoprotein
Influence of tumor necrosis factor-α on the expression and function of P-glycoprotein in an immortalised rat brain capillary endothelial cell line, GPNT, 579
P-glycoprotein efflux pump
Tubulin polymerizing activity of dictyostatin-1, a polyketide of marine sponge origin, 75
Phage display
Characterisation of C5a receptor agonists from phage display libraries, 1833
Phagocytes
Novel chemoattractant peptides for human leukocytes, 1841
Pharmacology
5,7-Dihydroxy-6-methoxyflavone, a benzodiazepine site ligand isolated from *Scutellaria baicalensis* Georgi, with selective antagonistic properties, 125
Phase I metabolism
Preventive effect of silymarin against taurolithocholate-induced cholestasis in the rat, 355
Phenformin
Antidiabetic and antimalarial biguanide drugs are metal-interactive antiproteolytic agents, 663
Phenylarsine oxide
Induction of apoptosis without redox catastrophe by thioredoxin-inhibitory compounds, 1695
5-Phenylpyrimidine
Possible involvement of induction of brain-derived neurotrophic factor in the neuroprotective effect of a 5-phenylpyrimidine derivative, 1019
Phosphatidylinositol 3-kinase
The role of c-Myc on granulocyte colony-stimulating factor-dependent neutrophilic proliferation and differentiation of HL-60 cells, 133
Phosphodiesterase 4 (PDE4) inhibitor
Inhibition of osteoclastogenesis by a phosphodiesterase 4 inhibitor XT-611 through synergistic action with endogenous prostaglandin $E_2$, 801
Phosphoinositide 3-kinase
Investigation of anticancer mechanism of thiadiazole-based compound in human non-small cell lung cancer A549 cells, 115
Phospholipase $A_2$
Novel chemoattractant peptides for human leukocytes, 1841
Inhibitory effect of fucoidan on the activities of crotaline snake venom myotoxic phospholipases $A_2$, 1993
Phosphonyl oximes
Inhibition of cholinesterases with cationic phosphonyl oximes highlights distinctive properties of the charged pyridine groups of quaternary oxime reactivators, 191
Phosphorothioate
Messenger RNA expression profiling of genes involved in epidermal growth factor receptor signalling in human cancer cells treated with scanning array-designed antisense oligonucleotides, 819
Phosphorylation
Specific expression of an A-kinase anchoring protein subtype, AKAP-150, and specific regulatory mechanism for $Na^+$,$K^+$-ATPase *via* protein kinase A in the parotid gland among the three major salivary glands of the rat, 239
Photodynamic therapy
Cell death and growth arrest in response to photodynamic therapy with membrane-bound photosensitizers, 1651
Photolabeled peptides
Adenosine binding sites at S-adenosylhomocysteine hydrolase are controlled by the $NAD^+$/NADH ratio of the enzyme, 2117
Photosensitizer
Cell death and growth arrest in response to photodynamic therapy with membrane-bound photosensitizers, 1651
PI-3K
Mitigation of tumor necrosis factor alpha cytotoxicity by aurintricarboxylic acid in human peripheral B lymphocytes, 1973
Pin1
Neurofibrillary degeneration of the Alzheimer-type: an alternate pathway to neuronal apoptosis?, 1619
Piroxicam
Positive and negative regulation of prostaglandin $E_2$ biosynthesis in human colorectal carcinoma cells by cancer chemopreventive agents, 51
PKA
Specific expression of an A-kinase anchoring protein subtype, AKAP-150, and specific regulatory mechanism for $Na^+$,$K^+$-ATPase *via* protein kinase A in the parotid gland among the three major salivary glands of the rat, 239
H89, an inhibitor of protein kinase A (PKA), stimulates $Na^+$ transport by translocating an epithelial $Na^+$ channel (ENaC) in fetal rat alveolar type II epithelium, 1083
PKCδ
Basic fibroblast growth factor (bFGF) regulation of the plasma membrane calcium ATPase (PMCA) as part of an anti-apoptotic mechanism of action, 1363
PKCζ
Mitigation of tumor necrosis factor alpha cytotoxicity by aurintricarboxylic acid in human peripheral B lymphocytes, 1973

$p27^{Kip1}$
Involvement of PKA and Sp1 in the induction of $p27^{Kip1}$ by tamoxifen, 371
Plaque rupture
Regulation of smooth muscle cell growth, function and death *in vitro* by activated mast cells—a potential mechanism for the weakening and rupture of atherosclerotic plaques, 1493
Plasma membrane calcium ATPase
Basic fibroblast growth factor (bFGF) regulation of the plasma membrane calcium ATPase (PMCA) as part of an anti-apoptotic mechanism of action, 1363
*Plasmodium berghei*
Potentiation of the antimalarial action of chloroquine in rodent malaria by drugs known to reduce cellular glutathione levels, 809
*Plasmodium falciparum*
Inhibition of heme crystal growth by antimalarials and other compounds: implications for drug discovery, 2201
*Plasmodium vinckei petteri*
Potentiation of the antimalarial action of chloroquine in rodent malaria by drugs known to reduce cellular glutathione levels, 809
Polyamines
Spermine-induced negative inotropic effect in isolated rat heart, is mediated through the release of ATP, 157
Polyhalogenated biphenyls
Interaction of polyhalogenated compounds of appropriate configuration with mammalian or bacterial CYP enzymes. Increased bilirubin and uroporphyrinogen oxidation *in vitro*, 405
Polyphenols
Different antioxidant effects of polyphenols on lipid peroxidation and hydroxyl radicals in the NADPH-, Fe-ascorbate- and Fe-microsomal systems, 1127
Polysaccharide
Inhibition of DNA topoisomerases I and II, and growth inhibition of human cancer cell lines by a marine microalgal polysaccharide, 481
Inhibitory effect of fucoidan on the activities of crotaline snake venom myotoxic phospholipases $A_2$, 1993
Porphyria Cutanea Tarda
Tryptophan metabolism via serotonin in rats with hexachlorobenzene experimental porphyria, 35
Potassium channels
Sphingosine 1-phosphate induces CREB activation in rat cerebral artery via a protein kinase C-mediated inhibition of voltage-gated $K^+$ channels, 1861
pRb phosphorylation
Analysis of cell cycle regulation by 1-mono-*O*-acyl-3-*O*-(α-D-sulfoquinovosyl)-glyceride (SQMG), an inhibitor of eukaryotic DNA polymerases, 541
Preproendothelin-1
A role for increased mRNA stability in the induction of endothelin-1 synthesis by lipopolysaccharide, 589
Pressure
Spermine-induced negative inotropic effect in isolated rat heart, is mediated through the release of ATP, 157
Primary cortical neuron
Possible involvement of induction of brain-derived neurotrophic factor in the neuroprotective effect of a 5-phenylpyrimidine derivative, 1019
Primary tumour
Messenger RNA expression profiling of genes involved in epidermal growth factor receptor signalling in human cancer cells treated with scanning array-designed antisense oligonucleotides, 819
Procyanidins
Antioxidant protection of low density lipoprotein by procyanidins: structure/activity relationships, 947
Prodigiosin
The prodigiosins, proapoptotic drugs with anticancer properties, 1447
Prodrug activation
Cytosolic and mitochondrial deoxyribonucleotidases: activity with substrate analogs, inhibitors and implications for therapy, 471
Products of enzymatic oxidation
Molecular mechanism of the enzymatic oxidation investigated for imidazoacridinone antitumor drug, C-1311, 1727
Proenzyme activation
Inhibition of dipeptidyl peptidase I in the human mast cell line HMC-1: blocked activation of tryptase, but not of the predominant chymotryptic activity, 2251
Programmed cell death
Mitochondrion-dependent caspase activation by the HIV-1 envelope, 1321
Proguanil
Antidiabetic and antimalarial biguanide drugs are metal-interactive antiproteolytic agents, 663
Proinflammatory cytokines
LAV694, a new antiproliferative agent showing improved skin tolerability vs. clinical standards for the treatment of actinic keratosis, 1885
$A_{2A}$ adenosine receptor ligands and proinflammatory cytokines induce PC 12 cell death through apoptosis, 1953
Proliferation
Anaplerotic reactions in tumour proliferation and apoptosis, 365
Regulation of pancreatic stellate cell function *in vitro*: biological and molecular effects of all-*trans* retinoic acid, 633
Regulation of proliferation, survival and apoptosis by members of the TNF superfamily, 1403
Non-apoptotic functions of caspases in cellular proliferation and differentiation, 1453
Fangchinoline inhibits rat aortic vascular smooth muscle cell proliferation and cell cycle progression through inhibition of ERK1/2 activation and c-*fos* expression, 1853
Propargylamines
L-Deprenyl as an inhibitor of menadione-induced permeability transition in liver mitochondria, 1749
Prostaglandin
Suppression of dextran sodium sulfate-induced colitis in mice by zerumbone, a subtropical ginger sesquiterpene, and nimesulide: separately and in combination, 1253
Prostaglandin $E_2$
Positive and negative regulation of prostaglandin $E_2$ biosynthesis in human colorectal carcinoma cells by cancer chemopreventive agents, 51
Prostaglandin $E_2$ ($PGE_2$)
Inhibition of osteoclastogenesis by a phosphodiesterase 4 inhibitor XT-611 through synergistic action with endogenous prostaglandin $E_2$, 801
Prostaglandin formation
Role of cyclooxygenase-2, but not cyclooxygenase-1, on type II collagen-induced arthritis in DBA/1J mice, 1055
Prostaglandin transporter
Inhibition of prostaglandin $D_2$ clearance in rat hepatocytes by the thromboxane receptor antagonists daltroban and ifetroban and the thromboxane synthase inhibitor furegrelate, 643
Prostanoid uptake
Inhibition of prostaglandin $D_2$ clearance in rat hepatocytes by the thromboxane receptor antagonists daltroban and ifetroban and the thromboxane synthase inhibitor furegrelate, 643
Prostate neoplasms
Methionine restriction selectively targets thymidylate synthase in prostate cancer cells, 791
Protease generated peptide
Histamine releasing peptide (HRP) has proinflammatory effects and is present at sites of inflammation, 331
Protease inhibitors
Antidiabetic and antimalarial biguanide drugs are metal-interactive antiproteolytic agents, 663
Anti-apoptotic effect of HIV protease inhibitors via direct inhibition of calpain, 1505
Proteasome
Interferon gamma enhances proteasome activity in recombinant Hep G2 cells that express cytochrome P4502E1: modulation by ethanol, 697

The essentiality of Bcl-2, PKC and proteasome–ubiquitin complex activations in the neuroprotective-antiapoptotic action of the anti-Parkinson drug, rasagiline, 1635
Proteasome inhibitors
Inhibition of the proteasome activity, a novel mechanism associated with the tumor cell apoptosis-inducing ability of genistein, 965
Protein adducts
Cocaine–protein targets in mouse liver, 105
Protein carbonylation
Involvement of advanced lipooxidation end products (ALEs) and protein oxidation in the apoptotic actions of nitric oxide in insulin secreting RINm5F cells, 1963
Protein degradation
Chronic ethanol consumption impairs receptor-mediated endocytosis of MAA-modified albumin by liver endothelial cells, 1045
Protein kinase A
Involvement of PKA and Sp1 in the induction of $p27^{Kip1}$ by tamoxifen, 371
Protein kinase C
Stimulation of catecholamine synthesis by orexin-A in bovine adrenal medullary cells through orexin receptor 1, 141
Role of protein kinase C in BSA-AGE-mediated inducible nitric oxide synthase expression in RAW 264.7 macrophages, 203
A novel role of protein kinase C-δ in cell signaling triggered by glutathione depletion, 1521
Cross-talk between Bcr-Abl tyrosine kinase, protein kinase C and telomerase—a potential reason for resistance to Glivec in chronic myelogenous leukaemia, 1879
Protein kinase Cδ
Involvement of protein kinase Cδ and extracellular signal-regulated kinase-2 in the suppression of microglial inducible nitric oxide synthase expression by *N*-[3,4-dimethoxycinnamoyl]-anthranilic acid (tranilast), 1263
Protein kinase C inhibitor
Structural determinants for the activation mechanism of the angiotensin II type 1 receptor differ for phosphoinositide hydrolysis and mitogen-activated protein kinase pathways, 251
Protein kinases
Suppression of mitogen-activated protein kinase phosphatase-1 (MKP-1) by heparin in vascular smooth muscle cells, 769
Protein phosphorylation
Suppression of mitogen-activated protein kinase phosphatase-1 (MKP-1) by heparin in vascular smooth muscle cells, 769
Protein therapy
The mechanisms of cell death in focal cerebral ischemia highlight neuroprotective perspectives by anti-caspase therapy, 1643
Protein transport
Slowly getting a clue on CD95 ligand biology, 1417
Protein tyrosine phosphatase
α-Lipoic acid decreases thiol reactivity of the insulin receptor and protein tyrosine phosphatase 1B in 3T3-L1 adipocytes, 849
P-selectin
P-selectin as a candidate target in atherosclerosis, 859
Pulsing electromagnetic fields (PEMFs)
Alteration of $A_3$ adenosine receptors in human neutrophils and low frequency electromagnetic fields, 1897
Purine nucleosides
*In vitro* susceptibility of $CD4^+$ and $CD8^+$ T cell subsets to fludarabine, 2185
P2X receptor
Chicken DT40 cells stably transfected with the rat $P2X_7$ receptor ion channel: a system suitable for the study of purine receptor-mediated cell death, 415
Pyrazolotriazolopyrimidine derivatives
Pyrazolotriazolopyrimidine derivatives sensitize melanoma cells to the chemotherapic drugs: taxol and vindesine, 739
Pyrimidine analogue
Characterisation of C5a receptor agonists from phage display libraries, 1833
Quercetin
The study of the quercetin action on human erythrocyte membranes, 605
Quercetin protects the hydrogen peroxide-induced apoptosis *via* inhibition of mitochondrial dysfuntion in H9c2 cardiomyoblast cells, 1287
Quinidine
Inhibition of heme crystal growth by antimalarials and other compounds: implications for drug discovery, 2201

Racemate
Compared pharmacological characteristics in humans of racemic cetirizine and levocetirizine, two histamine $H_1$-receptor antagonists, 1123
Racemization
Compared pharmacological characteristics in humans of racemic cetirizine and levocetirizine, two histamine $H_1$-receptor antagonists, 1123
Radio-label
Tumor acidity, ion trapping and chemotherapeutics. II. pH-dependent partition coefficients predict importance of ion trapping on pharmacokinetics of weakly basic chemotherapeutic agents, 1219
Radioligand binding
Pharmacological and biochemical characterization of the beta-adrenergic signal transduction pathway in different segments of the respiratory tract, 1067
Raf
Raf and the road to cell survival: a tale of bad spells, ring bearers and detours, 1341
Random mutagenesis
Characterisation of C5a receptor agonists from phage display libraries, 1833
Rapamycin
Effects of FK506 and rapamycin on generation of reactive oxygen species, nitric oxide production and nuclear factor kappa B activation in rat hepatocytes, 439
Ras
Novel roles for palmitoylation of Ras in IL-1β-induced nitric oxide release and caspase 3 activation in insulin-secreting β cells, 1681
Rasagiline
The essentiality of Bcl-2, PKC and proteasome–ubiquitin complex activations in the neuroprotective-antiapoptotic action of the anti-Parkinson drug, rasagiline, 1635
Rat cultured hepatocytes
Effects of FK506 and rapamycin on generation of reactive oxygen species, nitric oxide production and nuclear factor kappa B activation in rat hepatocytes, 439
Rat hepatoma 5L cells
Contribution of the Ah receptor to the phenolic antioxidant-mediated expression of human and rat UDP-glucuronosyltransferase UGT1A6 in Caco-2 and rat hepatoma 5L cells, 841
Rat liver
Effect of spironolactone on the expression of rat hepatic UDP-glucuronosyltransferase, 171
Rat PC 12 cells
$A_{2A}$ adenosine receptor ligands and proinflammatory cytokines induce PC 12 cell death through apoptosis, 1953
Rat stomach fundus
Different pharmacological properties of two equipotent antagonists (Clozapine and Rauwolscine) for $5\text{-}HT_{2B}$ receptors in rat stomach fundus, 927
Rauwolscine
Different pharmacological properties of two equipotent antagonists (Clozapine and Rauwolscine) for $5\text{-}HT_{2B}$ receptors in rat stomach fundus, 927
RAW 264.7 macrophages
Role of protein kinase C in BSA-AGE-mediated inducible nitric oxide synthase expression in RAW 264.7 macrophages, 203
Rb
Inhibition of MG-63 cell cycle progression by synthetic vitamin $D_3$ analogs mediated by p27, Cdk2, cyclin E, and the retinoblastoma protein, 495

Reactivation
Two possible orientations of the HI-6 molecule in the reactivation of organophosphate-inhibited acetylcholinesterase, 387
Reactive nitrogen species
Bilirubin and *S*-nitrosothiols interaction: evidence for a possible role of bilirubin as a scavenger of nitric oxide, 2355
Reactive oxygen species
Mitochondrial state 3 to 4 respiration transition during Fas-mediated apoptosis controls cellular redox balance and rate of cell death, 1331
A novel role of protein kinase C-δ in cell signaling triggered by glutathione depletion, 1521
L-Deprenyl as an inhibitor of menadione-induced permeability transition in liver mitochondria, 1749
(−)-Epigallocatechin gallate causes oxidative damage to isolated and cellular DNA, 1769
Diclofenac induces apoptosis in hepatocytes by alteration of mitochondrial function and generation of ROS, 2155
Real-time PCR
A role for increased mRNA stability in the induction of endothelin-1 synthesis by lipopolysaccharide, 589
Transient induction of cytochromes P450 1A1 and 1B1 in MCF-7 human breast cancer cells by indirubin, 2313
Receptor
Expression and characterization of the chemokine receptor CCR2B from rhesus monkey, 321
Receptor activation
Structural determinants for the activation mechanism of the angiotensin II type 1 receptor differ for phosphoinositide hydrolysis and mitogen-activated protein kinase pathways, 251
Receptor mutagenesis
Structural determinants for the activation mechanism of the angiotensin II type 1 receptor differ for phosphoinositide hydrolysis and mitogen-activated protein kinase pathways, 251
Receptor-activity-modifying protein
Three receptor-activity-modifying proteins define calcitonin gene-related peptide or adrenomedullin selectivity of the mouse calcitonin-like receptor in COS-7 cells, 2107
Receptor-mediated endocytosis
Chronic ethanol consumption impairs receptor-mediated endocytosis of MAA-modified albumin by liver endothelial cells, 1045
Recombinant arginine deiminase
Recombinant arginine deiminase as a differential modulator of inducible (iNOS) and endothelial (eNOS) nitric oxide synthetase activity in cultured endothelial cells, 1945
Redox
Mitochondrial state 3 to 4 respiration transition during Fas-mediated apoptosis controls cellular redox balance and rate of cell death, 1331
Redox catalysts
Targeting oxidative stress-related diseases: organochalcogen catalysts as redox sensitizers, 2021
Reduced folate carrier
Induction of resistance to the multitargeted antifolate Pemetrexed (ALIMTA) in WiDr human colon cancer cells is associated with thymidylate synthase overexpression, 431
Ref-1
Role of the AP-1 element and redox factor-1 (Ref-1) in mediating transcriptional induction of DT-diaphorase gene expression by oltipraz: a target for chemoprevention, 15
Regulation
Hepatic expression of cytochrome P450s in hepatocyte nuclear factor 1-alpha (HNF1α)-deficient mice, 2011
Differential agonist-induced regulation of human $M_2$ and $M_3$ muscarinic receptors, 2099
Regulators of G-proteins signaling
Altered expression of regulators of G-protein signaling (RGS) mRNAs in the striatum of rats undergoing dopamine depletion, 1163
RelA/p65
Suppression of RelA/p65 transactivation activity by a lignoid manassantin isolated from *Saururus chinensis*, 1925
Relaxin
Inhibition of markers of hepatic stellate cell activation by the hormone relaxin, 867
Renal protection
Evidence for a protective role of trimetazidine during cold ischemia: targeting inflammation and nephron mass, 2241
Renal secretion
Decreased activity of basolateral organic ion transports in hyperuricemic rat kidney: roles of organic ion transporters, rOAT1, rOAT3 and rOCT2, 1107
Renal tubule
$\beta_2$-Adrenoceptor activation inhibits Shiga toxin2-induced apoptosis of renal tubular epithelial cells, 343
Reperfusion
Effect of nitric oxide and nitroxide SOD-mimic on the recovery of isolated rat heart following ischemia and reperfusion, 1279
Reporter gene
A role for increased mRNA stability in the induction of endothelin-1 synthesis by lipopolysaccharide, 589
Reserpine
Altered expression of regulators of G-protein signaling (RGS) mRNAs in the striatum of rats undergoing dopamine depletion, 1163
Resiniferatoxin
Expression of vanilloid receptors in rat gastric epithelial cells: role in cellular protection, 1115
Resistance
Cytosolic and mitochondrial deoxyribonucleotidases: activity with substrate analogs, inhibitors and implications for therapy, 471
Different mechanisms for γ-glutamyltransferase-dependent resistance to carboplatin and cisplatin, 595
Respiration
Mitochondrial state 3 to 4 respiration transition during Fas-mediated apoptosis controls cellular redox balance and rate of cell death, 1331
*S*-Nitrosothiol-induced rapid cytochrome *c* release, caspase activation and mitochondrial permeability transition in perfused heart, 1513
Resveratrol
Immunomodulatory activity of resveratrol: discrepant *in vitro* and *in vivo* immunological effects, 2427
Retrovirus
Genistein reduces NF-κB in T lymphoma cells *via* a caspase-mediated cleavage of IκBα, 1009
Reverse signal transduction
Slowly getting a clue on CD95 ligand biology, 1417
RGM-1
Expression of vanilloid receptors in rat gastric epithelial cells: role in cellular protection, 1115
Rhabdomyosarcoma cell line RD
Comparing myotoxic effects of squalene synthase inhibitor, T-91485, and 3-hydroxy-3-methylglutaryl coenzyme A (HMG-CoA) reductase inhibitors in human myocytes, 2133
Rhesus monkey
Expression and characterization of the chemokine receptor CCR2B from rhesus monkey, 321
RINm5F cells
Involvement of advanced lipooxidation end products (ALEs) and protein oxidation in the apoptotic actions of nitric oxide in insulin secreting RINm5F cells, 1963
RNA splicing
Species-specific splicing and expression of angiotensin converting enzyme, 1037
Role of Ah receptor
On the significance of the role of cellular stress response reactions in the toxic actions of dioxin, 527

Rottlerin
A novel role of protein kinase C-δ in cell signaling triggered by glutathione depletion, 1521
RT–PCR
Possible involvement of induction of brain-derived neurotrophic factor in the neuroprotective effect of a 5-phenylpyrimidine derivative, 1019
Rutinoside
Rutinoside at C7 attenuates the apoptosis-inducing activity of flavonoids, 1139

S100A4
Colchicine induces membrane-associated activation of matrix metalloproteinase-2 in osteosarcoma cells in an S100A4-independent manner, 2341
S-Adenosylhomocysteine hydrolase
Adenosine binding sites at S-adenosylhomocysteine hydrolase are controlled by the $NAD^+$/NADH ratio of the enzyme, 2117
Salivary gland
Specific expression of an A-kinase anchoring protein subtype, AKAP-150, and specific regulatory mechanism for $Na^+$,$K^+$-ATPase *via* protein kinase A in the parotid gland among the three major salivary glands of the rat, 239
Saponin
*In vitro* inhibition of adrenal catecholamine secretion by steroidal metabolites of ginseng saponins, 2213
*Saururus chinensis*
Suppression of RelA/p65 transactivation activity by a lignoid manassantin isolated from *Saururus chinensis*, 1925
SB366791
Inhibition of C6 glioma cell proliferation by anandamide, 1-arachidonoylglycerol, and by a water soluble phosphate ester of anandamide: variability in response and involvement of arachidonic acid, 757
Scavenger receptors
Chronic ethanol consumption impairs receptor-mediated endocytosis of MAA-modified albumin by liver endothelial cells, 1045
*Scutellaria baicalensis* Georgi
5,7-Dihydroxy-6-methoxyflavone, a benzodiazepine site ligand isolated from *Scutellaria baicalensis* Georgi, with selective antagonistic properties, 125
Naturally occurring 2′-hydroxyl-substituted flavonoids as high-affinity benzodiazepine site ligands, 2397
Secondary necrosis
Connexins and apoptotic transformation, 1661
Secretase
Enhancement of proteolytic processing of the β-amyloid precursor protein by hyperforin, 2177
Secretory lysosomes
Slowly getting a clue on CD95 ligand biology, 1417
Selenium compounds
Induction of the mitochondrial permeability transition by selenium compounds mediated by oxidation of the protein thiol groups and generation of the superoxide, 2301
Sequence-dependent
Characterization of sequence-dependent synergy between ZD1839 ('Iressa') and oxaliplatin, 551
Serine proteases
In the cut and thrust of apoptosis, serine proteases come of age, 1469
Sesquiterpene lactones
Influence of helenanolide-type sesquiterpene lactones on gene transcription profiles in Jurkat T cells and human peripheral blood cells: anti-inflammatory and cytotoxic effects, 2141
Sex difference
Treatment with lovastatin, cholestyramine or niacin alters K-ras membrane association in mouse lung in a strain-dependent manner: results in females, 393
Shc
Direct inhibitory effect of curcumin on Src and focal adhesion kinase activity, 2323
Sickle disease
Identification and characterization of mechanistically distinct inducers of γ-globin transcription, 1755
Signal transduction
Interferon gamma enhances proteasome activity in recombinant Hep G2 cells that express cytochrome P4502E1: modulation by ethanol, 697
Suppression of mitogen-activated protein kinase phosphatase-1 (MKP-1) by heparin in vascular smooth muscle cells, 769
Messenger RNA expression profiling of genes involved in epidermal growth factor receptor signalling in human cancer cells treated with scanning array-designed antisense oligonucleotides, 819
Nuclear factor-kappa B plays a central role in tumour necrosis factor-mediated liver disease, 1409
Impact of a novel cardioprotective agent on the ischaemia-reperfusion-induced Akt kinase activation, 2263
Signalling pathways
Effects of dietary flavonoids on major signal transduction pathways in human epithelial cells, 2075
Silymarin
Preventive effect of silymarin against taurolithocholate-induced cholestasis in the rat, 355
Single channel current
H89, an inhibitor of protein kinase A (PKA), stimulates $Na^+$ transport by translocating an epithelial $Na^+$ channel (ENaC) in fetal rat alveolar type II epithelium, 1083
Site-directed mutagenesis
Mutagenesis studies of the human $MT_2$ melatonin receptor, 315
Skeletal muscle cell
Comparing myotoxic effects of squalene synthase inhibitor, T-91485, and 3-hydroxy-3-methylglutaryl coenzyme A (HMG-CoA) reductase inhibitors in human myocytes, 2133
Skin inflammation
Effects of wogonin, a plant flavone from *Scutellaria radix*, on skin inflammation: *in vivo* regulation of inflammation-associated gene expression, 1271
SLE
The putative role of apoptosis-modified histones for the induction of autoimmunity in Systemic Lupus Erythematosus, 1441
Small intestine
Decreased expression of P-glycoprotein during differentiation in the human intestinal cell line Caco-2, 163
Smooth muscle
Suppression of mitogen-activated protein kinase phosphatase-1 (MKP-1) by heparin in vascular smooth muscle cells, 769
Smooth muscle cell
Regulation of smooth muscle cell growth, function and death *in vitro* by activated mast cells—a potential mechanism for the weakening and rupture of atherosclerotic plaques, 1493
Snake venom
Inhibitory effect of fucoidan on the activities of crotaline snake venom myotoxic phospholipases $A_2$, 1993
Soy isoflavones
Inhibition of the proteasome activity, a novel mechanism associated with the tumor cell apoptosis-inducing ability of genistein, 965
Sp1
Involvement of PKA and Sp1 in the induction of $p27^{Kip1}$ by tamoxifen, 371
Spermatocytes
Apoptosis in male germ cells in response to cyclin A1-deficiency and cell cycle arrest, 1571
Spermine
Spermine-induced negative inotropic effect in isolated rat heart, is mediated through the release of ATP, 157
Sphingosine 1-phosphate
Sphingosine 1-phosphate induces CREB activation in rat cerebral artery via a protein kinase C-mediated inhibition of voltage-gated $K^+$ channels, 1861

Differential agonist-induced regulation of human $M_2$ and $M_3$ muscarinic receptors, 2099
Spin traps
Spin trapping of superoxide, alkyl- and lipid-derived radicals with derivatives of the spin trap EPPN, 1717
Spironolactone
Effect of spironolactone on the expression of rat hepatic UDP-glucuronosyltransferase, 171
Squalene synthase inhibitor
Comparing myotoxic effects of squalene synthase inhibitor, T-91485, and 3-hydroxy-3-methylglutaryl coenzyme A (HMG-CoA) reductase inhibitors in human myocytes, 2133
Src
Direct inhibitory effect of curcumin on Src and focal adhesion kinase activity, 2323
STAT1
Interferon gamma enhances proteasome activity in recombinant Hep G2 cells that express cytochrome P4502E1: modulation by ethanol, 697
Staurosporine
Induction by staurosporine of hepatocyte growth factor production in human skin fibroblasts independent of protein kinase inhibition, 1797
Steady-state kinetics
The galloyl moiety of green tea catechins is the critical structural feature to inhibit fatty-acid synthase, 2039
*Stephania cephararantha* HAYATA
Inhibition of $Na^+$,$K^+$-ATPase by the extract of *Stephania cephararantha* HAYATA and bisbenzylisoquinoline alkaloid cycleanine, a major constituent, 379
Steroidogenic granulosa cells
Pleiotropic anti-apoptotic activity of glucocorticoids in ovarian follicular cells, 1393
Stress response
On the significance of the role of cellular stress response reactions in the toxic actions of dioxin, 527
Stress-activated kinases
On the significance of the role of cellular stress response reactions in the toxic actions of dioxin, 527
Stroke
The mechanisms of cell death in focal cerebral ischemia highlight neuroprotective perspectives by anti-caspase therapy, 1643
Structural modeling
Selective agonist binding of (*S*)-2-amino-3-(3-hydroxy-5-methyl-4-isoxazolyl)propionic acid (AMPA) and 2*S*-(2α,3β,4β)-2-carboxy-4-(1-methylethenyl)-3-pyrrolidineacetic acid (kainate) receptors: a molecular modeling study, 2413
Structure–activity relationship
Naturally occurring 2′-hydroxyl-substituted flavonoids as high-affinity benzodiazepine site ligands, 2397
Selective agonist binding of (*S*)-2-amino-3-(3-hydroxy-5-methyl-4-isoxazolyl)propionic acid (AMPA) and 2*S*-(2α,3β,4β)-2-carboxy-4-(1-methylethenyl)-3-pyrrolidineacetic acid (kainate) receptors: a molecular modeling study, 2413
Suberic bishydroxamate
The histone deacetylase inhibitor suberic bishydroxamate: a potential sensitizer of melanoma to TNF-related apoptosis-inducing ligand (TRAIL) induced apoptosis, 1537
Sulfation
Phenol sulfotransferase 1A1 activity in human liver: kinetic properties, interindividual variation and re-evaluation of the suitability of 4-nitrophenol as a probe substrate, 2089
Sulfonylurea receptor
Inhibition of ATP-sensitive $K^+$ channels by substituted benzo[c]quinolizinium CFTR activators, 425
Sulfoquinovosyl monoacylglycerol (SQMG)
Analysis of cell cycle regulation by 1-mono-*O*-acyl-3-*O*-(α-D-sulfoquinovosyl)-glyceride (SQMG), an inhibitor of eukaryotic DNA polymerases, 541
Sulfotransferase
Phenol sulfotransferase 1A1 activity in human liver: kinetic properties, interindividual variation and re-evaluation of the suitability of 4-nitrophenol as a probe substrate, 2089
Superoxide
Effect of nitric oxide and nitroxide SOD-mimic on the recovery of isolated rat heart following ischemia and reperfusion, 1279
Spin trapping of superoxide, alkyl- and lipid-derived radicals with derivatives of the spin trap EPPN, 1717
Novel chemoattractant peptides for human leukocytes, 1841
Superoxide anion
Induction of the mitochondrial permeability transition by selenium compounds mediated by oxidation of the protein thiol groups and generation of the superoxide, 2301
Surface plasmon resonance
A dual mechanism of action of the anticancer agent F 11782 on human topoisomerase II α, 623
Survival
Raf and the road to cell survival: a tale of bad spells, ring bearers and detours, 1341
Synaptic membranes
Degradation of endomorphin-2 at the supraspinal level in mice is initiated by dipeptidyl peptidase IV: an *in vitro* and *in vivo* study, 653
[$^{35}$S]GTPγS
Functional calcium coupling with the human metabotropic glutamate receptor subtypes 2 and 4 by stable co-expression with a calcium pathway facilitating G-protein chimera in Chinese hamster ovary cells, 785
T lymphocyte subsets
*In vitro* susceptibility of $CD4^+$ and $CD8^+$ T cell subsets to fludarabine, 2185
T lymphocytes
Down-regulation of c-*jun* N-terminal kinase-activator protein-1 signaling pathway by *Ginkgo biloba* extract in human peripheral blood T cells, 679
Tacrolimus
Decreased expression of P-glycoprotein during differentiation in the human intestinal cell line Caco-2, 163
TAK-475
Comparing myotoxic effects of squalene synthase inhibitor, T-91485, and 3-hydroxy-3-methylglutaryl coenzyme A (HMG-CoA) reductase inhibitors in human myocytes, 2133
Tamoxifen
Involvement of PKA and Sp1 in the induction of $p27^{Kip1}$ by tamoxifen, 371
TAT domain
The mechanisms of cell death in focal cerebral ischemia highlight neuroprotective perspectives by anti-caspase therapy, 1643
Tau phosphorylation
Neurofibrillary degeneration of the Alzheimer-type: an alternate pathway to neuronal apoptosis?, 1619
Taurine depletion
DNA damage and expression of checkpoint genes $p21^{WAF1/CIP1}$ and *14-3-3* σ in taurine-deficient cardiomyocytes, 511
Taurolithocholate
Preventive effect of silymarin against taurolithocholate-induced cholestasis in the rat, 355
Taxol
Pyrazolotriazolopyrimidine derivatives sensitize melanoma cells to the chemotherapic drugs: taxol and vindesine, 739
Taxol- and okadaic acid-induced destabilization of *bcl-2* mRNA is associated with decreased binding of proteins to a *bcl-2* instability element, 1151
Effect of nitric oxide on cytotoxicity of Taxol: enhanced Taxol transcellular permeability, 2193
TCDD
Contribution of the Ah receptor to the phenolic antioxidant-mediated expression of human and rat UDP-glucuronosyltransferase UGT1A6 in Caco-2 and rat hepatoma 5L cells, 841

T-cell lymphoma
Genistein reduces NF-κB in T lymphoma cells *via* a caspase-mediated cleavage of IκBα, 1009
Telomerase
Cross-talk between Bcr-Abl tyrosine kinase, protein kinase C and telomerase—a potential reason for resistance to Glivec in chronic myelogenous leukaemia, 1879
Temperature
Cholesterol crystallization and macrophage apoptosis: implication for atherosclerotic plaque instability and rupture, 1485
Tempo spin label
The study of the quercetin action on human erythrocyte membranes, 605
Terbutaline
H89, an inhibitor of protein kinase A (PKA), stimulates $Na^+$ transport by translocating an epithelial $Na^+$ channel (ENaC) in fetal rat alveolar type II epithelium, 1083
*tert*-Butylhydroquinone
Positive and negative regulation of prostaglandin $E_2$ biosynthesis in human colorectal carcinoma cells by cancer chemopreventive agents, 51
Contribution of the Ah receptor to the phenolic antioxidant-mediated expression of human and rat UDP-glucuronosyltransferase UGT1A6 in Caco-2 and rat hepatoma 5L cells, 841
2,3,7,8-Tetrachlorodibenzo-*p*-dioxin (TCDD)
Interaction of 2,3,7,8-tetrachlorodibenzo-*p*-dioxin (TCDD) with induced adipocyte differentiation in mouse embryonic fibroblasts (MEFs) involves tyrosine kinase c-Src, 1231
Tetrahydropapaveroline
Aggravation of L-DOPA-induced neurotoxicity by tetrahydropapaveroline in PC12 cells, 1787
Tetrandrine
Induction of apoptosis in human hepatoblastoma cells by tetrandrine via caspase-dependent Bid cleavage and cytochrome *c* release, 725
Thiadiazole
Investigation of anticancer mechanism of thiadiazole-based compound in human non-small cell lung cancer A549 cells, 115
Thialysine
Mechanism underlying cytotoxicity of thialysine, lysine analog, toward human acute leukemia Jurkat T cells, 2291
Thiazolidinedione
Effects of troglitazone on intracellular cholesterol distribution and cholesterol-dependent cell functions in MA-10 Leydig tumor cells, 307
Thioacetamide hepatotoxicity
Depletion of Kupffer cell function by gadolinium chloride attenuates thioacetamide-induced hepatotoxicity. Expression of metallothionein and HSP70, 917
Thiols
α-Lipoic acid decreases thiol reactivity of the insulin receptor and protein tyrosine phosphatase 1B in 3T3-L1 adipocytes, 849
The changing faces of glutathione, a cellular protagonist, 1499
Thioredoxin
Induction of apoptosis without redox catastrophe by thioredoxin-inhibitory compounds, 1695
Thromboxane synthase
Inhibition of prostaglandin $D_2$ clearance in rat hepatocytes by the thromboxane receptor antagonists daltroban and ifetroban and the thromboxane synthase inhibitor furegrelate, 643
Thymidylate synthase
Induction of resistance to the multitargeted antifolate Pemetrexed (ALIMTA) in WiDr human colon cancer cells is associated with thymidylate synthase overexpression, 431
Methionine restriction selectively targets thymidylate synthase in prostate cancer cells, 791
Thymocyte development
Mechanisms of apoptosis in developing thymocytes as revealed by adenosine deaminase-deficient fetal thymic organ cultures, 1595
Tissue transglutaminase
Role of tissue transglutaminase in GTP depletion-induced apoptosis of insulin-secreting (HIT-T15) cells, 213
3T3-L1 adipocytes
α-Lipoic acid decreases thiol reactivity of the insulin receptor and protein tyrosine phosphatase 1B in 3T3-L1 adipocytes, 849
TNF
Potentiation of tumor necrosis factor-α expression by YC-1 in alveolar macrophages through a cyclic GMP-independent pathway, 149
TNF-α
Influence of tumor necrosis factor-α on the expression and function of P-glycoprotein in an immortalised rat brain capillary endothelial cell line, GPNT, 579
TNF-α
Alternative pathways of ovarian apoptosis: death for life, 1355
Pleiotropic anti-apoptotic activity of glucocorticoids in ovarian follicular cells, 1393
Mitigation of tumor necrosis factor alpha cytotoxicity by aurintricarboxylic acid in human peripheral B lymphocytes, 1973
TNF
Molecular mechanisms underlying WOX1 activation during apoptotic and stress responses, 1347
Regulation of proliferation, survival and apoptosis by members of the TNF superfamily, 1403
Nuclear factor-kappa B plays a central role in tumour necrosis factor-mediated liver disease, 1409
TNF family
TWE-PRIL; a fusion protein of TWEAK and APRIL, 1427
TNFalpha
The multifunctional protein PEA-15 is involved in the control of apoptosis and cell cycle in astrocytes, 1581
Topoisomerase II
The anti-neoplastic and novel topoisomerase II-mediated cytotoxicity of neoamphimedine, a marine pyridoacridine, 447
A dual mechanism of action of the anticancer agent F 11782 on human topoisomerase II α, 623
Toxicology
Pharmacologic or genetic ablation of maleylacetoacetate isomerase increases levels of toxic tyrosine catabolites in rodents, 2029
Trachea
Pharmacological and biochemical characterization of the beta-adrenergic signal transduction pathway in different segments of the respiratory tract, 1067
TRAIL
Regulation of proliferation, survival and apoptosis by members of the TNF superfamily, 1403
The histone deacetylase inhibitor suberic bishydroxamate: a potential sensitizer of melanoma to TNF-related apoptosis-inducing ligand (TRAIL) induced apoptosis, 1537
Tranilast
Involvement of protein kinase Cδ and extracellular signal-regulated kinase-2 in the suppression of microglial inducible nitric oxide synthase expression by *N*-[3,4-dimethoxycinnamoyl]-anthranilic acid (tranilast), 1263
Transactivation
Suppression of RelA/p65 transactivation activity by a lignoid manassantin isolated from *Saururus chinensis*, 1925
Transcription factor
Sphingosine 1-phosphate induces CREB activation in rat cerebral artery via a protein kinase C-mediated inhibition of voltage-gated $K^+$ channels, 1861
Hepatic expression of cytochrome P450s in hepatocyte nuclear factor 1-alpha (HNF1α)-deficient mice, 2011
Transcription factor decoy
Decoy oligodeoxynucleotides targeting NF-kappaB transcription factors: induction of apoptosis in human primary osteoclasts, 1189
Transferrin
Cocaine–protein targets in mouse liver, 105
Transplantation
Decreased expression of P-glycoprotein during differentiation in the human intestinal cell line Caco-2, 163

Transport
Intestinal epithelial cell accumulation of the cancer preventive polyphenol ellagic acid—extensive binding to protein and DNA, 907
Transporter
Decreased expression of P-glycoprotein during differentiation in the human intestinal cell line Caco-2, 163
Trimetazidine
Evidence for a protective role of trimetazidine during cold ischemia: targeting inflammation and nephron mass, 2241
Triptolide
Immunosuppressant PG490 (triptolide) induces apoptosis through the activation of caspase-3 and down-regulation of XIAP in U937 cells, 273
Troglitazone
Effects of troglitazone on intracellular cholesterol distribution and cholesterol-dependent cell functions in MA-10 Leydig tumor cells, 307
Tryptase
Proteinase-activated receptor-2 mediates hyperresponsiveness in isolated guinea pig bronchi, 519
Inhibition of dipeptidyl peptidase I in the human mast cell line HMC-1: blocked activation of tryptase, but not of the predominant chymotryptic activity, 2251
Tryptophan
Tryptophan metabolism via serotonin in rats with hexachlorobenzene experimental porphyria, 35
Inhibition of indoleamine 2,3-dioxygenase activity in IFN-γ stimulated astroglioma cells decreases intracellular NAD levels, 1033
Tryptophan hydroxylase
Tryptophan metabolism via serotonin in rats with hexachlorobenzene experimental porphyria, 35
Tubulin
Cytoskeletal reorganization during process of apoptosis induced by cytostatic drugs in K-562 and HL-60 leukemia cell lines, 1611
Tumor microenvironment
Adenosine stimulation of the proliferation of colorectal carcinoma cell lines. Roles of cell density and adenosine metabolism, 1737
Tumor necrosis factor-α
Suppression of dextran sodium sulfate-induced colitis in mice by zerumbone, a subtropical ginger sesquiterpene, and nimesulide: separately and in combination, 1253
Tumor necrosis factor
Effects of wogonin, a plant flavone from *Scutellaria radix*, on skin inflammation: *in vivo* regulation of inflammation-associated gene expression, 1271
Tumortherapeutic agents
DNA damage-triggered apoptosis: critical role of DNA repair, double-strand breaks, cell proliferation and signaling, 1547
TWEAK
TWE-PRIL; a fusion protein of TWEAK and APRIL, 1427
Type II collagen arthritis
Role of cyclooxygenase-2, but not cyclooxygenase-1, on type II collagen-induced arthritis in DBA/1J mice, 1055
Tyrosine hydroxylase
Stimulation of catecholamine synthesis by orexin-A in bovine adrenal medullary cells through orexin receptor 1, 141

U937
Immunosuppressant PG490 (triptolide) induces apoptosis through the activation of caspase-3 and down-regulation of XIAP in U937 cells, 273
Ubiquitin
The essentiality of Bcl-2, PKC and proteasome–ubiquitin complex activations in the neuroprotective-antiapoptotic action of the anti-Parkinson drug, rasagiline, 1635
UCN-01
Induction by staurosporine of hepatocyte growth factor production in human skin fibroblasts independent of protein kinase inhibition, 1797
UDP-glucuronosyltransferase
Effect of spironolactone on the expression of rat hepatic UDP-glucuronosyltransferase, 171
Contribution of the Ah receptor to the phenolic antioxidant-mediated expression of human and rat UDP-glucuronosyltransferase UGT1A6 in Caco-2 and rat hepatoma 5L cells, 841
UDP-glycosyltransferase superfamily
Vertebrate UDP-glucuronosyltransferases: functional and evolutionary aspects, 691
Uroporphyrinogen oxidation
Interaction of polyhalogenated compounds of appropriate configuration with mammalian or bacterial CYP enzymes. Increased bilirubin and uroporphyrinogen oxidation *in vitro*, 405

Valproate
Search for a common mechanism of mood stabilizers, 179
Vanilloid receptors
Inhibition of C6 glioma cell proliferation by anandamide, 1-arachidonoylglycerol, and by a water soluble phosphate ester of anandamide: variability in response and involvement of arachidonic acid, 757
Vascular contraction
Inhibition of arterial contraction by dinitrosyl–iron complexes: critical role of the thiol ligand in determining rate of nitric oxide (NO) release and formation of releasable NO stores by *S*-nitrosation, 2365
Vascular smooth muscle
Sphingosine 1-phosphate induces CREB activation in rat cerebral artery via a protein kinase C-mediated inhibition of voltage-gated $K^+$ channels, 1861
VEGF
Antitumor efficacy of FK228, a novel histone deacetylase inhibitor, depends on the effect on expression of angiogenesis factors, 897
Ventricular contraction force
Spermine-induced negative inotropic effect in isolated rat heart, is mediated through the release of ATP, 157
Vertebrate UDP-glucuronosyltransferases
Vertebrate UDP-glucuronosyltransferases: functional and evolutionary aspects, 691
Vimentin
Cytoskeletal reorganization during process of apoptosis induced by cytostatic drugs in K-562 and HL-60 leukemia cell lines, 1611
Vinblastine
The JNK, ERK and p53 pathways play distinct roles in apoptosis mediated by the antitumor agents vinblastine, doxorubicin, and etoposide, 459
Vindesine
Pyrazolotriazolopyrimidine derivatives sensitize melanoma cells to the chemotherapic drugs: taxol and vindesine, 739
Vitamin D analogs
Inhibition of MG-63 cell cycle progression by synthetic vitamin $D_3$ analogs mediated by p27, Cdk2, cyclin E, and the retinoblastoma protein, 495
Vitamins
Different antioxidant effects of polyphenols on lipid peroxidation and hydroxyl radicals in the NADPH-, Fe-ascorbate- and Fe-microsomal systems, 1127
VLA-4
Nitric oxide has a role in regulating VLA-4-integrin expression on the human neutrophil cell surface, 43
Volume of distribution
Compared pharmacological characteristics in humans of racemic cetirizine and levocetirizine, two histamine $H_1$-receptor antagonists, 1123
VR1 (vanilloid receptor subtype 1)
Expression of vanilloid receptors in rat gastric epithelial cells: role in cellular protection, 1115

Weak acid
Tumor acidity, ion trapping and chemotherapeutics. I. Acid pH affects the distribution of chemotherapeutic agents *in vitro*, 1207

Weak base
Tumor acidity, ion trapping and chemotherapeutics. I. Acid pH affects the distribution of chemotherapeutic agents *in vitro*, 1207
Wogonin
Effects of wogonin, a plant flavone from *Scutellaria radix*, on skin inflammation: *in vivo* regulation of inflammation-associated gene expression, 1271
WOX1
Molecular mechanisms underlying WOX1 activation during apoptotic and stress responses, 1347

Xenoestrogen
Cytotoxic and xenoestrogenic effects via biotransformation of *trans*-anethole on isolated rat hepatocytes and cultured MCF-7 human breast cancer cells, 63
XIAP
Immunosuppressant PG490 (triptolide) induces apoptosis through the activation of caspase-3 and down-regulation of XIAP in U937 cells, 273
Bcl-2 overexpression prevents daunorubicin-induced apoptosis through inhibition of XIAP and Akt degradation, 1779
XT-611
Inhibition of osteoclastogenesis by a phosphodiesterase 4 inhibitor XT-611 through synergistic action with endogenous prostaglandin $E_2$, 801

YC-1
Potentiation of tumor necrosis factor-α expression by YC-1 in alveolar macrophages through a cyclic GMP-independent pathway, 149
YC-1 inhibits proliferation of human vascular endothelial cells through a cyclic GMP-independent pathway, 263

ZD1839 ('Iressa')
Characterization of sequence-dependent synergy between ZD1839 ('Iressa') and oxaliplatin, 551
Zinc
Apoptosis in the normal and inflamed airway epithelium: role of zinc in epithelial protection and procaspase-3 regulation, 1459
Zinc finger
Targeting oxidative stress-related diseases: organochalcogen catalysts as redox sensitizers, 2021